


- Legend**
- RDN Electoral Area
 - RDN Village Centres
 - Land Parcels
 - Municipalities
 - First Nation Reserve Lands
 - Building Footprints
 - Open Spaces (Park, Forest, Grasslands)
 - Transects
 - Flood Extent

ELECTORAL AREA H (1 OF 3)
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard
 Map 1 of 19



Notes to User:

- This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
- The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
- Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
- Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
- The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
- A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
- The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
- Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

- The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
- The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
- This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
- The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
- Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:

- Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
- First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
- OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).


References:

- Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

BL 1872
SCHEDULE D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL






Legend

- RDN Electoral Area
- RDN Village Centres
- Land Parcels
- Municipalities
- First Nation Reserve Lands
- Building Footprints
- Open Spaces (Park, Forest, Grasslands)
- Transects
- Flood Extent

ELECTORAL AREA H (2 OF 3)
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard
 Map 2 of 19



Notes to User:

- This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2020.
- The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
- Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
- Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
- The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
- A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
- The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
- Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

- The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021 for a detailed discussion of limitations.
- The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
- This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
- The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
- Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:

- Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
- First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
- OSM Humanitarian Data Model and CA RTD's Posttron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license C C BY-SA).


References:


- Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL


BL 1872
SCHEDULE D





- Legend**
- RDN Electoral Area
 - RDN Village Centres
 - Land Parcels
 - Municipalities
 - First Nation Reserve Lands
 - Building Footprints
 - Open Spaces (Park, Forest, Grasslands)
 - Transects
 - Flood Extent

ELECTORAL AREA H (3 OF 3)
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard
 Map 3 of 19



- Notes to User:**
1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
 2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd., 2021). See the main report for further details on the methodology, results, and limitations.
 3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd. 2019) for the Regional District of Nanaimo (RDN).
 4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
 5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
 6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
 7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
 8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

- Limitations:**
1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd., 2021) for a detailed discussion of limitations.
 2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
 3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
 4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
 5. Base map and parcel layers were provided by different data owners and are subject to differences.

- Data Sources:**
1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
 2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
 3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).

- References:**
1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

BL 1872
SCHEDULE D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL

Scale: 1:10,000

ebbwater
 CONSULTING
 CASCADIA COAST
 RESEARCH LTD.

Legend

- RDN Electoral Area
- RDN Village Centres
- Land Parcels
- Municipalities
- First Nation Reserve Lands
- Building Footprints
- Open Spaces (Park, Forest, Grasslands)
- Transects
- Flood Extent

Strait of Georgia

Area H

Qualicum Beach (Town)

Little Qualicum River



**ELECTORAL AREA G (1 OF 2)
REGULATORY COASTAL FLOODPLAIN MAP**

0.5% AEP & 1 m RSLR plus 0.6 m freeboard

Map 4 of 19



INSET MAP

Notes to User:

1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
5. Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:

1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).

References:

1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL



Scale: 1:10,000



**BL 1872
SCHEDULE D**



Legend

- RDN Electoral Area
- RDN Village Centres
- Land Parcels
- Municipalities
- First Nation Reserve Lands
- Building Footprints
- Open Spaces (Park, Forest, Grasslands)
- Transects
- Flood Extent

Strait of Georgia


Qualicum Beach (Town)



**CITY OF QUALICUM BEACH
REGULATORY COASTAL FLOODPLAIN MAP**

0.5% AEP & 1 m RSLR plus 0.6 m freeboard

Map 5 of 19



Notes to User:

1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2020.
2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021 for a detailed discussion of limitations.
2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and survey s. The floodplain limits were not established on the ground by legal survey.
3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
5. Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:

1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
3. OSM Humanitarian Data Model and CA RTDS Posttron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license C C BY-SA).

References:

1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL

**BL 1872
SCHEDULE D**



Scale: 1:10,000




Legend

- RDN Electoral Area
- RDN Village Centres
- Land Parcels
- Municipalities
- First Nation Reserve Lands
- Building Footprints
- Open Spaces (Park, Forest, Grasslands)
- Transects
- Flood Extent



ELECTORAL AREA G (2 OF 2)
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard

Map 6 of 19



INSET MAP

Notes to User:

1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
5. Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:

1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).

References:

1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D


Prepared By: NS
 Reviewed By: TL
 Checked By: TL




Scale: 1:10,000




BL 1872
SCHEDULE D





- Legend**
- RDN Electoral Area
 - RDN Village Centres
 - Land Parcels
 - Municipalities
 - First Nation Reserve Lands
 - Building Footprints
 - Open Spaces (Park, Forest, Grasslands)
 - Transects
 - Flood Extent



- Notes to User:**
1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
 2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
 3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
 4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
 5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
 6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
 7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
 8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

- Limitations:**
1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
 2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
 3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
 4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
 5. Base map and parcel layers were provided by different data owners and are subject to differences.


- Data Sources:**
1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
 2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
 3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).

- References:**
1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

BL 1872
SCHEDULE D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL






CITY OF PARKVILLE & E (1 OF 3) REGULATORY FLOODPLAIN MAP


0.5% AEP & 1 m RSLR plus 0.6 m freeboard

Map 8 of 19



Legend

- RDN Electoral Area
- RDN Village Centres
- Land Parcels
- Municipalities
- First Nation Reserve Lands
- Building Footprints
- Open Spaces (Park, Forest, Grasslands)
- Transects
- Flood Extent



Notes to User:

1. This map has been developed to support the Regional District of Nanaimo Floodplain Management by law No. 1469, 2006.
2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
5. Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:

1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
3. OSM Humanitarian Data Model and CARTO's Posttron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license C C BY-SA).

References:

1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

BL 1872
-SCHEDULE D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL




Scale: 1:10,000





- Legend**
- RDN Electoral Area
 - RDN Village Centres
 - Land Parcels
 - Municipalities
 - First Nation Reserve Lands
 - Building Footprints
 - Open Spaces (Park, Forest, Grasslands)
 - Transects
 - Flood Extent

ELECTORAL AREA E (2 OF 3)
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard
 Map 9 of 19



Notes to User:

1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
5. Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:

1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).


References:


1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

BL 1872
SCHEDULE D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL






Legend

- RDN Electoral Area
- RDN Village Centres
- Land Parcels
- Municipalities
- First Nation Reserve Lands
- Building Footprints
- Open Spaces (Park, Forest, Grasslands)
- Transects
- Flood Extent

ELECTORAL AREA E (3 OF 3)
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard
 Map 10 of 19



- Notes to User:**
- This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No. 1469, 2006.
 - The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
 - Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
 - Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
 - The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
 - A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
 - The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
 - Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

- Limitations:**
- The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
 - The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
 - This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
 - The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
 - Base map and parcel layers were provided by different data owners and are subject to differences.


- Data Sources:**
- Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
 - First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
 - OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).


- References:**
- Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

BL 1872
SCHEDULE D


Prepared By: NS
 Reviewed By: TL
 Checked By: TL





- Legend**
- RDN Electoral Area
 - RDN Village Centres
 - Land Parcels
 - Municipalities
 - First Nation Reserve Lands
 - Building Footprints
 - Open Spaces (Park, Forest, Grasslands)
 - Transects
 - Flood Extent

CITY OF LANTZVILLE
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard
 Map 11 of 19



- Notes to User:**
1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
 2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
 3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
 4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
 5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
 6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
 7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
 8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

- Limitations:**
1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
 2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
 3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
 4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
 5. Base map and parcel layers were provided by different data owners and are subject to differences.


- Data Sources:**
1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
 2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
 3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).

- References:**
1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

BL 1872
SCHEDULE D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL



Area C

Strait of Georgia

Legend


- RDN Electoral Area
- RDN Village Centres
- Land Parcels
- Municipalities
- First Nation Reserve Lands
- Building Footprints
- Open Spaces (Park, Forest, Grasslands)
- Transects
- Flood Extent



**ELECTORAL AREA B (1 OF 6)
REGULATORY FLOODPLAIN MAP**

0.5% AEP & 1 m RSLR plus 0.6 m freeboard

Map 12 of 19



Notes to User:

1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
5. Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:

1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).



References:


1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

**BL1872
SCHEDULE D**

Prepared By: NS
 Reviewed By: TL
 Checked By: TL






- Legend**
- RDN Electoral Area
 - RDN Village Centres
 - Land Parcels
 - Municipalities
 - First Nation Reserve Lands
 - Building Footprints
 - Open Spaces (Park, Forest, Grasslands)
 - Transects
 - Flood Extent



**ELECTORAL AREA B (2 OF 6)
REGULATORY REGIONAL FLOODPLAIN MAP**
0.5% AEP & 1 m RSLR plus 0.6 m freeboard
Map 13 of 19



INSET MAP

- Notes to User:**
1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
 2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
 3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
 4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
 5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
 6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
 7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
 8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

- Limitations:**
1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
 2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
 3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
 4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
 5. Base map and parcel layers were provided by different data owners and are subject to differences.


- Data Sources:**
1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
 2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
 3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).


- References:**
1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

**BL 1872
SCHEDULE D**


Prepared By: NS
 Reviewed By: TL
 Checked By: TL





- Legend**
- RDN Electoral Area
 - RDN Village Centres
 - Land Parcels
 - Municipalities
 - First Nation Reserve Lands
 - Building Footprints
 - Open Spaces (Park, Forest, Grasslands)
 - Transects
 - Flood Extent

ELECTORAL AREA B (3 OF 6)
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard
 Map 14 of 19



- Notes to User:**
1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
 2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
 3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
 4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
 5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
 6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
 7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
 8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

- Limitations:**
1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
 2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
 3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
 4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
 5. Base map and parcel layers were provided by different data owners and are subject to differences.


- Data Sources:**
1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
 2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
 3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).

- References:**
1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

BL 1872
SCHEDULE D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL





ELECTORAL AREA B (4 OF 6) REGULATORY COASTAL FLOODPLAIN MAP

0.5% AEP & 1 m RSLR plus 0.6 m freeboard

Map 15 of 19



INSET MAP

Notes to User:

1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd., 2021). See the main report for further details on the methodology, results, and limitations.
3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd. 2019) for the Regional District of Nanaimo (RDN).
4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd., 2021) for a detailed discussion of limitations.
2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
5. Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:


1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).

References:

1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Legend


- RDN Electoral Area
- RDN Village Centres
- Land Parcels
- Municipalities
- First Nation Reserve Lands
- Building Footprints
- Open Spaces (Park, Forest, Grasslands)
- Transects
- Flood Extent




Date Created:	25 Apr 2022
Coordinate System:	NAD83, UTM 10N
Vertical Datum:	CGVD 2013
Paper Size:	ANSI D

BL 1872
SCHEDULE D


Prepared By:	NS
Reviewed By:	TL
Checked By:	TL





- Legend**
- RDN Electoral Area
 - RDN Village Centres
 - Land Parcels
 - Municipalities
 - First Nation Reserve Lands
 - Building Footprints
 - Open Spaces (Park, Forest, Grasslands)
 - Transects
 - Flood Extent

ELECTORAL AREA B (5 OF 6)
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard
 Map 16 of 19



Notes to User:

- This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
- The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
- Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
- Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
- The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
- A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
- The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
- Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

- The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
- The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
- This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
- The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
- Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:

- Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
- First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
- OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).

References:

- Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.


Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

BL 1872
SCHEDULE D


Prepared By: NS
 Reviewed By: TL
 Checked By: TL

Scale: 1:10,000

ebbwater
 CONSULTING
 CASCADIA COAST
 RESEARCH LTD.



ELECTORAL AREA B (6 OF 6)
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard
 Map 17 of 19



Notes to User:

1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
5. Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:

1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).


References:


1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D


BL 1872
SCHEDULE D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL





ELECTORAL AREA A (1 OF 2)
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard
 Map 18 of 19



- Legend**
- RDN Electoral Area
 - RDN Village Centres
 - Land Parcels
 - Municipalities
 - First Nation Reserve Lands
 - Building Footprints
 - Open Spaces (Park, Forest, Grasslands)
 - Transects
 - Flood Extent

Notes to User:

1. This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No.1469, 2006.
2. The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd, 2021). See the main report for further details on the methodology, results, and limitations.
3. Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd, 2019) for the Regional District of Nanaimo (RDN).
4. Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
5. The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
6. A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
7. The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
8. Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

Limitations:

1. The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc and Cascadia Coast Research Ltd, 2021) for a detailed discussion of limitations.
2. The accuracy of the floodplain extent is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
3. This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
4. The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
5. Base map and parcel layers were provided by different data owners and are subject to differences.

Data Sources:

1. Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
2. First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC, Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
3. OSM Humanitarian Data Model and CARTO's Positron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license CC BY-SA).


References:


1. Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

BL 1872
SCHEDULE D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL






Legend

- RDN Electoral Area
- RDN Village Centres
- Land Parcels
- Municipalities
- First Nation Reserve Lands
- Building Footprints
- Open Spaces (Park, Forest, Grasslands)
- Transects
- Flood Extent

ELECTORAL AREA A (2 OF 2)
REGULATORY COASTAL FLOODPLAIN MAP
 0.5% AEP & 1 m RSLR plus 0.6 m freeboard
 Map 19 of 19



- Notes to User:**
- This map has been developed to support the Regional District of Nanaimo Floodplain Management Bylaw No. 1469, 2006.
 - The methodology used to develop this map is outlined in the Coastal Floodplain Mapping Report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd., 2021). See the main report for further details on the methodology, results, and limitations.
 - Maps from this series REPLACE previous mapping from Phase I and II Coastal Floodplain Mapping Report (Cascadia Coast Research Ltd., 2019) for the Regional District of Nanaimo (RDN).
 - Flood water levels were developed using a 0.5% Annual Exceedance Probability (AEP) flood and 1.0 m Relative Sea Level Rise (RSLR).
 - The adopted values for sea level rise are based on guidelines from Ausenco Sandwell (2011). These are subject to change and RSLR values may need to be reassessed in future.
 - A 0.6 m freeboard allowance has been included in water levels in accordance with Ausenco Sandwell (2011).
 - The Regional District of Nanaimo (RDN) and Ebbwater Consulting Inc. does not represent that flooding will not occur outside of the indicated flood extent and will not exceed the water levels indicated on the map.
 - Application of the information presented in this map should be done in accordance with relevant policy and regulations by a suitably qualified professional.

- Limitations:**
- The accuracy of the presented flood extents is limited by available data and modelling approaches. The flood extents are based on 1D cross-shore transects. Please refer to report (Ebbwater Consulting Inc. and Cascadia Coast Research Ltd., 2021) for a detailed discussion of limitations.
 - The accuracy of the floodplain extents is limited by the accuracy of the base mapping data and surveys. The floodplain limits were not established on the ground by legal survey.
 - This map was produced by Ebbwater Consulting Inc. using generally accepted best practice and guidelines for the Province of British Columbia. However, flooding may still occur outside the defined floodplain boundary, and Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. do not assume any liability by reason of the failure to delineate flood areas on this map.
 - The presented flood extents are limited to estimates of the effects of a coastal storm flood hazard and they do not include effects of riverine flooding. Flood extents in estuarine areas should be based both on the coastal conditions and river levels.
 - Base map and parcel layers were provided by different data owners and are subject to differences.

- Data Sources:**
- Flood Construction Reference Plane (FCRP) values provided by Cascadia Coast Research Ltd.
 - First Nation Reserve Lands (also known as Indian Reserve Lands) layer was downloaded from DataBC Province of British Columbia. The other civic boundary layers were provided by the Regional District of Nanaimo.
 - OSM Humanitarian Data Model and CARTO's Posttron, created using derivatives of OpenStreetMap data - openstreetmap.org (© OpenStreetMap contributors; cartography license C C BY-SA).

- References:**
- Ebbwater Consulting Inc. and Cascadia Coast Research Ltd. (2021). Regional District of Nanaimo Coastal Floodplain Mapping. Prepared for the Regional District of Nanaimo.

Date Created: 25 Apr 2022
 Coordinate System: NAD83, UTM 10N
 Vertical Datum: CGVD 2013
 Paper Size: ANSI D

BL 1872
SCHEDULE D

Prepared By: NS
 Reviewed By: TL
 Checked By: TL

