

REGIONAL DISTRICT OF NANAIMO
REGULAR BOARD MEETING
ADDENDUM

Tuesday, May 28, 2019

7:00 P.M.

Board Chambers

This meeting will be recorded

	Pages
4. DELEGATIONS - AGENDA ITEMS	
*4.4 James Lacroix, re Telecommunication Antenna System Application No. PL2019-030 - 2540 Alberni Highway, Electoral Area F	2
*4.5 Zoye Geekie, re Telecommunication Antenna System Application No. PL2019-030 - 2540 Alberni Highway, Electoral Area F	3
*4.6 Amy McIntyre, Dave McIntyre and Pete Bremner re Telecommunication Antenna System Application No. PL2019-030 - 2540 Alberni Highway, Electoral Area F	12
5. CONSENT AGENDA	
5.1 CORRESPONDENCE	
*5.1.2 Eileen Scott and James Scott re Development Permit with Variance Application No. PL2019-034 - 843 Mariner Way, Electoral Area G	93
*5.1.3 Deborah Pearson, re Development Variance Permit Application No. PL2019-048 - 751 Woodland Drive, Electoral Area G	94
*5.1.4 Amy McIntyre re Telecommunication Antenna System Application No. PL2019-030 - 2540 Alberni Highway, Electoral Area F	95

Delegation:	James Lacroix, re Telecommunication Antenna System Application No. PL2019-030 - 2540 Alberni Highway, Electoral Area F
Summary:	<p>We are asking that the Board turn down Rogers Communications Inc.'s proposal to construct a wireless telecommunications facility on the parcel legally described as Block B, District Lot 143, Nanoose District, Plan 4679 for the following reasons</p> <ol style="list-style-type: none"> 1) The proposed tower does not belong in our small rural area. 2) We are requesting any information that shows how many people from the Town/area of Coombs complained about poor cellular service. 3) We already have good cell coverage in our area. 4) Majority of people at info session opposed the tower. 5) What responses has Rogers provided to people's concerns? 6) We oppose additional light pollution in our area including that from cell tower lights. 7) This huge tower will be an eyesore in our rural area.
Action Requested:	We are asking that the Board turn down Rogers Communications Inc.'s proposal to construct a wireless telecommunications facility on the parcel legally described as Block B, District Lot 143, Nanoose District, Plan 4679 or any location in Coombs.

Delegation: Zoye Geekie, re Telecommunication Antenna System Application No. PL2019-030
- 2540 Alberni Highway, Electoral Area F

Summary: During a community consultation meeting with Rogers Communications and the RDN, many residents of Coombs expressed strong opposition to a telecommunications tower being situated at 2540 Alberni Hwy, in Coombs, B.C.

Reasons for opposition included:

- The health risks associated with long-term, continuous exposure to electromagnetic radiofrequency radiation (EMF)
- A large tower in the middle of our community would negatively impact the views of Mount Arrowsmith and stand out in an area where most of the land is ALR and/or used for residential and/or commercial purposes
- Concern over reduced property values and the loss of potential buyers who do not want to live near a cell tower.

Scientific studies on humans, animals and biological material have shown adverse effects on physiological parameters due to RF radiation (Hardell, Carlberg & Hedendahl, 2018). In 2011, The International Agency for Research on Cancer (WHO) classified RF radiation as Group 2B, a possible carcinogen to humans. The Royal Society of Canada Expert Panel (2014) identified the need for more ongoing research on the effect of RF radiation on children, pregnant women and electromagnetically hypersensitive individuals. Studies have recommended that cell base stations should not be located less than 500 meters away from the population (Levitt and Lai, 2010).

Using a Google Maps application, I estimated that there are approximately five residences located 300m or less from the proposed telecommunications tower site and twenty-five residences located within 500m. **Why are we situating cell towers within 500 meters of residential homes in our community when there are other options available?**

Several residents of Coombs have recommended alternative locations for the telecommunications tower; all of which are currently owned by TimberWest / Island Timberlands. Brian Gregg (Sitepath Consulting) approached TimberWest with an option to lease land in two of these alternative locations. This offer was declined as TimberWest is currently undergoing a merger and is not able to enter into any lease agreements at this time. I contacted Ross McKeever, the director of Couverdon Real Estate for TimberWest on May 24 of this year and while he confirmed that they are unable to enter into any lease agreements at the current time; he would not rule it out in the near future.

As we move towards 5G cellular networks in the future where we will be exposed to more and different types of radiation before we've understood the potential long-term risks; I am asking the RDN to be both an advocate for all its' Island residents and a leader in progressive social, health and environmental policy. While Rogers' may have satisfied the basic requirements to situate a cell tower in our community; many residents of Coombs are in opposition to the cell tower and/or have suggested more suitable alternative locations that could be a viable option in the future.

Action Requested: Reject Rogers' Communications Inc.'s proposal to place a 61m Telecommunications tower at 2540 Alberni Hwy, Coombs.

Rogers Public Consultation - W4570 - Coombs

Brian Gregg <briangregg@sitepathconsulting.com>

Wed 3/20/2019 4:50 AM

To:

Hi Zoye and Larry:

Thanks for submitting your comment sheets and letter as attached. We have heard all perspectives during the comment period which is a sign of a healthy consultation. There are some who have concerns and others who feel there is a need for the service improvements. Some feel that our initial proposed tower location is suitable at the autosalvage lot and others would prefer a different location further out of town. If we can do better we certainly will but sometimes we have constraints, including the need to find a willing landlord in an area that will tie into the network.

I can confirm that we are exploring the other locations you mentioned during the public meeting and in your letter. The challenge is that the alternative location (as shown below) is on a property owned by Island Timberlands. Island Timberlands advised me that they are not able or willing to lease any land for the foreseeable future as they are undergoing a merger and putting together a new organization. I will re-approach them again as this would certainly be a beneficial option to have. If we could simply relocate the facility to this area it would address some peoples' concerns but unfortunately it can be a multi-year process to arrive at a new location with a new right of way agreement.





Thanks again for attending the public meeting. It was very nice to meet you both. I'll keep you posted if Island Timberlands becomes more willing. We certainly haven't given up and I'll inquire with them again tomorrow.

Brian Gregg | SitePath Consulting Ltd.

2528 Alberta Street, Vancouver, BC V5Y 3L1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

Re: Rogers Public Consultation - W4570 - Coombs

Zoye Geekie

Fri 3/22/2019 10:07 PM

To: Brian Gregg <briangregg@sitepathconsulting.com>

Hi Brian,

Thank you for your reply to our comments sheet. We both really appreciate your decision to consider a different location for the proposed cell tower. And we do understand the challenge that lies ahead in regard to establishing a lease agreement with Island Timberlands. But the fact that you are planning to re-approach them with this proposal is encouraging because it shows that you haven't given up yet and more importantly; that you are trying to resolve some of the concerns expressed during the community consultation.

On behalf of my dad and myself; thank you so much for trying to find another location for the telecommunications tower. Coombs is a small community and the 'footprint' of this tower will be felt for many years to come. Anything that you can do to improve on the current proposed location will be greatly appreciated.

Thank you for your time and consideration

Best regards,

Zoye and Larry Geekie

On Mar 19, 2019, at 9:49 PM, Brian Gregg
<briangregg@sitepathconsulting.com> wrote:

Hi Zoye and Larry:

Thanks for submitting your comment sheets and letter as attached. We have heard all perspectives during the comment period which is a sign of a healthy consultation. There are some who have concerns and others who feel there is a need for the service improvements. Some feel that our initial proposed tower location is suitable at the autosalvage lot and others would prefer a different location further out of town. If we can do better we certainly will but sometimes we have constraints, including the need to find a willing landlord in an area that will tie into the network.

1139 Schidler Road, Coombs

Brian Gregg <briangregg@sitepathconsulting.com>

Tue 3/26/2019 12:05 PM

To: Zoye Geekie <[REDACTED]>

1 attachments (1 MB)

TITLE-FB113892-PID-663-502-762.pdf

Hi Larry and Zoye:

Sandra McShane asked me to connect with your family today to see if you would be willing to lease space to Rogers for the tower. She advised me that your family owns the property, as shown below. Please let me know if this could be considered and I could run the idea by Rogers. I have attached the title which shows Zelloc Holdings Inc. Is that your family's company?



Zoye, I understand that you are asking us to look in a different area as well near Virginia Estates. I'll also explore that. However, if you would be willing to discuss 1139 Schidler Road that would be something we could consider as well.

I note that we'd have to be setback significantly from the riparian area (at least 30 m setback typically).

Please let me know your thoughts so that I can advise Sandra McShane.

Thanks,

Brian Gregg | SitePath Consulting Ltd.

2528 Alberta Street, Vancouver, BC V5Y 3L1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com




Delegation: Amy McIntyre, Dave McIntyre and Pete Bremner, re Telecommunication Antenna System Application No. PL2019-030 - 2540 Alberni Highway, Electoral Area F

Summary: We are opposed to the current proposed site.



- Health concerns; too much risk and unproven data re: Canada Safety Code for EMF and radiation
- Endangerment to local wildlife inc. our rare, endangered (2) white ravens found nowhere else in the WORLD! (Their nest is in the immediate vicinity of propose site)
- Light pollution from tower lights (our bedroom, child's bedroom)
- Radiation into livestock grown for food
- Cancer and brain lesion risk especially for women and children
- Neurological risks
- Detrimental to property values
- UGLY TOO TALL TO BLEND ANYWHERE

Action Requested: We request that the Board deny the proposed cell tower site at Hwy 4 Auto Salvage and find an alternative site at a greater distance to surrounding residences.





Cell Towers And Cell Antennae



Cell Towers and Cell Antennae mounted on buildings have radio frequency emissions. The closer you are to the antennae, the more radiofrequency radiation you are exposed to. Cell tower radiation exposure is different than cell phone exposure in that a cell phone *to the head* focuses an extremely high amount of radiation to a specific brain region. Cell tower emissions are at lower levels than cell phones. *However, with cell tower exposure, the exposure is non- stop day and night and full body exposure.*


A significant body of peer reviewed research has found harmful effects from cell tower radiation. [Read the peer reviewed research here.](#)

People living or working in close vicinity to a cell tower will get the highest exposures. People sleeping in homes with windows facing antennas will have more nighttime exposure. A phone can be turned off but a cell tower cannot be. Many governments and local jurisdictions have halted the placement of cell towers and cell antennae near schools and residences because of the higher density of radiation in the close vicinity to cell antennas.


Is a cell tower proposed at your child's school? [Go to this page with details and resources.](#)

[Read a PDF compilation of Doctors letters on cell towers near schools.](#)


Please learn about more worker safety issues at [EHT's webpage on cell tower industry health and safety issues.](#)



Dr. Litovitz to the US Congressional in 2001 on EMF




Cell Tower Microwave Radiation Presentation by Magda Havas




Harmful Levels of RF That Exceed FCC levels Found on Cell Tower Sites



Dr. Martin Pall & Dr. Paul Dart, M.D. Oregon House of Rep. Health Committee



Blake Levitt 2007 U.S. Congressional Staff Briefing




Full Signal – The Hidden Cost of Cell Phones



In addition to radiation concerns, cell towers also present a myriad of *additional* safety issues such as inadequate regulations for workers, fire risk and the placement of hazardous materials (diesel fuel and lead acid batteries) in the cell tower compound. Safety issues related prompted the the [International Brotherhood of Electrical Workers to write the FCC](#) in 2013 that “ensuring compliance with existing FCC RF human exposure limits by the FCC licensee is not effective and cannot/is not being enforced.” Concerned about the health of their workers the IBEW states *“When there is a hazard, the hazard creator has a duty to warn others against the hazard.”*

The body of research on humans is complicated by the inability to fully assess exposure because of all the variables related to exposure assessment. Please note that decades ago the lead industry argued that leaded gasoline in cars *did not pose a risk to humans* because it was “so low” and what they called an “environmental exposure”. However, history has shown these “low levels” added up and that leaded gas was a huge policy misstep. [Current research](#) shows that by far “the largest contributor to global environmental lead contamination has been the use of lead in petrol”. In a similar fashion, the wireless industry argues that cell tower emissions are “low” and “environmental” exposures.



Juli Chawla, former Miss India and Bollywood Actress became a voice for wireless safety after she found she was living across from cell base stations. In 2015 she received the Indira Gandhi Memorial Award for social awareness about the health hazards caused due to cell towers and cell antennae radiation. Watch her excellent speech in the video here.

+ WANT TO SEE THE PUBLISHED PEER REVIEWED SCIENCE? [Click Here For a List of Scientific Publications on Cell Tower Radiation](#)

CELL TOWERS & CELL ANTENNAE FAQ's

+ What health and safety issues do cell towers pose?

+ What is the 1996 Telecommunications Act and how does it affect cell tower placement in the USA?

+ Please read this briefing about the 1996 Telecom Act and other Regulations Affecting Cell Tower Sitings

+ I keep reading that FCC's limits for RF radiation are “thermal” limits. What does this mean?

+ I have been told that the RF radiation levels from a proposed cell tower (or from our school's Wi-Fi system) is well below FCC's maximum permissible exposure levels (i.e. FCC compliant) and therefore I should not be concerned. Is there a health risk even at FCC compliant levels?

+ Are the RF limits in all countries thermal like the US? If not, why not?

+ How do I find out about how many cell towers or cell antennae are near my home?

RESOURCES ON CELL TOWER RADIATION

[Click here to see a slide presentation on cell tower radiation by Neha Kumar](#)

Dr. RS Sharma, member of the Government of India's Inter-Ministerial Committee of Ministry of Communication and IT,Dr. Sharma's gave the lecture “Radio Frequency Radiations and Human Health: An Indian Scenario” Slides are available [here](#).

[INTERNATIONAL ASSOCIATION OF FIRE FIGHTERS: DIVISION OF OCCUPATIONAL HEALTH, SAFETY AND MEDICINE: Position on the Health Effects from Radio Frequency/Microwave \(RF/MW\) Radiation in Fire Department Facilities from Base Stations for Antennas and Towers for the Conduction of Cell Phone Transmissions](#)

[INDIA EPORT OF THE INTER-MINISTERIAL COMMITTEE ON EMF RADIATION.](#)

[The Right to a Healthy Environment: RF Radiation Exposure from Cell Towers by Katherina Gustavs.](#)

Chronic Exposure website by PhD Mikko Ahonen documenting cell tower research and related [Twitter news channel listing latest news and research papers about various microwave transmitters including radar.](#)

[The Center for Construction Research and Training Radiofrequency Cell Tower Radiation Awareness Program for the Construction Industry](#)

[US GOVERNMENT DOCUMENTS](#)

[EPA letter that clarifies that existing RF standards do not protect us from long term low level exposure](#)

[Department of Interior Letter on Cell Towers and how FCC limits are out of date.](#)

[US Department of Labor letter on the “alarming increase in cell tower worker deaths” dated 2014](#)

[Letter from LA firefighters to chair of the public safety committee September 20, 2014](#)

[LA Firefighter Union Asks that they “cease and desist” from constructing towers.](#)

[Letter from Connecticut Atty. Gen. and Lieut. Gov. on cell towers](#)

[Letter from Connecticut Governor on how cell towers are ugly](#)

[Congressman James Himes Letter against cell towers Jan 28, 2010](#)

[Rebuttal to T-Mobile Appeal Conditional Use Permit No. PL2014-518 June 2, 2015 Prepared by Residents of Diamond Bar, CA](#)

[For Diamond Bar City Council, Diamond Bar, CA](#)

[Read the resolution from the city council rejecting the T-Mobile tower in Maple Hill Park.](#)

[Go to top](#)

ADDITIONAL READING

One in ten cell phone antenna sites violate FCC rules designed to protect workers from excessive radio frequency radiation. Read [Lawmakers push FCC to Limit RF radiation exposure from cellular antennas](#)

[Senator Blumenthal, Representative Eshoo Urge FCC to Enforce Exposure Limits for Those Who Work Near Wireless Towers](#)

[2013: Supreme Court of India upheld the High Court of the State of Rajasthan decision to remove all cell towers from the vicinity of schools, hospitals and playgrounds because of radiation “hazardous to life.”](#)

India: [Zilla Parishad orders removal of all cellphone towers near schools citing exposure to “harmful radiation”.](#)

[Go to top](#)

Email us at info@ehtrust.org

Mailing address

P.O. Box 58, Teton Village
WY 83025


Express mail should be sent to

7100 N Rachel Way Unit 6
Eagles Rest
Teton Village WY 83025

Copyright © 2019 Enviromental Health Trust

HARVARD MEDICAL SCHOOL

Martha R. Herbert, Ph.D., M.D.
Assistant Professor, Neurology
Director, TRANSCEND Research Program
www.transcendresearch.org
transcend@partners.org



MASSACHUSETTS GENERAL HOSPITAL

Martinos Center for Biomedical Imaging
149 13th Street, Room 2nd Floor
Charlestown (Boston), Massachusetts
02129
Phone: 617-724-5920
martha.herbert@mgh.harvard.edu
<https://connects.catalyst.harvard.edu/profiles/display/Person/47629>

9 September 2016

District Office
200 Douglas Street
Petaluma, California 94952

Dear Petaluma City School District,

I am a pediatric neurologist and neuroscientist on the faculty of Harvard Medical School and on staff at the Massachusetts General Hospital. I am Board Certified in Neurology with Special Competency in Child Neurology, and Subspecialty Certification in Neurodevelopmental Disorders. I have an extensive history of research and clinical practice in neurodevelopmental disorders, particularly autism spectrum disorders. I have published papers in brain imaging research, in physiological abnormalities in autism spectrum disorders, and in environmental influences on neurodevelopmental disorders such as autism and on brain development and function.

A few years ago I accepted an invitation to review literature pertinent to a potential link between Autism Spectrum Disorders and Electromagnetic Frequencies (EMF) and Radiofrequency Radiation (RFR). I set out to write a paper of modest length, but found much more literature than I had anticipated to review. I ended up producing a 60 page single spaced paper with over 550 citations. It is available at http://www.bioinitiative.org/report/wpcontent/uploads/pdfs/sec20_2012_Findings_in_Autism.pdf and it was published in a revised and somewhat shortened form in two parts in the peer reviewed indexed journal Pathophysiology (2013).

More recently I published an article entitled "Connections in Our Environment: Sizing up Electromagnetic Fields," in Autism Notebook Spring 2015 edition. In this article I describe how there is a whole series of problems at the cellular, sub-cellular and metabolic levels and immune levels that have been identified in autism. And interestingly, for every single one of those problems, there's literature about how EMFs can create those kinds of problems.

The argument I made in these articles is not that EMF is proven to cause autism, but rather, that EMF can certainly contribute to degrading the physiological integrity of the system at the cellular and molecular level – and this in turn appears to contribute to the pathogenesis/causation not only of autism but of many highly common chronic illnesses, including cancer, obesity, diabetes and heart

12 September 2017

All School Board Members
Hempfield School District

Dear Sirs/Madams:

I am a public health physician who has been involved in issues related to electromagnetic fields (EMFs) for several decades. I served as the Executive Secretary for the New York Powerline Project in the 1980s, a program of research that showed that children living in homes with elevated magnetic fields coming from powerlines suffered from an elevated risk of developing leukemia. After that project was completed I served as the spokesperson for New York State on issues related to both power line and radiofrequency EMFs. I served as Director of the Wadsworth Laboratory of the New York State Department of Health, as well as Dean of the School of Public Health at the University at Albany/SUNY. I have edited two books on effects of EMFs, ranging from low frequency fields to radiofrequency/ microwave radiation, or the kind emitted by WiFi routers, cell phones, neighborhood antennas or cell towers and wireless computer equipment. I served as the co-editor of the BioInitiative Report 2012 (Bioinitiative.org), a comprehensive review of the literature showing biological effects at non-thermal levels of exposure, much of which has since been published in the peer-reviewed journal, *Pathophysiology* (attached). Also, I served on the President's Cancer Panel that examined radiation exposures as they relate to cancer risk, in 2009. Thus, this is a subject which I know well, and one on which I take a public health approach rooted in the fundamental principle of the need to protect against risk of disease, even when one may not have all the information that would be desirable.

There is clear and strong evidence that intensive use of cell phones increases the risk of brain cancer, tumors of the auditory nerve and cancer of the parotid gland, the salivary gland in the cheek by the ear. The WHO's International Agency for Research on Cancer has classified the radiation from both cell phones and cell towers as a Class 2B "Possible Carcinogen" in 2011. Cell towers use similar radio-frequency radiation as cell phones (in the 1.8 to 5.0 GHz range). The difference between a cell phone and a cell tower environment, however, is that while the cell phone is used only intermittently, and at higher power, a cell tower environment is continuous, serving many people at the same time. Cell towers direct their beam in all directions, such that anyone nearby is continuously exposed to radiofrequency radiation. While the intensity is much less than one would receive holding a cell phone to your head, the emissions from a cell tower are continuous. Thus the aggregate exposure over time coming from being close to a cell tower can be very significant. A child in a school with a nearby cell tower will be exposed every moment he or she is at school. Thus there is a particular concern when a cell tower is placed near to a school.

disease.. Please see this article on page 24-25 at the link <http://virtualpublications.soloprinting.com/publication/?i=252361>

In fact, there are thousands of papers that have accumulated over decades –and are now accumulating at an accelerating pace, as our ability to measure impacts become more sensitive – that document adverse health and neurological impacts of EMF/RFR. Children are more vulnerable than adults, and children with chronic illnesses and/or neurodevelopmental disabilities are even more vulnerable. Elderly or chronically ill adults are more vulnerable than healthy adults.

Current technologies were designed and promulgated without taking account of biological impacts other than thermal impacts. We now know that there are a large array of impacts that have nothing to do with the heating of tissue. The claim from WiFi proponents that the only concern is thermal impacts is now definitively outdated scientifically.

Radiofrequency electromagnetic radiation from WiFi and cell towers can exert a disorganizing effect on the ability to learn and remember, and can also be destabilizing to immune and metabolic function. This will make it harder for some children to learn, particularly those who are already having learning or medical problems in the first place. And since half of the children in this country have some kind of chronic illness, this means that a lot of people are more vulnerable than you might expect to these issues.

Powerful industrial entities have a vested interest in leading the public to believe that EMF/RFR, which we cannot see, taste or touch, is harmless, but this is not true. Please do the right and precautionary thing for our children.

I urge you to opt for wired technologies in Petaluma City School District classrooms, particularly for those subpopulations that are most sensitive. It will be easier for you to make a healthier decision now than to undo misguided decisions later.

Thank you.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'Martha Herbert', with a long horizontal flourish extending to the right.

Martha Herbert, PhD, MD

September 08, 2017

The Honorable Jerry Brown
Governor, State of California
c/o State Capitol, Suite 1173
Sacramento, CA 95814

RE: SB 649 (Hueso) – Small Cell Wireless Facilities

Honorable Governor Brown,

I have recently learned of proposed Bill SB 649 regarding the streamlining of small cell wireless facilities.

As a member of the Physics department of Ariel University, and before that the Hebrew University of Jerusalem, I have studied the subtle effects of electromagnetic radiation on biology and biological materials. I have published more than 50 articles in the field of Dielectrics (the study of the interaction of materials with radio waves), including many on the interaction of cellular frequencies with biological materials such as proteins and blood. My last article investigated the interaction of 5G electromagnetic radiation with human skin.¹ One could argue that I have a certain amount of expertise.

In light of our work and a growing number of publications showing the frequency range of 5G can have serious biological effects, we believe that current efforts to accelerate the implementation of 5G should be delayed until additional studies are made to assess the critical impact on human health.

It is not for me to lecture to elected officials on how cities should develop technologically, nor is it for me to try and stop the juggernaut that is the cellular industry. However, I would like to point out to you important information on the possible public health implications of the explosion in unregulated cellular phone and wireless device use.

The term “health” has never featured too heavily in the lexicon of the Cellular Industry. It has been assumed, conveniently, that any possible effects on the human anatomy from the use of cell phones would be only mild heating. And that this is something that the body could easily deal with. As a consequence, the governing safety limits were set in 1998 by the International Commission on Non-Ionizing Radiation Protection (ICNIRP) based on the premise that if radiofrequency radiation limits protected human tissue from overheating, then the public was adequately protected. They considered that the effect to humans would at most cause the agitation of water inside cellular tissues that would dissipate as heat, similar to what a microwave oven does, but at far lower energies.

The trouble is that our knowledge has progressed in the last 19 years and we now understand that the interaction of microwave energy and our tissues is far more subtle. There is increasing evidence of non-thermal biological consequences arising from our interaction with cellular phone radiation. A few examples; in 2014 a team from the University of Exeter, UK published a report linking the effect of

¹ Betzalel, Noa, Yuri Feldman and Paul Ben Ishai. “The Modeling of the Absorbance of Sub-THz Radiation by Human Skin.” *IEEE Transactions on Terahertz Science and Technology* PP.99 (2017): 1-9. [doi: 10.1109/TTHZ.2017.2736345](https://doi.org/10.1109/TTHZ.2017.2736345).

cellular phones on declining sperm quality.² They based their research on over 1492 subjects from around the world. In 2009, Columbia University showed that radio frequencies were leading to stress in living cells.³ This in turn seriously affects their ability to perform, as particular cellular pathways were disrupted. Further evidence along this direction was provided by a group from the University of Rennes.⁴ I can add plenty more examples, but I think that it is summed up by a recent public announcement. Advisors to the World Health Organization International Agency for Research on Cancer (WHO/IARC), themselves well versed in radio frequencies and in cancer, have publicly stated that evidence has been met to classify cellular radiation as meeting scientific criteria for a Group 1 carcinogenic agent to humans.^{5,6}

As I said above, it is not my job and neither is it realistic for me to stop the placing of thousands of antennas throughout your state. But it is my job to point out the health hazard to you before you make such a momentous decision.

Yours sincerely



Dr. Paul Ben Ishai
Department of Physics
Ariel University

CC

Tom Dyer, Chief Deputy Legislative Affairs Secretary

² Adams, J.A., et al. "Effect of mobile telephones on sperm quality: a systematic review and meta-analysis." *Environment International* 70 (2014): 106-12. [doi: 10.1016/j.envint.2014.04.015](https://doi.org/10.1016/j.envint.2014.04.015).

³ Blank, M. and R. Goodman. "Electromagnetic fields stress living cells." *Pathophysiology* 16.2-3 (2009): 71-8. [doi: 10.1016/j.pathophys.2009.01.006](https://doi.org/10.1016/j.pathophys.2009.01.006).

⁴ Habauzit, Denis, et al. "Transcriptome analysis reveals the contribution of thermal and the specific effects in cellular response to millimeter wave exposure." *PloS One* 9.10 (2014): e109435. [doi: 10.1371/journal.pone.0109435](https://doi.org/10.1371/journal.pone.0109435).

⁵ "Cancer Expert Declares Cell Phone and Wireless Radiation As Carcinogenic to Humans." Environmental Health Trust (2017). <https://ehtrust.org/cancer-expert-declares-cell-phone-wireless-radiation-carcinogenic-humans/>.

⁶ Carlberg, Michael and Lennart Hardell. "Evaluation of Mobile Phone and Cordless Phone Use and Glioma Risk Using the Bradford Hill Viewpoints from 1965 on Association or Causation." *BioMed Research International* 2017 (2017): 9218486. [doi: 10.1155/2017/9218486](https://doi.org/10.1155/2017/9218486).

June 26, 2017

The Honorable Cecilia Aguilar-Curry, Chair
Assembly Local Gov't Commission
Room 157, 1020 N Street
Sacramento, CA 95814

RE: SB 649 (Hueso) – Small Cell Wireless Facilities - -OPPOSE

Dear Chair Aguilar-Curry:

Environmental Working Group (EWG) opposes SB 649 by Senator Hueso. This bill would make the installation of small cell wireless facilities, such as those used to facilitate 5G networks, ministerial rather than discretionary at the local government level.

The health impacts of cellular transmissions have been debated more and more passionately the last ten years because there are studies that raise real concerns about the effects of radio frequency (RF) energy or radiation on humans. This is why EWG sponsored two bills by former Senator Leno (SB 1212 in 2010 and SB 932 in 2011) that would have required sellers of cell phones to inform consumers that minimizing exposure to cell phone radiation is prudent and in fact recommended by cell phone manufacturers in their included manuals.

Studies on the health impacts of cell phones and their transmission infrastructure are continuing. As new information becomes available, local government ought to be able to use it to help guide their decision-making, including locational issues such as proximity to homes, school, and hospitals. EWG believes that allowing cities and counties to weigh the potential impacts of transmission networks before permits are issued for their construction is essential and SB 649 would prevent them from doing so. And, if more definitive health concerns arise, state law would have to be changed in order to give local governments the flexibility to do their due diligence.

For these reasons, we must oppose SB 649 and urge a “no” vote in the Local Government Committee.

Sincerely,



Bill Allayaud
California Director of Government Affairs
Environmental Working Group

cc: Senator Hueso

Alliance of Nurses for Healthy Environments



June 26, 2017

The Honorable Cecilia Aguilar-Curry,
Chair Assembly Local Gov't Commission
Room 157, 1020 N Street Sacramento,
CA 95814

RE: SB 649 (Hueso) – Small Cell Wireless Facilities - - OPPOSE

Dear Chair Aguilar-Curry:

I am a Professor of Public Health at the University of San Francisco and a Board Member of the national Alliance of Nurses for Healthy Environments. I am very concerned about moving forward with expanding the use of small-scale wireless technologies at the same time that there is mounting evidence of the potential for health risks from the associated radio frequency energy and radiation, particularly to children. The Alliance of Nurses for Healthy Environments ascribes to the precautionary principle as it applies to human health. We firmly believe that early warnings in the scientific literature should be heeded and that our policy development should reflect the synthesis of the best and latest scientific evidence.

At this point in time, we oppose SB 649 and believe that we need an exhaustive review of the science before we allow significant expansion of small cell wireless facilities, such as those to facilitate 5G networks. The results of the literature review should inform our policies. We must be sure that vulnerable populations such as pregnant women and young children will not be unduly harmed from their proximity to unnecessary radio frequency energy. It is important that we continue to examine what constitutes a safe distance and how we can continue to pivot when more information becomes available. We are concerned that the passage of SB 649 will entrench us in a policy for which we have insufficient assurances and which, if passed, will require the burden of effort to reverse.

For these reasons, we oppose SB 649 and urge a “no” vote in the Local Government Committee.

Thank you for considering our concerns.

Sincerely,

Barbara Sattler, RN, MPH, DrPH, FAAN
Board Member

Columbia University, College of Physicians and Surgeons
Department of Physiology and Cellular Biophysics

Board Member
Los Angeles Unified School District,
Board of Education

Re: Health effects of cell tower radiation


As an active researcher on biological effects of electromagnetic fields (EMF) for over twenty five years at Columbia University, as well as one of the organizers of the 2007 online Bioinitiative Report on the subject, I am writing in support of a limit on the construction of cell towers in the vicinity of schools.

There is now sufficient scientific data about the biological effects of EMF, and in particular about radiofrequency (RF) radiation, to argue for adoption of precautionary measures. We can state unequivocally that EMF can cause single and double strand DNA breakage at exposure levels that are considered safe under the FCC guidelines in the USA. As I shall illustrate below, there are also epidemiology studies that show an increased risk of cancers associated with exposure to RF. Since we know that an accumulation of changes or mutations in DNA is associated with cancer, there is good reason to believe that the elevated rates of cancers among persons living near RF towers are probably linked to DNA damage caused by EMF. Because of the nature of EMF exposure and the length of time it takes for most cancers to develop, one cannot expect ‘conclusive proof’ such as the link between helicobacter pylori and gastric ulcer. (That link was recently demonstrated by the Australian doctor who proved a link conclusively by swallowing the bacteria and getting the disease.) However, there is enough evidence of a plausible mechanism to link EMF exposure to increased risk of cancer, and therefore of a need to limit exposure, especially of children.

EMF have been shown to cause other potentially harmful biological effects, such as leakage of the blood brain barrier that can lead to damage of neurons in the brain, increased micronuclei (DNA fragments) in human blood lymphocytes, all at EMF exposures well below the limits in the current FCC guidelines. Probably the most convincing evidence of potential harm comes from living cells themselves when they start to manufacture stress proteins upon exposure to EMF. The stress response occurs with a number of potentially harmful environmental factors, such as elevated temperature, changes in pH, toxic metals, etc. This means that ***when stress protein synthesis is stimulated by radiofrequency or power frequency EMF, the body is telling us in its own language that RF exposure is potentially harmful.***

There have been several attempts to measure the health risks associated with exposure to RF, and I can best summarize the findings with a graph from the study by Dr. Neil Cherry of all childhood cancers around the Sutro Tower in San Francisco between the years 1937 and 1988. Similar studies with similar results were done around broadcasting antennas in Sydney, Australia and Rome, Italy, and there are now studies of effects of cellphones on brain cancer. The Sutro tower contains antennas for broadcasting FM (54.7 kW), TV (616 kW) and UHF (18.3 MW) signals over a fairly wide area, and while the fields are not uniform, and also vary during the day, the fields were measured and average values estimated, so that one could associate the cancer risk with the degree of EMF exposure.

The data in the figure are the risk ratios (RR) for a total of 123 cases of childhood cancer from a population of 50,686 children, and include a 51 cases of leukaemia, 35 cases of brain cancer and 37 cases of lymphatic cancer. It is clear from the results that the risk ratio for all childhood cancers is elevated in the area studied, and while the risk falls off with radial distance from the antennas, as expected, it is still above a risk ratio of 5 even at a distance of 3km where the field was $1\mu\text{W}/\text{cm}^2$. This figure is what we can expect from prolonged RF exposure. In the Bioinitiative Report, we recommended $0.1\mu\text{W}/\text{cm}^2$ as a desirable precautionary level based on this and related studies, including recent studies of brain cancer and cellphone exposure.



As I mentioned above, many potentially harmful effects, such as the stress response and DNA strand breaks, occur at nonthermal levels (field strengths that do not cause a temperature increase) and are therefore considered safe. It is obvious that the safety standards must be revised downward to take into account the nonthermal as well as thermal biological responses that occur at much lower intensities. Since we cannot rely on the current standards, it is best to act according to the precautionary principle, the approach advocated by the European Union and the scientists involved in the Bioinitiative report. In light of the current evidence, the precautionary approach appears to be the most reasonable for those who must protect the health and welfare of the public and especially its most vulnerable members, children of school-age.

Sincerely yours,

Martin Blank, Ph.D.

Associate Professor of Physiology and Cellular Biophysics



Karolinska Institutet
Department of Neuroscience
Experimental Dermatology Unit

Stockholm, December 8, 2015

To:

MCPS CEO Dr. Andrew Zuckerman [Andrew_Zuckerman@mcpsmd.org]
MCPS Superintendent Mr. Larry Bowers [Larry_Bowers@mcpsmd.org]
MCPS Chief Technology Officer Mr. Sherwin Collette [Sherwin_Collette@mcpsmd.org]
MCPS Board of Education [boe@mcpsmd.org]
840 Hungerford Drive
Rockville, MD 20850, USA

cc:

Montgomery County Council [county.council@montgomerycountymd.gov]

Dear Madame or Sir,

My name is Olle Johansson, and I am an associate professor, heading the Experimental Dermatology Unit at Sweden's Karolinska Institute in the Department of Neuroscience. I understand you have recently made public pronouncements regarding the safety of Wi-Fi. As a neuroscientist who has been studying the biophysical and epidemiological effects of electromagnetic fields (EMFs) for over 30 years, I believe this designation is short-sighted.

Wireless communication is now being implemented in our daily life in a very fast way. At the same time, it is becoming more and more obvious that the exposure to electromagnetic fields not only may induce acute thermal effects to living organisms, but also non-thermal effects, the latter often after longer exposures. This has been demonstrated in a very large number of **non-ionizing radiation** studies and includes cellular DNA-damage, disruptions and alterations of cellular functions like increases in intracellular stimulatory pathways and calcium handling, disruption of tissue structures like the blood-brain barrier, impact on vessel and immune functions, and loss of fertility. Whereas scientists can observe and reproduce these effects in controlled laboratory experiments, epidemiological and ecological data derived from long-term exposures in well-designed case-control studies reflect this link all the way from molecular and cellular effects to the living organism up to the induction and proliferation of diseases observed in humans. It should be noted that we are not the only species at jeopardy; practically all animals, plants and bacteria may be at stake. Although epidemiological and ecological investigations as such never demonstrate causative effects, due to the vast number of confounders, they confirm the relevance of the controlled observations in the laboratories.

Many times since the early 1980s I have pointed out that the public's usage of cell phones has become the largest full-scale biological and medical experiment ever with mankind, and I was also the first person to firmly point out that this involuntary exposure violates the Nuremberg Code's principles for human experimentation, which clearly states that voluntary

Mailing address	Visiting address		Telephone
Experimental Dermatology Unit	Retziuslaboratoriet	Direct	468-52 48 70 58
Department of Neuroscience	Retzius väg 8	Switchboard	468-52 48 64 00
Karolinska Institutet	Solna	Fax	468-30 39 04
171 77 Stockholm		Fax (KI)	468-31 11 01
Sweden			



consent of human subjects is absolutely essential. Among many effects seen, the very serious one is the deterioration of the genome. Such an effect - if seen in a food item under development or in a potential pharmaceutical drug - immediately would completely ban it from further marketing and sale; genotoxic effects are not to be allowed or spread. For these reasons above, we, scientists, can not accept that children undergo an enormous health risk for their present and future, by being exposed to WI-FI in kindergardens or schools (even if the WI-FI masts/routers are not in the children's classroom). The precautionary principle has to be respected. Furthermore, when men place cell phones in their front pocket, or laptops on their laps, it should be noted that experimental studies have demonstrated that after similar exposures there is a decrease in sperm count as well as in the quality of sperm, which is a phenomenon that could affect society's overall ability to procreate in the future. Experiments in mice point to that it may be true already in 5 generations time.

Many other states including France, Russia, Israel and Germany, have employed various precautionary steps and their responses (including labelling cell phones and other transmitting devices with SAR ratings, discouraging the use of cell phones and other wireless gadgets by children, warning parents of the risks, and removing or restricting WiFi in schools and replacing it with hard-wired ethernet) as a result of the *WHO/IARC classification of radiofrequency electromagnetic radiation in 2011 as a Class 2B carcinogen as well as the earlier classification of power-frequent magnetic fields in 2001 also as a Class 2B carcinogen*, the information summarized in the Bioinitiative Reports of 2007 and 2012, and the other considerable international and independent research and reviews, that show adverse biological effects from electromagnetic fields, including heart palpitations, headaches, skin rashes, damage to DNA, mental health effects, impaired concentration, decreased problem-solving capacity, electrohypersensitivity, etc., are about to set a new standard for educational quality with due respect to children's and staff's health.

In the case of "protection from exposure to electromagnetic fields", it is thus of paramount importance to act from a prudence avoidance/precautionary principle point of view. Anything else would be highly hazardous. Total transparency of information is the key sentence here, as I believe the public does not appreciate having the complete truth revealed years after a certain catastrophe already has taken place. For instance, it shall be noted, that today's recommended values for wireless systems, such as the SAR-values, are just recommendations, and not safety levels. Since scientists observe biological effects at as low as 20 microWatts/kg, can it truly be stated that it is safe to allow irradiation of humans at SAR 2 W/kg, or at 100,000 times stronger levels of radiation?

IMBALANCED REPORTING

Another misunderstanding is the use of scientific publications (as the tobacco industry did for many years) as 'weights' to balance each other. But one can NEVER balance a report showing a negative health effect with one showing no effect. This is a misunderstanding which, unfortunately, is very often used both by the industrial representatives as well as official authorities to the detriment of the general public. True balance would be reports showing negative health effects against *exact replications* showing no or positive effects. However, this is not what the public has been led to believe.

Mailing address
Experimental Dermatology Unit
Department of Neuroscience
Karolinska Institutet
171 77 Stockholm
Sweden

Visiting address
Retziuslaboratoriet
Retzius väg 8
Solna

	Telephone
Direct	468-52 48 70 58
Switchboard	468-52 48 64 00
Fax	468-30 39 04
Fax (KI)	468-31 11 01



NEED FOR INDEPENDENT RESEARCH

In many commentaries, debate articles and public lectures - for the last 20-30 years – I have urged that completely independent research projects must be inaugurated immediately to ensure our public health. These projects must be entirely independent of all types of commercial interests; public health can not have a price-tag! It is also of paramount importance that scientists involved in such projects must be free of any carrier considerations and that the funding needed is covered to 100%, not 99% or less. This is the clear responsibility of the democratically elected body of every country.

WHO/INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC), 2011

Very recently (in Lyon, France, May 31, 2011) the WHO/International Agency for Research on Cancer (IARC) has classified radiofrequency electromagnetic fields as possibly carcinogenic to humans (Group 2B), based on an increased risk for glioma, a malignant type of brain cancer. This should be added to the previous (2001) 2B classification of power-frequent (ELF) electromagnetic fields – emitted at high levels from handheld gadgets, such as eReaders and mobile phones – as a risk factor for childhood leukemia. Given the 2001 very close votes (9 to 11) for moving it to 2A and all the new knowledge that has accumulated since 2001, today the association between childhood leukemia and power-frequent (ELF) electromagnetic fields would definitely be signed into the much more serious 2A (“probably carcinogenic”) category. So, the ‘red flag’ is – unfortunately – flying very high.

INVOLUNTARY EXPOSURE

According to Article 24 of the UNICEF’s Child Convention “children have the right to ... a clean and safe environment, and information to help them stay healthy”. We must all ensure that this article never is violated. This is about our social responsibility, and is very much a public health issue.

In summary, electromagnetic fields may be among the most serious and overlooked health issues today, and having these fields checked and reduced/removed from schools and kindergardens may be essential for health protection and restoration, and is a must for persons with the functional impairment electrohypersensitivity as for children who are more fragile (cf. Belyaev I, Dean A, Eger H, Hubmann G, Jandrisovits R, Johansson O, Kern M, Kundi M, Lercher P, Mosgöller W, Moshhammer H, Müller K, Oberfeld G, Ohnsorge P, Pelzmann P, Scheingraber C, Thill R, "EUROPAEM EMF Guideline 2015 for the prevention, diagnosis and treatment of EMF-related health problems and illnesses", Rev Environ Health 2015; 30: 337–371). In addition, as recently discussed in a think-tank group here in Stockholm, it is very important to constantly educate oneself and participate in the general debate and public discussions to keep the information build-up active. Thus, it is of paramount importance to keep the "kettle boiling", never blindly trusting or accepting given 'facts', but only read and think for yourself and for your loved ones. Only so you can arrive at a genuinely working precautionary principle.

Mailing address
Experimental Dermatology Unit
Department of Neuroscience
Karolinska Institutet
171 77 Stockholm
Sweden

Visiting address
Retziuslaboratoriet
Retzius väg 8
Solna

	Telephone
Direct	468-52 48 70 58
Switchboard	468-52 48 64 00
Fax	468-30 39 04
Fax (KI)	468-31 11 01

The latency for development of cancer after exposure to radiofrequency radiation is long, often up to 20 years for brain cancer. Thus the effects of exposing children will not be seen immediately but they will be elevated risk of cancer for many years to come.

Unfortunately cancer is not the only disease of concern. Radiofrequency electromagnetic fields are well documented to reduce male fertility. The last thing one wants for boys in an elementary school is to have them grow up and not be able to reproduce. Furthermore and more immediately there is increasing recognition of the fact that some people, including children, are exceptionally sensitive to electromagnetic fields, and show the syndrome of electro-hypersensitivity. This is characterized by headache, 'brain fog' and reduced ability to learn, often accompanied by nausea and gastrointestinal and cardiovascular symptoms. This is certainly not something that one wants to have occur, even if only in some students, in a school where they come to learn.

Placement of cell towers should be as far as possible from any place where humans are present. Certainly having a cell tower near to an elementary school is dangerous to the health of every child attending the school.

Yours sincerely,



David O. Carpenter, M.D.
Director, Institute for Health and the Environment
University at Albany



CONCLUSION

In conclusion, wireless systems, such as Wi-Fi routers or cell towers, and their electromagnetic fields, can not be regarded as safe in schools, but must be deemed highly hazardous and unsafe for the children as well as for the staff.

I encourage governments and local health and educational bodies to adopt a framework of guidelines for public and occupational EMF exposure that reflect the Precautionary Principle. As noted, the Precautionary Principle states when there are indications of possible adverse effects, though they remain uncertain, the risks from doing nothing may be far greater than the risks of taking action to control these exposures. The Precautionary Principle shifts the burden of proof from those suspecting a risk to those who discount it — as some nations have already done. Precautionary strategies should be based on design and performance standards and may not necessarily define numerical thresholds because such thresholds may erroneously be interpreted as levels below which no adverse effect can occur.

Some 100 years back, we learned the hard lessons of ionizing radiation and the need for strict health protections – now we must openly face the possibility that we must take a seat in life's school and learn again. This time it is about non-ionizing radiation.

Based on all of the above, I strongly urge you to reconsider your public stance on the safety of Wi-Fi, cell towers, and similar systems in schools as their non-ionizing radiation emissions very likely are hazardous and unsafe for students, staff and teachers.

With my very best regards
Yours sincerely
Olle Johansson

(Olle Johansson, associate professor
The Experimental Dermatology Unit
Department of Neuroscience
Karolinska Institute
171 77 Stockholm
Sweden)

Mailing address
Experimental Dermatology Unit
Department of Neuroscience
Karolinska Institutet
171 77 Stockholm
Sweden

Visiting address
Retziuslaboratoriet
Retzius väg 8
Solna

	Telephone
Direct	468-52 48 70 58
Switchboard	468-52 48 64 00
Fax	468-30 39 04
Fax (KI)	468-31 11 01

A summary of current U.S. and international regulations on microwaves related to cell towers

Prepared By
Dr. Joshua Dennis Booth, PhD
July 2017

I am writing this report as a knowledgeable voice for the School Board, parents, and residents of the East Hempfield school district with regard to the placement of cellular towers at Rohrerstown Elementary School and Centerville Middle School. My knowledge comes from my experience with EMP-Microwave radiation, as outlined in the Personal Background section at the end of this document. I'm also a resident of the Hempfield School District community: both a parent concerned about health issues and a homeowner concerned about property value. The numbers used here for comparison are those given for the Rohrerstown Elementary Tower at the zoning board hearing on June 19th, 2017. This report is outlined as follows. First, I give an overview of the current U.S. laws and agencies related to microwaves, cellular tower, and other common microwave devices. Second, I provide an overview of non-U.S. laws related to microwaves. The second section serves to demonstrate the most important message of this report by showing the outdated nature of U.S. regulation, and why we should be concerned about these towers being at the distance and magnitude that is being proposed by the tower's developers.

Section 1, Background, Current U.S. regulation for key microwave devices.

In this section, I provide background about both microwaves in general and cell technology. Microwaves are electromagnetic waves that vary in frequency between 300 MHz (i.e., near Radio) to 300 GHz (i.e., near infrared). At ~70-100 MHz the body maximally absorbs energy and at 3,000 MHz the energy is concentrated at the body surface. This is why there are regulations about things like radio towers but not standard household lights. Cell towers use frequency between 900MHz to 1900MHz. These waves can also vary in strength too, and this is the real issue that will be addressed in the report. In order to accommodate these variables, a measurement of power density is often used. Here, we will use the units of $\mu\text{W}/\text{cm}^2$ for all examples as this is the unit given to use by the cellular tower developers, though other areas use other units. Note, the Federal Communication Commission (FCC), which is responsible for microwave regulation in the US, uses a different unit of mW/cm^2 for their Maximum Permissible Exposure (MPE)[1]. Their proposed tower will have a power density of a maximum of $3.6\mu\text{W}/\text{cm}^2$. I note as someone that has done the calculations myself that this maximum is slightly higher than what most likely will be the power density on day one. This view was also shared by the cell tower developers at the zoning hearing. However, this density may increase in the future without notice if they sell broadcasting to other cell vendors or place higher wattage/gain equipment. More importantly, the **duration of exposure** is one of the largest issues up for debate in research. For students, this would be the whole time they are on campus for class and activities: seven school years, from K to 6th grade.

Let us first address the FCC and the current standards set forth by the FCC for cellular towers. The FCC is an independent agency formed in 1934 to regulate interstate communications. The FCC is funded entirely by regulatory fees paid by radio, cell, cable, television, and satellite companies for access to certain bandwidth in areas [4]. They have most notably been in the news

of late because of concerns of net neutrality in which internet companies may sell user's data. The only health concerns they regulate are those related to radio waves. The first standards were issued by the nonprofit American National Standards Institute (ANSI) in 1982. This was one year before the first commercially available cell phone was approved by the FCC in 1983. It took until 1985, when the FCC finally adopted the ANSI standard of 1982. This standard was issued in a maximum absorption of 4Watts/kilogram. In 1992, ANSI/IEEE revised the 1982 standards. These revisions considered a larger frequency and restricted environmental radio frequency exposure. They also added the concepts of "controlled" and "uncontrolled" environments. Here the "controlled" is a location where "there is exposure that may be incurred by persons who are aware of the potential for exposure..." (e.g., work environments) [5]. More important, they started to consider the duration of a single exposure: the "controlled" being an average of 6 minutes and "uncontrolled" being an average of 30 minutes. Note they do not make mention of time between these exposures but only the average exposure for a length of time. Though the FCC was given notice of these changes in 1992, the FCC only made full requirements in mid 1996. These standards state that the "controlled" power density in the 30-300 MHz should be less than 1,000 uW/cm². The "uncontrolled" standard is 200 uW/cm² [5]. Cell towers must only follow the "controlled" standard as they are a known structure that can be avoided [5]. Though groups have lobbied to change this standard, **the standard has not been updated for the past twenty-one years.** One government agency that has spoken up about this is the United States Department of Interior. This department wrote a formal letter in 2014 pointing out that the FCC regulation is outdated, and the department believes that the frequency limits are already having a negative impact on animals in the environment [8]. Recent updates to the FCC consumer website recommend MPE be 580 uW/cm², but this value has not been updated in their human exposure manuals [3].

Microwaves have transformed the way we live in today's world, and cell technology is only one area in which microwave research is being conducted and regulated. Therefore, it makes sense to understand microwaves being regulated and studied in other areas, e.g., microwave ovens, full body airport scanners, and WiFi routers.

Microwaves were first researched by the radiation given off of vacuum tubes, and were aimed at radar search. By chance, an engineer named Percy Spencer working for Raytheon Corporation was exposed without knowing possible side effects to microwaves. The microwaves ended up melting food in his pocket, and the microwave oven was born. Years after the first microwave ovens were made available for use, the Radiation Control for Health and Safety Act of 1968 limited the amount of microwaves that could leak from the device to 10,000 uW/cm² at 5cm (~1.97 inches) away from the oven. Two years later, this was reduced to 1,000 uW/cm² at 5cm by the U.S. Bureau of Radiological Health (i.e., a limit similar to FCC's human exposure manual), and only 5,000 uW/cm² over the device's whole lifespan [9] (up to 10 years)! This lifespan limit is only three years greater than what a student would be exposed to over the whole time from grades K-6. In fact, **the power density of the proposed Rohrerstown Elementary campus tower would be similar to having a child sit at about 12 feet away from a running 600 Watt Microwave oven all day, every school day for seven years.** However, we should note that the frequency of a microwave oven is much higher, i.e., about 2450 MHz.

Body scanners at airports are the most recent area where microwaves have cropped up in daily life. Most of the first-generation body scanners were “back-scatter” type that used low dose of x-rays [10,11]. These have actively been replaced by new millimeter scanners that use microwaves. These new millimeter scanners expose the person to approximately .01uW/cm² to .6 uW/cm² at various frequencies inside the microwave frequency spectrum for less than 6 seconds [11]. Despite the very low exposure and removal of detailed body images, passengers may opt for a pat-down, and **young children are not required to be scanned**. This demonstrates TSA wanting to take reasonable health precautions for the general public.

The most common place where we find microwaves is as radiation from WiFi routers. These devices are located in almost all places from coffee shops to doctor offices. Currently, the only regulation that the FCC has placed on such devices is a maximum strength as not to disrupt others and not allowing for signal blockers[1,2]. These devices have frequency 2400 MHz band that is close to a microwave oven. Note that this is why your microwave oven may interrupt your WiFi router at times. These devices have high power density in close range, but the power density reduces by the square of the distance resulting in low power density far away. For example, at about a tenth of an inch from the device, the power density is about 2.65 uW/cm². At about 3.3 feet away, the power density is only .24 uW/cm². **The proposed tower at Rohrerstown Elementary School will have a power density that is about 1.4x stronger than such a router, the equivalent of having a child with about one-and-a-half live WiFi routers directly beside them every school day for seven years. Imagine placing one and a half powered-on WiFi routers under your child’s pillow every school night for seven years. Given the health concerns regarding microwaves, this is not likely an action you would choose to take.**

Section 2, Current Non-US regulations.

In this section, I provide an overview of the regulations on microwaves and cell towers in other modernized countries. Through these examples, I demonstrate that the U.S.’s twenty-one-year-old protection standards lag behind those more recently updated in other countries. Moreover, we have seen in the previous section that the FCC has been slow to update its protection standards even when pressured by large groups of engineers and scientists like ANSI and IEEE. Here we will see the more proactive approach that other countries are taking to protect their residents with regard to microwave public health.

I first point out the World Health Organization (WHO) that sets forth protection standards in hopes that all countries will adhere to a minimal standard of 900 uW/cm² for cellular towers. The FCC’s 1996 standard lags behind the World Health Organization’s protection standard by 100 uW/cm². Our neighbor Canada’s protection standard is now 300 uW/cm² in developed areas. The FCC exceeds this protection standard by 3.33x! Next, two countries that I will point out are Russia and China. I selected these two countries because of their history of lack of environmental and health safety regulations. Both countries have a maximum MPE of 10 uW/cm² [12]. This value represents 100x less radiation than allowed by the FCC. Though the proposed cell tower at Rohrerstown Elementary School would be allowed by this standard, it would already be 36% of the maximum. If the proposed tower is placed without regulation from the school, the proposed tower’s power density could easily exceed this limit with new

equipment or selling access to other cell providers. As we move into Europe, the regulation limits become even greater. The cause of the lower limits in Europe is because of research coming from the Precautionary Principle expressed by most countries [7], the BioInitiative reports [13], and the European Union Science and Technology Options Assessments (STOA) of 2001. The BioInitiative report of 2012 recommends an extremely low power density of .0006 uW/cm², and the STOA recommending a maximum of .01 uW/cm². It is important to note that almost no country or cell towers meet these recommendations. However, the WHO- International Agency for Research of Cancer (IARC) has classified radio frequency electromagnetic as a **possible carcinogenic to humans** based on studies related to the development of malignant types of brain cancer in humans from cell phone use in 2011 [6]. These items are almost completely ignored by US regulation committees at this time, even though millions of dollars in damages from both the land owners and cell tower owners have been paid out all over Europe. If these reports become allowable by U.S. courts, the school district itself may be open to lawsuits. Mountainous countries, such as Switzerland, Lichtenstein, and Luxembourg, have set current rules at 9.5 uW/cm² [12], and are currently reviewing lowering limits more. More populated countries have set even lower standards on a single frequency, such as Italy's regulation of .1 uW/cm². Other major countries like Germany and France are securing health in a different manner. While France does allow for power density between 455-955 uW/cm² (i.e., lower by as much as 2x the U.S.'s 1996 standard), they have put laws on where towers may be placed. By law in France, no cell towers may be placed on school property. Moreover, any citizen may have their home evaluated for cell tower radiation, and the public must be informed in order to vote if a tower should be placed [14,15]. India's Supreme Court in 2013 upheld that cell towers are a hazard to life, and the removal of all cell towers at schools, colleges, hospitals, and playground in the state of Rajasthan [16]. Other countries are following these steps as the Council of Europe recommended banning all cell phones from schools.

While TSA is about on par with body scanners as other governments, other countries have been far more protective about WiFi devices. In 2015, France has banned the use of WiFi in Nursery schools (i.e., children less than 3 years old). WiFi in schools with children up to age 11 years old may only be turned on for activities that need WiFi, and must be turned off when not in use [14,15]. Though not law, The Russian National Committee on Non-Ionizing Radiation officially recommended that WiFi should not be used in school in 2011 [18]. The Israeli Ministry of Education has issued guidelines banning WiFi in classroom prior to 1st grade and limiting use similar to France up to third grade [17]. **Recalling from last section, the proposed tower will have the same power density of about 1 and ½ standard WiFi routers next to the child's head. It seems that if we should be limiting WiFi in the classroom to when we need it, we should not, in essence, be strapping it to the head of a child.**

Recommendation.

As a resident of the East Hempfield and a member of the science community, I recommend taking precautions for our children from microwave exposure. This includes not situating a tower at Rohrerstown Elementary School or Centerville Middle School. For a more in-depth look at cell phones, policy, and current research, I recommend reading [7] in its full, and paying attention to the sections on children.

Personal Background of Joshua Dennis Booth:

I hold a BS in Applied Mathematics, MS in Computational Mathematics, and PhD in Computer Science and Engineering. I previously advised CDC/NIOSH as a Biostatistician intern while focusing on statistical databases. I was a Post Graduate Researcher for The Department of Energy's Sandia National Laboratories in Albuquerque New Mexico. There I worked in the department of scalable algorithms providing scalable linear solver solutions to large scale simulations for circuits, solid mechanics, and EMP-Microwave based applications. I have published work related to large numeric solvers, power systems, and low voltage computing algorithms. I am currently an Assistant Professor of Computer Science at Franklin & Marshall College. I am a member of SIAM, ACM, and IEEE.

References:

- [1] Federal Communication Commission Office of Engineering & Technology (1997). *Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields*. <http://transition.fcc.gov/bureaus/oet/info/documents/bulletins/oet65/oet65b.pdf>
- [2] Federal Communication Commission (NA). *GPS, Wi-Fi, and Cell Phone Jammers. Frequently Asked Questions (FAQs)*. <http://transition.fcc.gov/eb/jammerenforcement/jamfaq.pdf>
- [3] Federal Communication Commission (2016). *Human Exposure to Radio Frequency Fields: Guidelines for Cellular and PCS Sites* [Consumer Guide]. http://transition.fcc.gov/cgb/consumerfacts/rf_exposure.pdf
- [4] Federal Communication Commission (2016). *About the FCC* [Consumer Guide]. <http://transition.fcc.gov/cgb/consumerfacts/aboutfcc.pdf>
- [5] Federal Communication Commission (1996) [FCC 96-326]. *Guidelines for Evaluating the Environmental Effects of Radiofrequency Radiation*. http://transition.fcc.gov/Bureaus/Engineering_Technology/Orders/1996/fcc96326.pdf
- [6] World Health Organization, International Agency for Research on Cancer (2011). Press Release 208. *IARC Classifies Radiofrequency Electromagnetic Fields as Possibly Carcinogenic to Humans*. http://www.iarc.fr/en/media-centre/pr/2011/pdfs/pr208_E.pdf
- [7] Roda, C. and Perry, S. (2014). *Mobile Phone Infrastructure Regulation in Europe: Science Challenges and Human Rights Protection*. Journal of Environmental Science & Policy. pg 204-214. 37. http://ac.aup.fr/~croda/publications/Roda&Perry_EnvSci&Policy_OrigManuscr.pdf
- [8] Willie Taylor, US Department of the Interior (2014). *Letter to National Telecommunication and Information Administration*. http://www.ntia.doc.gov/files/ntia/us_doi_comments.pdf
- [9] Davis, A. (2016). *A History of the Microwave Oven*. The Institute – The IEEE News Source. <http://theinstitute.ieee.org/tech-history/technology-history/a-history-of-the-microwave-oven>

- [10] Accardo, J and Chaudhry, A (2014). *Radiation Exposure and Privacy Concerns Surrounding Full-Body Scanners in Airports*. Journal of Radiation Research and Applied Sciences. 7(2). pg. 198-200. <http://www.sciencedirect.com/science/article/pii/S1687850714000168>
- [11] Wu, T. , Rappaport, T. , and Collins, C (2015). *The Human Body and Millimeter-Wave Wireless Communication Systems: Interactions and Implications*. IEEE International Conference on Communications (ICC). <http://arxiv.org/ftp/arxiv/papers/1503/1503.05944.pdf>
- [12] Powerwatch (NA), *International Guidance Levels*. <http://www.powerwatch.org.uk/science/intguidnace.asp>
- [13] BioInitiative (2012). *A Rationale for Biologically-Based Exposure Standards for Low-Intensity Electromagnetic Radiation*. <http://www.bioinitiative.org/>
- [14] Boring, N. (2015). *France: Law on Public Exposure to Electromagnetic Waves Adopted*. Library of Congress, Law Library of Congress. <http://www.loc.gov/law/foreign-news/article/france-law-on-public-exposure-electromagnetic-waves-adopted>
- [15] France Assemble (2015). <http://www.assemblee-nationale.fr/14/pdf/ta/ta0468.pdf>
- [16] NA (2017). *Supreme Court Stays Rajasthan High Court Order on Cellphone Towers*. <http://indianexpress.com/article/india/supreme-court-stays-rajasthan-high-court-order-on-cellphone-towers-467990>
- [17] Israeli Ministry of Education (2013). *Integration of Communication Equipment and End Devices in Schools – Health and Safety Implications*. <http://cms.education.gov.il/EducationCMS/Applications/Mankal/EtsMedorim/3/3-6/HoraotKeva/K-2013-3-3-6-11.htm>
- [18] Russian National Committee on Non-Ionizing Radiation Protection (2011). *Electromagnetic Fields from Mobile Phones: Health Effect on Children and Teenagers*. <https://docs.google.com/file/d/0B1KQ639Tc1Z9TTg2WGxpTlRvb2M/edit?pli=1>



September 13, 2017

Regarding the placement of cellular phone towers on school property in the Hempfield School District, I am concerned regarding the unknown effects of this amount of electromagnetic radiation so close to children. Numerous countries have placed limits on placement of these towers near schools. Some have banned them completely. The science is still evolving and there is some early evidence to suggest that the developing brains of children are at greater risk as they absorb much more of this electromagnetic radiation than adults. Industry support of studies showing no significant harm is worrisome. In reviewing other contracts Verizon has made with schools to place towers on their property, the \$1000-\$2000 per year a school may gain to their budget does not (in my opinion) make a significant reduction in school debt such that this would be worth the potential harm to children.

I worry the Hempfield School District is taking an unknown risk regarding the health of the children and families they serve for minimal financial benefit.

Perhaps working with families and business leaders to come up with alternative means of generating revenue for the district would be a safer and financially greater solution to the issue of decreased school district revenue and increased costs.

James A. Rochester, MD, FAAFP

241 Rohrerstown Road, Suite 200, Lancaster, PA 17603
(717) 431-1770 • Fax: (717) 431-0470

www.worknetoccupationalmedicine.com

Work Safe. Work Smart. WORKNET.

Martin Pall, PhD

August 7, 2017

Dear California Legislators,

I am Dr. Martin Pall, Professor Emeritus of Biochemistry and Basic Medical Sciences at Washington State University. I am a published and widely cited scientist on the biological effects of electromagnetic fields and speak internationally on this topic. I am particularly expert in how wireless radiation impacts the electrical systems in our bodies. I have published 7 studies showing there exists exquisite sensitivity to electromagnetic fields (EMFs) in the voltage sensor in each cell, such that the force impacting our cells at the voltage sensor has massive impact on the biology on the cells of our bodies [1-7]. These papers are discussed in over 360,000 web sites which can be easily found by Googling (Martin Pall electromagnetic). I received my PhD at Caltech, one of the top scientific institutions in the world.

EMFs act by activating channels in the membrane that surrounds each of our cells, called voltage-gated calcium channels (VGCCs). The EMFs put forces on the voltage sensor that controls the VGCCs of about 7.2 million times greater than the forces on other charged groups in our cells [4,6,7]. This is why weak EMFs have such large biological effects on the cells of our bodies! EMFs works this way not only on human and diverse animal cells [1-7] but also in plant cells [7] so that this is a universal or near universal mechanism of action.

Thousands of published studies show biological and health effects from electromagnetic fields. We now know the mechanism that can explain these effects. The mechanism is a function of the electromagnetics of each cell—not solely about heating effects from the radiation (on which present FCC guidelines are based).

This new understanding [1-7] means we can debunk the claims of the wireless industry that there cannot be a mechanism for effects produced by these weak EMFs. The 20 years plus of industry propaganda claims are false. Rather the thousands of studies showing diverse health impacts of these EMFs can be explained. We now have a mechanism, one that is supported by both the biology and the physics, both of which are pointing in exactly the same direction. I am sending as a separate document a list of 134 reviews, each of which provides from 12 to over a thousand individual citations showing health impacts of low intensity EMFs, EMFs that the telecommunications industry claims cannot have such effects. **These 134 reviews and thousands of primary scientific papers they cite show that the industry propaganda has no scientific support whatsoever.**

The consensus among independent scientists on this is further confirmed by the 2015 (and later) appeal made to the United Nations and member states, stating that the current EMF safety guidelines are inadequate because they do not take into consideration non-thermal effects. This was signed by 225 scientists from 41 countries, each of whom had

published peer reviewed studies on EMF health effects – a total of 2,000 papers published in this area by the signers, a substantial fraction of the total publications in this area.

According to industry, the forces electromagnetic fields place on electrically-charged groups in the cell are too weak to produce biological effects. However, the unique structural properties of the voltage-gated calcium channel (VGCC) protein can, it turns out, explain why the force on a cell's voltage sensor from low-intensity EMFs are millions of times stronger than are the forces on singly-charged groups elsewhere in the cell.

It would be a disaster for the health of Californians to be exposed to the antennas envisioned in SB.649. The State of California would be making a grave mistake to proceed with supporting the commercial interests of the wireless industry with this legislation. **Legislators would best pause to understand the gravity of the biological effects, and the ramifications for physical and mental health, as well as consequences from continual damage to human DNA, and learn the facts from scientists who are independent of the wireless industry, not from the industry lobbyists who have a gigantic conflict of interest.**

VGCC activation in cells produced by low intensity EMFs can explain long-reported findings that electromagnetic fields and a wide range of biological changes and health effects. The first 6 of these (see below) were well documented 46 years ago in the U.S. Office of Naval Medical Research report, published in 1971 [8]. The others that follow have been extensively documented subsequently in the peer-reviewed scientific literature:

- 1) Various neurological/neuropsychiatric effects, including changes in brain structure and function, changes in various types of psychological responses and changes in behavior.
- 2) At least eight different endocrine (hormonal) effects.
- 3) Cardiac effects influencing the electrical control of the heart, including changes in ECGs, producing arrhythmias, changes that can be life threatening.
- 4) Chromosome breaks and other changes in chromosome structure.
- 5) Histological changes in the testes.
- 6) Cell death (what is now called apoptosis, a process important in neurodegenerative diseases).
- 7) Lowered male fertility including lowered sperm quality and function and also lowered female fertility (less studied).
- 8) Oxidative stress.
- 9) Changes in calcium fluxes and calcium signaling.
- 10) Cellular DNA damage including single strand breaks and double strand breaks in cellular DNA and also 8-OHdG in cellular DNA.
- 11) Cancer which is likely to involve these DNA changes but also increased rates of tumor promotion-like events.
- 12) Therapeutic effects including stimulation of bone growth.
- 13) Cataract formation (previously thought to be thermal, now known not to be).
- 14) Breakdown of the blood-brain barrier.
- 15) Melatonin depletion and sleep disruption.

They may be low intensity but with regard to the VGCCs, electromagnetic fields can have a tremendously powerful impact on the cells of our bodies. Furthermore, published studies showing that calcium channel blocker drugs block or greatly lower biological effects from electromagnetic fields confirm there is a VGCC activation mechanism that is causing various effects. Higher frequency electromagnetic fields from 5G technologies on the horizon pose even greater biological concern than those to which we are exposed today. We should be moving, instead, to wired technologies at every opportunity, based on what we know in science today, not expanding and supporting the proliferation of wireless.

I want to make several additional points very clear:

1. The Physics and the Biology are both pointing in the same direction. Both show that EMFs act primarily via activating the VGCCs in the cells of our bodies.
2. DNA damage known to be produced by these EMFs occur in human sperm and may also occur in human eggs, leading to large increases in mutation in any children born. It is thought that an increase in mutation frequency of 2.5 to 3-fold will lead to extinction because of accumulation of large numbers of damaging mutations. We may already be over this level, and if so, simply continuing our current exposures will lead to eventual extinction. Further increases in exposures will be more rapidly self-destructive.
3. Pulsed EMFs are, in most cases, more biologically active and therefore more dangerous than are non-pulsed (continuous wave) EMFs. All cordless communication devices communicate via pulsations, because it is the pulsations that carry the information communicated. All the industry claims of safety are based on a theory (only thermal effects) that was known to be wrong back in 1971 [8] – and that was before many thousands of additional studies were published providing massive confirmation that industry claims are false.
4. The industry is trying to move to much higher frequencies because these much higher frequencies allow much higher pulsations and therefore much higher transmission of information. However, these higher pulsation rates make these ultra-high devices vastly more dangerous. This is part of the reasons why it is so important to vote down SB.649.
5. None of our wireless communication devices are ever tested biologically for safety – not cell phone towers, not cell phones, not Wi-Fi, not cordless phones, not smart meters and certainly not 5G phones, or radar units in cars – before they are put out to irradiate an unsuspecting public.
6. The telecommunications industry has corrupted the agencies that are supposed to be regulating them. The best example of this is that the FCC which regulates EMFs in the U.S. is a “captured agency”, captured by the industry it is supposed to regulate, according to an 8 chapter document published by the Edmond J. Safra Center for Ethics at Harvard University [9]. Is it any wonder, therefore, that the industry keeps touting that their devices are within the safety guidelines set by the FCC?

I urge you to do the right thing on behalf of the health of Californians and future generations. Please let me know if I can provide further information. (503) 232-3883.

Sincerely,

Martin Pall, PhD (Caltech, 1968)

Professor Emeritus of Biochemistry and Basic Medical Sciences

Washington State University

Citations:

1. Pall ML. 2013 Electromagnetic fields act via activation of voltage-gated calcium channels to produce beneficial or adverse effects. *J Cell Mol Med* 17:958-965.
2. Pall ML. 2014 Electromagnetic field activation of voltage-gated calcium channels: role in therapeutic effects. *Electromagn Biol Med*. 2014 Apr 8.
3. Pall ML. 2015 Scientific evidence contradicts findings and assumptions of Canadian Safety Panel 6: microwaves act through voltage-gated calcium channel activation to induce biological impacts at non-thermal levels, supporting a paradigm shift for microwave/lower frequency electromagnetic field action. *Rev Environ Health* 30:99-116.
4. Pall ML. 2015 Elektromagnetische Felder wirken über die Aktivierung spannungsabhängiger Calciumkanäle, um günstige oder ungünstige Wirkungen zu erzeugen. *Umwelt-Medizin-Gesellschaft* 28: 22-31.
5. Pall ML. 2015 How to approach the challenge of minimizing non-thermal health effects of microwave radiation from electrical devices. *International Journal of Innovative Research in Engineering & Management (IJIREM)* ISSN: 2350-0557, Volume-2, Issue -5, September 2015; 71-76.
6. Pall ML. 2016 Microwave frequency electromagnetic fields (EMFs) produce widespread neuropsychiatric effects including depression. *J Chem Neuroanat* 75(Pt B):43-51. doi: 10.1016/j.jchemneu.2015.08.001. Epub 2015 Aug 21.
7. Pall ML. 2016 Electromagnetic fields act similarly in plants as in animals: Probable activation of calcium channels via their voltage sensor. *Curr Chem Biol* 10: 74-82.
8. Naval Medical Research Institute Research Report, June 1971. Bibliography of Reported Biological Phenomena ("Effects") and Clinical Manifestations, Revised, ZR Glaser.
9. Captured Agency: How the Federal Communications Commission Is Dominated by the Industries It Presumably Regulates, by Norm Alster. Published by Edmond J. Safra Center for Ethics, Harvard University. An e-book under the Creative Commons 4.0 License: <https://creativecommons.org/licences/by/4.0/>

July 26, 2017

The Honorable Ben Hueso
Member of the California State Senate
Room 4035, State Capitol
Sacramento, CA 95814

RE: SB 649 (Hueso) – Small Cell Wireless Facilities - OPPOSE

Dear Senator Hueso:

Environmental Working Group (EWG) respectfully opposes your SB 649, which would make the installation of small cell wireless facilities, such as those used to facilitate 5G networks, ministerial rather than discretionary at the local government level.

The health impacts of cellular transmissions have been debated for over ten years because there are studies that raise real concerns about the effects of radio frequency radiation on humans. This is why EWG sponsored two bills by former Senator Leno, SB 1212 (2010) and SB 932 (2011) that would have required sellers of cell phones to inform consumers to minimize exposure to cell phone radiation by reading the manual that comes with the phone, as this is in fact recommended by cell phone manufacturers in their included manuals.

Studies on the health impacts of cell phones and their transmission infrastructure are continuing, but there is already adequate existing sound science for government to proceed with caution on the roll-out of the new technology. In particular, the results of the \$25 million National Toxicology Program study (2016) that showed tumors in rats caused by a typical amount of heavy cell phone use are to be reckoned with. And, most of the past science has analyzed older cellular technology like 2G and 4G, so we are moving into uncharted waters with 5G with its different wavelengths and energy levels.

Local governments must be able to evaluate science and respond to the wishes of their citizens and neighborhoods before permits are issued for this technology and SB 649 short-circuits that process. This includes important decisions about locating the technology near homes, schools, and hospitals. We simply cannot rely upon the word of the FCC (in terms of safety standards) to protect the health of Californians.

For these reasons, EWG will be urging a “no” vote for the Assembly floor. We will be writing a separate letter to the Assembly Appropriations Committee on fiscal concerns.

Sincerely,



Bill Allayaud
California Director of Government Affairs
Environmental Working Group



August 15, 2017

The Honorable Cecilia Aguiar-Curry
Chair, Assembly Local Government Committee
State Capitol Building, Room 5144
Sacramento, CA 95814

SB 649 (Hueso)- Wireless Telecommunications Facilities- OPPOSE

Chair Aguiar-Curry,

On behalf of the undersigned, we write to register our opposition to SB 649 (Hueso) which would prohibit local discretionary review of "small cell" wireless antennas, including equipment collocated on existing structures or located on new "poles, structures, or non-pole structures," including those within the public right-of-way and buildings. The proposal preempts adopted local land use plans by mandating that "small cells" be allowed in all zones as a use by-right, including all residential zones. Because of this, this proposal essentially provides a CEQA exemption for installation of these facilities, undermining the ability for communities to comment and register their concerns associated with previously mentioned installation. These "small cell" installations not only can cause an aesthetic blight, but can release levels of radiation that we don't yet know conclusively the health impacts they can impose of humans, especially developing bodies and minds of children. These small cell boxes could pop up anywhere: grocery stores, outside school, playgrounds, communal places, with no requirement to mitigate effects or understand potential environmental and health hazards.

For these reasons, we urge your "no" vote in committee.

Thank you,

Jena Price, Legislative Affairs Manager
California League of Conservation Voters

Kyle Jones, Legislative Associate
Sierra Club California

Jane Williams, Executive Director
California Communities Against Toxics

Devra Davis, PhD MPH FACE
P.O. Box 58
Teton Village, WY 83025

Jackson Hole Town Council
PO Box 1687
Jackson, WY 83001

Re: Conditional Use Permit: 55' tall Wireless Communications Tower at 275 N. Willow Street.

Dear Jackson Hole City Council,

I am writing in regards to the request for a Conditional Use Permit to Allow a 55' tall Wireless Communications Tower at 275 N. Willow Street. I want to inform you of some critically important facts that may have escaped your attention, and I hope that this will persuade you to reconsider approval of the tower.

- 1. According to federal law, any permitted tower can eventually become 20 feet or 20% higher than the original permit with no community input.**

A tower includes multiple antennas. Section 6409 (a) (1) of the “Middle Class Tax Relief and Job Creation Act of 2012” says that once a Communication tower is approved and installed for one communications provider, any other communications provider may not be denied application to install their antenna on that tower if the dimensions of the tower are not substantially changed. Unfortunately, “substantially changed” is not defined in the Law and the FCC defines substantially changed as an increase in height of more than 20 feet or more than 20%, whichever is larger (the 20 ft-20% rule). The FCC also says that the tower width can be extended to 40 feet. If a community objects I understand that the community would have to provide evidence to support that objection.

Is Jackson Hole comfortable allowing the tower to go up 20 more feet (that is to 75') and expand in width to 40' with no community input? How will this affect the view from the Town's iconic southwest elk antler arch?

- 2. The tower location would expose the children at the nearby Teton County Recreation Center, Timber Ridge Academy, Jackson Elementary School to increased levels of radiofrequency radiation.**

Some cities and nations are curtailing in-building wireless exposures—and moving to wired connections rather than wireless—because of growing health concerns, i.e., Haifa, Israel, France and India. The Council Agenda packet noted, “One key feature of the new cell site will be providing strong in-building

coverage...Strong in-building coverage is often the most difficult goal to attain because of the degradation of the Radio Frequency (RF) signal through the building itself.”

Has the community considered that the signal will not only go through the buildings, as the Applicant notes, but also through our bodies—and that several technology-sophisticated nations are generally promoting wired connections within schools?

A number of nations, including Israel and France, are taking steps to reduce exposures, especially to children and pregnant teachers, as growing evidence indicates that there are health risks with such exposures.

3. **Federal Law governing towers prohibits considering health and safety issues, but the Council should be aware that a number of federal agencies are requesting that the FCC strengthen their outdated FCC regulations that do not protect human health and the welfare of migratory animals.**

On February 7, 2014 the U.S. Department of Interior stated [in a letter](#) to the National Telecommunications and Information Administration:

“The second significant issue associated with communication towers involves impacts from non-ionizing electromagnetic radiation emitted by these structures. Radiation studies at cellular communication towers were begun circa 2000 in Europe and continue today on wild nesting birds. Study results have documented nest and site abandonment, plumage deterioration, locomotion problems, reduced survivorship, and death (e.g., Balmori 2005, Balmori and Hallberg 2007, and Everaert and Bauwens 2007). Nesting migratory birds and their offspring have apparently been affected by the radiation from cellular phone towers in the 900 and 1800 MHz frequency ranges -- 915 MHz is the standard cellular phone frequency used in the United States. However, the electromagnetic radiation standards used by the *Federal Communications Commission (FCC) continue to be based on thermal heating, a criterion now nearly 30 years out of date and inapplicable today.*”

Regulations dictate, “The communication tower shall cause no damage or disturbance to human life or wildlife as a result of radiation or electromagnetic fields.” Currently the applicant states that the tower’s emissions would adhere to standards for radiation exposure set by the FCC. However, FCC standards may soon change as a result of new experimental research from a \$25 million study by the U.S. National Toxicology Program finding rare tumors of the brain and heart in animals exposed to wireless radiation comparable to that of cell phones.

Outdated FCC regulations are currently under review. (See NOI #13-84, "Reassessment of Federal Communications Commission Radiofrequency Exposure Limits and Policies 2013"). In 2012, the Government Accountability Office (GAO) published their report [“Exposure and Testing Requirements for Mobile Phones Should Be Reassessed”](#) that calls on the FCC to “formally reassess and, if appropriate, change its current RF energy (microwave) exposure limit,” and “The Federal Communications Commission’s (FCC) RF energy exposure limit may not reflect the latest research....”

The newly released multi-year study by The National Toxicology Program at the National Institutes of Health found a causal relationship between RF in cell phone frequencies and malignant brain cancers (glioma) as well as benign nerve tumors (schwannomas) of the heart in male rats. The study was designed to test the scientific basis on which current US radiofrequency exposure limits are based. The results of carcinogenicity show that current FCC limits are based on outdated and now invalid assumptions. The results detailed in the [Report of Partial findings from the National Toxicology Program Carcinogenesis Studies of Cell Phone Radiofrequency Radiation](#) indicate that non-ionizing radiation does have adverse effects at non-heating levels. As FCC limits only protect against heating effects, and do not account for other biological effects such as carcinogenicity, stronger protection is needed, which means the limit will be lowered.

In May 2015, over 200 scientists from 39 nations, who have authored more than 2,000 articles on electromagnetic fields, appealed to the United Nations to address “the emerging public health crisis” related to wireless radiation. These scientists state, “the ICNIRP guidelines do not cover long-term exposure and low-intensity effects” and are “insufficient to protect public health.” They also state, “the various agencies setting safety standards have failed to impose sufficient guidelines to protect the general public, particularly children who are more vulnerable to the effects of EMF.” (See the International EMF Scientist Appeal at <https://emfscientist.org>.)

- 4. It would be against the law in many jurisdictions and countries to erect a cell tower so close to schools.** In India, the [Supreme Court of India](#) upheld the High Court of the State of Rajasthan decision to remove all cell towers from the vicinity of schools, hospitals and playgrounds because of radiation “hazardous to life.” The Los Angeles Unified School District has established a precautionary radiofrequency threshold level that is 10,000 times lower than the current FCC standard, and the District does not allow cell towers near schools.



5. **Environmental impacts: Cell tower compounds bring hazardous materials on site.** Tower compounds store hazardous materials on site such as banks of lead acid batteries, diesel generators and diesel fuel tanks. In several counties, these sites are considered Hazmat areas.

The Jackson Hole Council Agenda notification states (on page 32 of 112), “The proposed tower will not create any significant odors, noises, light, or pollution.” and “Atlas Tower does not anticipate there will be any environmental conditions created by our proposed use,” however, I did not see it noted what type of backup power systems these telecommunications companies will use? Cell tower diesel generators are usually turned on and tested weekly, meaning diesel fumes and exhaust are emitted into the air and the cumulative impact is considerable in terms of diesel emissions. In addition, the tanks must be refueled periodically, bringing diesel laden trucks into the area and pumping fuel into the tanks.

6. **Cell towers do and can catch fire and fall.** The Applicant states the tower would “collapse not topple,” yet many cell towers have fallen over despite the best intentions of structural engineers. Towers also catch on fire. As an example, last year, a cell tower at [Virginia Heritage High School](#) caught fire and started leaning over. What of the [Ohio Football field tower](#) fire or the [Oregon School cell tower](#) that caught fire and “seared bushes” below?

I respectfully urge you to reconsider approval of this tower and to institute a systematic review of tower siting policies in light of this new information. I and other experts who work with Environmental Health

Trust would be pleased to advise on this matter further. In light of these concerns, I urge that this tower not be built at this time at this location.

Respectfully submitted,

Devra Davis, PhD MPH FACE

ddavis@ehtrust.org

www.EHTrust.org

Visiting Professor, Hebrew University Hadassah Medical School and Ondokuz Mayıs Medical School

Further information here:

[American Academy of Pediatrics 2013 letter to the FCC on children's vulnerability to RF and the importance of updating current radio frequency exposure standards.](#)

[2014 Letter from the U.S. Department of Interior](#) states, “The electromagnetic radiation standards used by the Federal Communications Commission (FCC) continue to be based on thermal heating, a criterion now nearly 30 years out of date and inapplicable today.”

[2002 Letter from Norbert Hankin of the EPA about the FCC guidelines](#) states that children, pregnant women and the elderly were not considered in the regulations and that the regulations were to protect against hearing damage only and did not consider long-term chronic exposure.

[2008 Report: National Academy of Sciences Report “Identification of Research Needs Relating to Adverse Health Effects of Wireless Communication.”](#)

[Letter to the FCC by Dr. De-Kun Li, MD, PhD, MPH on the Inadequacy of FCC guidelines](#)

[Why the FCC Must Strengthen Radiofrequency Radiation Limits in the U.S. by Joel M. Moskowitz, Ph.D., Director Center for Family and Community Health, The UC Berkeley Prevention Research Center, School of Public Health, University of California, Berkeley November 5, 2013](#)

[Alster, Norm. Captured agency: How the Federal Communications Commission is dominated by the industries it presumably regulates. Cambridge, MA: Edmund J. Safra Center for Ethics, Harvard University. 2015.](#)

[No more Falling workers: February 2014, OSHA Alert about cell tower deaths](#)

[Failure to Regulate Antennas and the Lack of FCC Monitoring of Compliance with FCC RF Safety Policies The EM Radiation Policy Institute to the FCC in 2013](#)

[The World Health Organization’s monograph on RF radiation as a Possible Human Carcinogen in 2011](#)

[List of cell Tower Fires and Collapse compiled by Dr. David Stupin.](#)



892 Arlington Av. Berkeley, CA, 94707 (307) 200-9358
www.ehtrust.org

June 28, 2017

The Honorable Cecilia Aguiar-Curry
Chair of the Local Government Committee
1020 N Street, Room 157
Sacramento, CA 95814

RE: SB 649 (Hueso) – Small Cell Wireless Facilities — OPPOSE

Dear Chair Aguiar-Curry:

As a nonprofit research and policy organization dedicated to identifying and reducing environmental health hazards, Environmental Health Trust (EHT) writes to advise you of serious scientific grounds to reject SB 649 as advanced by Senator Hueso. I have personally served as an expert advisor to the California Department of Health as well as the San Francisco and Berkeley City governments on matters relevant to this bill. EHT has been honored to work with California government and scientists for over a decade. At the invitation of the Israel Institute for Advanced Study of the Hebrew University of Jerusalem, EHT recently organized and chaired an [Expert Forum on Wireless Radiation and Health](#), bringing together scientists and engineers from more than ten high tech nations. Reflecting these efforts, EHT provides independent scientific research and advice on avoidable environmental health hazards to local, state and national governments.

SB 649 will pave the way for widespread introduction of 5G microwave wireless radiation frequency (RF) that has never been tested for its impact of public health or the environment. Other RF microwave radiation such as that used by cellphones and other wireless devices has been [classified as a 'possible carcinogen'](#) by the International Agency for Research on Cancer in 2011 and more recently dubbed a ['probable carcinogen.'](#) by expert researchers looking at newer information in 2015.^{1, 2, 3} In addition, this bill could result in the loss of hundreds of millions of dollars in local revenue, as the [San Francisco Chronicle noted](#) today.

By ignoring growing scientific evidence of harm, the bill effectively will ensure the widespread exposures of millions of Californians to an agent that growing numbers of scientists and nations consider a serious

¹ World Health Organization. ["IARC classifies radiofrequency electromagnetic fields as possibly carcinogenic to humans."](#) WHO, Press Release, no. 208, 2011.

² IARC Working Group on the Evaluation of Carcinogenic Risks to Humans. ["Non-ionizing radiation, Part 2: Radiofrequency electromagnetic fields."](#) *IARC Monographs On The Evaluation of Carcinogenic Risks to Humans*, vol. 102, pt. 2, 2013.

³ Morgan, L. Lloyd, et al. ["Mobile phone radiation causes brain tumors and should be classified as a probable human carcinogen \(2A\)."](#) *International Journal of Oncology*, vol. 46, no. 5, 2015, 1865-71.

health threat. Recently, studies have found that the frequencies which will be used in 5G and other future technologies can have harmful effects⁴, as Dr. Cindy Russell, Vice President of Community Health for the Santa Clara Medical Association noted.⁵ As articulated in their state Constitution, California cities and counties have a duty to protect the health and safety of their residents.

EHT has a longstanding history of research and policy advice to state, local and national governments regarding strategies to reduce disease and promote health by avoiding environmental health hazards. Our organization opposes the broad scale installation of untested wireless antennas and associated electrical equipment close to humans and through critical wildlife habitat and corridors. Both federal and local zoning controls are needed to assure that cellular equipment are installed to avoid significant and serious safety threats of electrical shock, fire, and radio frequency (RF) microwave radiation exposures, as well as chronic impacts on public health and the environment.

Consistent with public health concepts of preventing harm by reducing exposure to suspected carcinogens, EHT opposes the usurpation and preemption of local authority that will allow federal and state authorities to place what state reports of the bill indicate can be thirty thousand new radiating 5G cell antennas on city and county utility, light poles, and other right of ways in close proximity to city and county workers, children, residents and visitors. In some cases towers will need to be sited every 100 feet with antennas at a height of 30 feet or less. Local authority and duty should not be overridden by preemptive federal or state policies such as SB 649 which disregards scientific evidence on this matter as outlined below.

Regarding potential health risks from RF a number of corporations advise their shareholders that they face serious risks from RF. For instance, Crown Castle's [2016 10-K ANNUAL REPORT](#), states that,

"If radio frequency emissions from wireless handsets or equipment on our wireless infrastructure are demonstrated to cause negative health effects, potential future claims could adversely affect our operations, costs or revenues. The potential connection between radio frequency emissions and certain negative health effects, including some forms of cancer, has been the subject of substantial study by the scientific community in recent years. We cannot guarantee that claims relating to radio frequency emissions will not arise in the future or that the results of such studies will not be adverse to us...If a connection between radio frequency emissions and possible negative health effects were established, our operations, costs, or revenues may be materially and adversely affected. We currently do not maintain any significant insurance with respect to these matters."

Most wireless companies from [AT&T](#) to [Nokia](#) to [T Mobile](#) to [Verizon Wireless](#) have issued [similar warnings](#) to their shareholders.

Regarding public health impacts, recently released research findings from the premiere test program of the National Institute of Environmental Health Sciences (NIEHS) add to the body of scientific evidence

⁴ Feldman, Yuri, et al. ["Human Skin as Arrays of Helical Antennas in the Millimeter and Submillimeter Wave Range."](#) *Physical Review Letters*, vol. 100, no. 128102, 2008.

⁵ Russell, Cindy. ["A 5G Wireless Future: Will it give us a Smart Nation or Contribute to an Unhealthy One?"](#) Santa Clara Bulletin, Jan./Feb. 2017.

indicating that RF microwave radiation can be harmful. The 10 year \$25 million NIEHS National Toxicology Program's [Studies of the Toxicology and Carcinogenicity Cell Phone Radiation](#) reports that RF produced increases rates of highly malignant very rare tumors: gliomas of the brain and schwannomas of the heart.⁶ These experimental findings are consistent with human studies showing increased rates of gliomas and acoustic neuromas (schwann cells) among humans exposed to cell phone radiation. In addition to increased cancers, the NTP study also reported that prenatally exposed animals produced offspring with lower birth weight and [evidence of direct genetic damage](#).

Since the 2011 WHO/IARC classification, the peer reviewed research connecting microwave exposure to cancer has significantly strengthened. In [2015, a study](#) replicated a 2010 [experiment](#) that found that weak cell phone signals significantly promote the growth of tumors in mice, and that toxic chemical exposures combine with RF to more than double the tumor response.^{7,8} The Ramazzini Institute is engaged in similar research with RF that is 1000 less than the NTP exposures—set to mimic radiation exposure levels caused by network equipment (e.g., cell tower antenna emissions).

Consistent with the [NTP findings](#), the Ramazzini Institute team [report](#) significantly lower litter weights, as presented at the January 2017 [Conference on Wireless and Health](#) at Israel Institute for Advanced Study, Hebrew University of Jerusalem.⁹ Findings of effects at such low levels is indication of the capability of low level electromagnetic radiation exposure to result in biological effects.

Other studies finding serious increased risk of glioma in regular cell phone users are of special relevance. In 2014, a [French national study](#) linked higher cell phone exposure to increased glioma in cell phone users.¹⁰ A newly published research [report](#) in the *American Journal of Epidemiology* finds that Canadians who have used cell phones for 558 hours or more have more than a doubled risk of brain cancer.¹¹ Previous [published re-analysis](#) of the multi country Interphone study data has found stronger positive associations to glioma risk among long term users and heavy users and a [statistically significant](#) association between where tumors were located and how much radiation an individual received from their phone.^{12,13}

⁶ Wyde, Michael, et al. "[Report of Partial findings from the National Toxicology Program Carcinogenesis Studies of Cell Phone Radiofrequency Radiation in Hsd: Sprague Dawley® SD rats \(Whole Body Exposure\)](#)." *bioRxiv*, no. 055699, 2016.

⁷ Lerchl, Alexander, et al. "[Tumor promotion by exposure to radiofrequency electromagnetic fields below exposure limits for humans](#)." *Biochemical and Biophysical Research Communications*, vol. 459, no. 4, 2015, pp. 585-90.

⁸ Tillmann, Thomas, et al. "[Indication of cocarcinogenic potential of chronic UMTS-modulated radiofrequency exposure in an ethylnitrosourea mouse model](#)." *International Journal of Radiation Biology*, vol. 86, no. 7, 2010, pp. 529-41.

⁹ Belpoggi, Fiorella. "[Recent findings on wireless radiation and health from the Ramazzini Institute could reinforce the NTP results](#)." *Conference on Wireless and Health*, 2017.

¹⁰ Coureau, Gaëlle, et al. "[Mobile phone use and brain tumours in the CERENAT case-control study](#)." *Occupational Environmental Medicine*, vol. 71, no. 7, 2014, pp. 514-22.

¹¹ Momoli, F., et al. "[Probabilistic multiple-bias modelling applied to the Canadian data from the INTERPHONE study of mobile phone use and risk of glioma, meningioma, acoustic neuroma, and parotid gland tumors](#)." *American Journal of Epidemiology*, 2017.

¹² Turner, Michelle C., et al. "[Investigation of bias related to differences between case and control interview dates in five INTERPHONE countries](#)." *Annals of Epidemiology*, vol. 26, 12, 2016, pp. 827-32.

More recently, research carried out by physicists in Israel and others have shown that the higher millimeter wave frequencies to be used in 5G applications uniquely interacts with sweat ducts of the human skin which can then function as antennas to amplify signals. This work extends studies first produced in 1986.¹⁴ The potential long-term impact of such stimulation on precancerous skin growths should be evaluated carefully, including potential super-growth of bacteria.¹⁵ A [lecture](#) by Paul Ben-Ishai, PhD, and published research on this issue can be found on the [2017 Conference website](#).^{16, 17, 18}

Cancer is not the only health concern presented by wireless devices and infrastructure. Impacts on [reproduction](#) and [brain development](#) have also been repeatedly reported in the peer reviewed literature in addition to a myriad of other adverse effects.^{19, 20, 21, 22}

In light of these developments showing growing evidence of the biological impact of RF, it is imperative that new infrastructure and 5G not be introduced widely into commerce at this time. The State of California needs to critically consider the potential impact of massive new and possibly carcinogenic wireless exposures to their population. Before introducing additional untested wireless technology into the environment, it is necessary to:

- model exposures to infants, children and pregnant women;
- conduct experimental tests on exposures' impacts on wildlife; and
- evaluate impacts on human systems through in vitro and in vivo toxicology

In 2015, the [International EMF Scientist Appeal](#), now signed by over 225 scientists from 41 nations, was submitted to the Secretary-General of the United Nations, the Director-General of the World Health Organization and U.N. Member Nations urging the development of more protective guidelines for EMF (including RF-EMF), encouraging precautionary measures, and calling for education of the public about

¹³ Grell, Kathrine, et al. ["The intracranial distribution of gliomas in relation to exposure from mobile phones: analyses from the INTERPHONE study."](#) *American Journal of Epidemiology*, vol. 184, no. 11, 2016, pp. 818-28.

¹⁴ Gandhi OP, Riaz A. ["Absorption of millimeter waves by human beings and its biological implications."](#) *IEEE Transactions on Microwave Theory and Techniques*, vol. 34, no. 2, 1986, pp. 228-235.

¹⁵ Soghomonyan D, K. Trchounian and A. Trchounian. ["Millimeter waves or extremely high frequency electromagnetic fields in the environment: what are their effects on bacteria?"](#) *Applied Microbiology and Biotechnology*, vol. 100, no. 11, 2016, pp. 4761-71.

¹⁶ Feldman, Yuri and Paul Ben-Ishai. ["Potential Risks to Human Health Originating from Future Sub-MM Communication Systems."](#) *Conference on Wireless and Health*, 2017.

¹⁷ Hayut, Itai, Paul Ben Ishai, Aharon J. Agranat and Yuri Feldman. ["Circular polarization induced by the three-dimensional chiral structure of human sweat ducts."](#) *Physical Review E*, vol. 89, no. 042715, 2014.

¹⁸ Feldman, Yuri, et al. ["Human Skin as Arrays of Helical Antennas in the Millimeter and Submillimeter Wave Range."](#) *Physical Review Letters*, vol. 100, no. 128102, 2008.

¹⁹ Adams, Jessica A., et al. ["Effect of mobile telephones on sperm quality: a systematic review and meta-analysis."](#) *Environment International*, 70, 2014, pp. 106-112.

²⁰ Deshmukh, P.S., et al. ["Cognitive impairment and neurogenotoxic effects in rats exposed to low-intensity microwave radiation."](#) *International Journal of Toxicology*, vol. 34, no. 3, 2015, pp. 284-90.

²¹ Aldad, T.S., et al. ["Fetal Radiofrequency Radiation Exposure From 800-1900 MHz-Rated Cellular Telephones Affects Neurodevelopment and Behavior in Mice."](#) *Scientific Reports*, vol. 2, no. 312, 2012.

²² Sonmez, O.F., et al. ["Purkinje cell number decreases in the adult female rat cerebellum following exposure to 900 MHz electromagnetic field."](#) *Brain Research*, vol. 1356, 2010, pp. 95-101.

health risks, particularly risks to children and fetal development.²³ Most recently, the EMF Scientists have submitted [Comments to the FCC](#) asking the FCC to critically consider the potential impact of the 5th generation wireless infrastructure on the health and safety of the U.S. population before proceeding to deploy this infrastructure.

California firefighters have lobbied to protect themselves and successfully received exemption on health grounds from the installation of these cell towers. Similarly cities and counties should be given the needed local controls to protect their citizens from the health and safety risks of these installations. As currently envisioned, transmitters can be placed in close proximity to bedrooms and schools without consideration of the health of their occupants. Research is critically needed to evaluate the public health and environmental impacts of proposed wireless facilities before deployment.

Worldwide, governments are acting to minimize exposures to children as they are most vulnerable. For example, the Supreme Court of India upheld the High Court of the State of Rajasthan's decision to remove all cell towers from the vicinity of schools, hospitals and playgrounds because of radiation "hazardous to life." In Chile, the 2012 "[Antennae Law](#)" prohibits cell antennae/towers in "sensitive areas".²⁴ Please learn more about international policy actions such as these in our [online briefing](#).²⁵

The assumption that all wireless technology is safe has been shown through recent studies to be incorrect. EHT strongly opposes the widespread installation of 5G antennas and towers and believes that the state should move forward on its commitment to support the installation of fiber optic cables buried in the ground to every business, home, school, and hospital in California. We urge the state not to ignore this evidence of harm from RF. Please vote "no" vote on SB 649 and uphold the rights of local government to protect public health and the environment.

Sincerely,



Devra Davis, PhD, MPH

Fellow, American College of Epidemiology

Visiting Prof. Hebrew Univ. Hadassah Medical Center & Ondokuz Mayıs Univ. Medical School

Associate Editor, *Frontiers in Radiation and Health*

President, Environmental Health Trust

²³ Blank, M., et al. "[International Appeal: Scientists call for protection from non-ionizing electromagnetic field exposure.](#)" *European Journal of Oncology*, vol. 20, no. 3/4, 2015, pp. 180-2.

²⁴ "[New communications antenna law in Chile.](#)" *Communications Law: Newsletter of the International Bar Association Legal Practice Division*, vol. 20, no. 1, 2013, pp. 14-16.

²⁵ "[International Policy Briefing: Cautionary Policy on Radiofrequency Radiation Actions by Governments, Health Authorities and Schools Worldwide.](#)" Environmental Health Trust, 2017.

The Health Argument against Cell Phones and Cell Towers

The biomedical evidence showing that the radiofrequency radiation emitted by cell phones and cell towers is harmful to health continues to grow. This document summarizes the health argument against cellular technology, whatever the benefits of that technology may be. You may wish to inform yourself about these arguments for any of several reasons:

- You use a cell phone.
- You encourage, or do not discourage, the use of cell phones by family members.
- You live in, or are contemplating moving into, a community close to a cell tower.
- Your school, college, fire station, or police station is considering permitting the installation of a cell tower on its property.
- Your community is considering permitting the installation of cellular repeaters, small-cell towers, or even full cell towers within its jurisdiction.

Below, I introduce myself, provide evidence of the harmfulness of cellular radiation, and show that U.S. Government is not protecting us from harm and is unlikely to do so in the near future. That means that we must protect ourselves and our families at the individual and the community levels while working toward protective action by governments at the local, state, and Federal levels.

Who am I?

I am a retired U.S. Government career scientist (Ph.D., Applied Physics, Harvard University, 1975). During my Government career, I worked for the Executive Office of the President of the United States, the National Science Foundation, and the National Institute of Standards and Technology. For those organizations, respectively, I addressed Federal research and development program evaluation, energy policy research, and measurement development in support of the electronics and electrical-equipment industries and the biomedical research community. I currently interact with other scientists and with physicians around the world on the impact of electromagnetic fields on human health.

Evidence of harm

I present below key evidence, and associated references, that the exposure of humans to radiofrequency radiation, and specifically cellular radiation, is harmful to health.

In 2016, the National Toxicology Program, at the National Institutes of Health, linked cellular radiation to brain and heart tumors.

The National Toxicology Program (NTP), at the National Institutes of Health (NIH), just published the “Partial Findings” of a \$25 million multi-year study of the impact of cellular radiation on health. The U.S. Food and Drug Administration “nominated” this NTP study. The NTP indicated that this is the largest and most complex study ever conducted by the NTP.

¹ Ronald M. Powell, Ph.D., USA, email ronpowell@verizon.net, web site <https://www.scribd.com/document/291507610/>.

The NTP study exposed each of six separate groups of male rats to one of the six possible combinations of three different levels of cellular radiation and two different modulation formats. The modulation format is the method used to impress information on the cellular signal. A separate seventh group of male rats was used as a “control”, that is, for comparison, and was protected from exposure to any cellular radiation.

The NTP study found a “likely” causal relationship between exposure to cellular radiation and the occurrence of malignant (cancerous) brain tumors (glioma) and malignant nerve tumors (a form of schwannoma) of the heart in the male rats:

The rates of occurrence of brain glioma in the male rats ranged from 0 to 3.3 percent for the six groups exposed to radiation. The mean rate of occurrence was 2.0 percent across all six groups.²

The rates of occurrence of heart schwannoma in the male rats ranged from 1.1 to 6.6 percent for the six groups exposed to radiation. The mean rate of occurrence was 3.5 percent across all six groups.³

The seventh group of male rats, which was used as a control and which was protected from exposure to any cellular radiation, experienced no instances of brain glioma or heart schwannoma.

The NTP considered its findings so important to public health that it issued the “Partial Findings” (May 2016) prior to completing the full study. The NTP then presented those findings at an international conference (BioEM2016, June 2016) attended by 300 scientists from 41 countries. The NTP characterized the motivation for the early release of the “Partial Findings” this way:

“Given the widespread global usage of mobile communications among users of all ages, even a very small increase in the incidence of disease resulting from exposure to RFR [radiofrequency radiation] could have broad implications for public health. There is a high level of public and media interest regarding the safety of cell phone RFR and the specific results of these NTP studies.”

You can learn more about this study from the following references:

Reference: NTP’s brief description of its study. National Toxicology Program: Cell Phones.
(<http://ntp.niehs.nih.gov/results/areas/cellphones/index.html>)

Reference: NTP’s published “Partial Findings” of the study. Michael Wyde, Mark Cesta, Chad Blystone, Susan Elmore, Paul Foster, Michelle Hooth, Grace Kissling, David Malarkey, Robert Sills, Matthew Stout, Nigel Walker, Kristine Witt, Mary Wolfe, and John Bucher, Report of Partial Findings from the National Toxicology Program Carcinogenesis Studies of Cell Phone Radiofrequency Radiation in Hsd: Sprague Dawley® SD rats (Whole Body Exposure), posted June 23, 2016.
(<http://biorxiv.org/content/biorxiv/early/2016/06/23/055699.full.pdf>)

Reference: Informative discussion of the NTP study. Environmental Health Trust, Frequently Asked Questions about the U.S. National Toxicology Program Radiofrequency Rodent Carcinogenicity Research Study.
(<http://ehtrust.org/science/facts-national-toxicology-program-cellphone-rat-cancer-study>)

² In the “Partial Findings” reference cited above, the mean (average) rate of occurrence for malignant glioma in male rats was determined from Table 1 on page 13 as follows: $(3 + 3 + 2 + 0 + 0 + 3)/(90 + 90 + 90 + 90 + 90 + 90) = 2.0$ percent.

³ In the “Partial Findings” reference cited above, the mean (average) rate of occurrence for malignant heart schwannoma in male rats was determined from Table 3 on page 15 as follows: $(2 + 1 + 5 + 2 + 3 + 6)/(90 + 90 + 90 + 90 + 90 + 90) = 3.5$ percent.

Reference: Announcement of the BioEM2016 presentation. Results of NIEHS' National Toxicology Program GSM/CDMA phone radiation study to be presented at BioEM2016 Meeting in Ghent, 05 June 2016 — 10 June 2016 Ghent University, Belgium.

(<http://www.alphagalileo.org/ViewItem.aspx?ItemId=164837&CultureCode=en>)

Reference: Viewgraphs presented by Michael Wyde, Ph.D., NTP study scientist, at BioEM2016 Meeting, Ghent, Belgium, June 8, 2016. NTP Toxicology and Carcinogenicity Studies of Cell Phone Radiofrequency Radiation.

(http://ntp.niehs.nih.gov/ntp/research/areas/cellphone/slides_bioem_wyde.pdf)

In September 2017, the NTP presented further findings from its study of the impact of cellular radiofrequency radiation on the DNA of both mice and rats. The NTP found the following:

“These results suggest that exposure to RFR [radiofrequency radiation] has the potential to induce measurable DNA damage under certain exposure conditions.”

Reference: Abstract of data presented at the annual meeting of the Environmental Mutagenesis and Genomics Society, Raleigh, North Carolina, September 9-13, 2017. SL Smith-Roe and others, Evaluation of the Genotoxicity of Cell phone Radiofrequency Radiation in Male and Female Rats and Mice Following Subchronic Exposure.

(<https://ehtrust.org/national-toxicology-program-finds-cell-phone-radiation-induces-dna-damage/>)

Further findings from the NTP are promised for 2018.

The NTP study reinforces the classification of radiofrequency radiation, including cellular radiation, as a possible human carcinogen, made by the International Agency for Research on Cancer of the World Health Organization in 2011.

In its “Partial Findings” the NTP noted that its study reinforces a decision made by the International Agency for Research on Cancer (IARC) of the World Health Organization (WHO) in 2011. That decision classified radiofrequency radiation, including specifically cellular radiation, as a Group 2B carcinogen (possible carcinogen for humans). This classification was based on the increased risk of brain cancer (glioma) and acoustic neuroma (a form of schwannoma).⁴

Reference: Announcement of the IARC classification. International Agency for Research on Cancer, IARC Classifies Radiofrequency Electromagnetic Fields as Possibly Carcinogenic To Humans, Press Release No. 208, 31 May 2011.

(http://www.iarc.fr/en/media-centre/pr/2011/pdfs/pr208_E.pdf)

Reference: Full report on the IARC classification. IARC Monographs: Non-Ionizing Radiation, Part 2: Radiofrequency Electromagnetic Fields, Volume 102, 2013.

(<http://monographs.iarc.fr/ENG/Monographs/vol102/mono102.pdf>)

The findings of the NTP study, in combination with the findings of other studies conducted since 2011, have greatly increased the likelihood that the IARC will raise its classification of radiofrequency radiation to

⁴ The Mayo Clinic describes acoustic neuroma here: <http://www.mayoclinic.org/diseases-conditions/acoustic-neuroma/basics/definition/CON-20023851>.

Group 2A (probable carcinogen for humans) or even to Group 1 (known carcinogen for humans) in the near future.

In 2015, hundreds of international scientists appealed to the United Nations and the World Health Organization to warn the public about the health risks caused by electromagnetic fields (EMF), including radiofrequency radiation and, specifically, cellular radiation.

As of January 29, 2017, 224 scientists from 41 nations have signed an international appeal first submitted to the United Nations and to the World Health Organization in May 2015. These scientists seek improved protection of the public from harm caused by the radiation produced by many wireless sources, including "cellular and cordless phones and their base stations, Wi-Fi, broadcast antennas, smart meters, and baby monitors" among others. Together, these scientists "have published more than 2000 research papers and studies on EMF." They state the following:

"Numerous recent scientific publications have shown that EMF affects living organisms at levels well below most international and national guidelines. Effects include increased cancer risk, cellular stress, increase in harmful free radicals, genetic damages, structural and functional changes of the reproductive system, learning and memory deficits, neurological disorders, and negative impacts on general well-being in humans. Damage goes well beyond the human race, as there is growing evidence of harmful effects to both plant and animal life."

Reference: Welcome to EMFscientist.org.
(<https://www.emfscientist.org>)

Reference: International EMF Scientist Appeal: Scientists call for Protection from Non-ionizing Electromagnetic Field Exposure, May 15, 2015 (updated October 10, 2016).
(<https://www.emfscientist.org/index.php/emf-scientist-appeal>)

Reference: International Scientists Petition U.N. to Protect Humans and Wildlife from Electromagnetic Fields and Wireless Technology.
([https://www.emfscientist.org/images/docs/International EMF Scientist Appeal Description.pdf](https://www.emfscientist.org/images/docs/International_EMF_Scientist_Appeal_Description.pdf))

In 2012, the BioInitiative Working Group published the most comprehensive of the recent analyses of the international biomedical research, showing a multitude of biological effects from exposure to radiofrequency radiation, including cellular radiation, at levels below the current exposure guidelines set by the Federal Communications Commission (FCC).

The health risks posed by the expanding use of radiofrequency radiation in wireless devices are not limited to cancer, as devastating as that consequence is. The broad range of health effects was extensively reviewed in the BioInitiative Report 2012. This 1479-page review considered about 1800 peer-reviewed biomedical research publications, most issued in the previous five years. The BioInitiative Report 2012 was prepared by an international body of 29 experts, heavy in Ph.D.s and M.D.s, from 10 countries, including the USA which contributed the greatest number of experts (10). The report concluded the following:

"The continued rollout of wireless technologies and devices puts global public health at risk from unrestricted wireless commerce unless new, and far lower exposure limits and strong precautionary warnings for their use are implemented."

Reference: BioInitiative Working Group, Cindy Sage, M.A. and David O. Carpenter, M.D., Editors, BioInitiative Report: A Rationale for Biologically-based Public Exposure Standards for Electromagnetic Radiation, December 31, 2012.
(<http://www.bioinitiative.org>)

The BioInitiative Report 2012 documented, in its “RF Color Charts”, examples of eight categories of biological effects that occurred at levels below the current exposure guidelines set by the FCC:

- stress proteins, heat shock proteins, and disrupted immune function
- reproduction and fertility effects
- oxidative damage, reactive ion species (ROS), DNA damage, and DNA repair failure
- disrupted calcium metabolism
- brain tumors and blood-brain barrier
- cancer (other than brain) and cell proliferation
- sleep, neuron firing rate, electroencephalogram (EEG), memory, learning, and behavior
- cardiac, heart muscle, blood-pressure, and vascular effects.

These biological effects were attributed to “Radiofrequency Radiation at Low Intensity Exposure” from “cell towers, Wi-Fi, wireless laptops, and smart meters”.

Reference: See the “RF Color Charts”, accessed from the left column of the web page below.
(<http://www.bioinitiative.org>)

The U.S. Government is not protecting us.

The radiation exposure guidelines of the FCC do not protect us because they are outdated and based on a false assumption.

The current radiation exposure guidelines of the FCC were adopted in 1996, 20 years ago. Those guidelines are based primarily on an analysis by the National Council on Radiation Protection and Measurements (NCRP) which was published in 1986, 30 years ago. That was many years before the emergence of nearly all of the digital wireless devices in use today.

“The FCC-adopted limits for Maximum Permissible Exposure (MPE) are generally based on recommended exposure guidelines published by the National Council on Radiation Protection and Measurements (NCRP) in 'Biological Effects and Exposure Criteria for Radiofrequency Electromagnetic Fields,' NCRP Report No. 86, Sections 17.4.1, 17.4.1.1, 17.4.2 and 17.4.3. Copyright NCRP, 1986, Bethesda, Maryland 20814....”

Reference: Federal Communications Commission, Office of Engineering & Technology, Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields, OET Bulletin 65, Edition 97-01 (August 1997). See the last paragraph on page 64.
(http://transition.fcc.gov/Bureaus/Engineering_Technology/Documents/bulletins/oet65/oet65.pdf)

Those exposure guidelines have not been substantially changed since that analysis in 1986. They are based on the *thermal assumption* that the only harm that radiofrequency radiation can cause is due to tissue heating. This thermal assumption has been thoroughly disproved since, as biological effects have been found to occur

at levels of radiation below, and even far below, those that cause significant tissue heating. Such lower levels are commonly referred to as *nonthermal* levels. The result is that many authorities now consider the FCC's current exposure guidelines as entirely outdated and much too high (that is, much too permissive) to protect the public.

The evidence disproving the thermal assumption is based on the broadened understanding of the biological effects of radiofrequency radiation made possible by thousands of peer-reviewed papers published by international biomedical scientists since 1986. The BioInitiative Report 2012 is the most recent comprehensive review of that research and provides many examples of bioeffects occurring at nonthermal radiation levels, as described above. Further, the new study by the National Toxicology Program, also described above, added to the evidence disproving the thermal assumption. That study exposed rats to levels of radiation below those that cause significant heating, and both above and below the FCC's current exposure guidelines as well. Yet, even below the FCC's current exposure guidelines, the male rats still developed malignant brain cancer (glioma) and malignant tumors (schwannomas) of the nerves of the heart. The shortcomings of the FCC's exposure guidelines are described in detail in the following reference:

Reference: Outdated FCC "Safety" Standards: The Five Fallacies of the Electromagnetic Radiation Exposure Limits.
(<http://ehtrust.org/policy/fcc-safety-standards/>)

The FCC is not a credible source for exposure guidelines because it lacks health expertise and because it is too heavily influenced by the wireless industries that it is supposed to regulate.

The FCC lacks the health expertise required for developing health-related radiation exposure guidelines. Further, the FCC seems more interested in assuring compatibility among electronic systems than in assuring the compatibility of electronic systems with human, animal, and plant life. Since the exposure guidelines relate to health, it would make more sense for them to be developed by an agency with health expertise, such as the Environmental Protection Agency (EPA).

In addition, the FCC lacks the impartiality required to be a source of credible guidelines. The FCC is too heavily influenced by the wireless industries that the FCC is supposed to regulate. The FCC has acted in partnership with the wireless industries by permitting wireless radiation levels far higher than the biomedical research literature indicates are necessary to protect human health. The success of the wireless industries in capturing the FCC, the committees in the U.S. Congress that oversee the FCC, and the Executive Branch is detailed in a recent monograph from the Center for Ethics at Harvard University.

Reference: Norm Alster, Captured Agency: How the Federal Communications Commission is Dominated by the Industries It Presumably Regulates (2015).
<http://ethics.harvard.edu/news/new-e-books-edmond-j-safra-research-lab>

As an example of that capture, President Obama, in 2013, appointed Thomas Wheeler, as the Chairman of the FCC. At that time, Mr. Wheeler was the head of the CTIA – The Wireless Association, which is the major lobbying organization for the wireless industries. This is the infamous "revolving door".

The FCC's decision to fast-track Fifth Generation (5G) cellular technology without prior study of its health impact demonstrates the FCC's disinterest in the public health.

On July 14, 2016, the FCC adopted new rules that would promote fast-tracking the expansion of cellular service to new and higher frequencies as part of the Fifth Generation (5G) of cellular technology. This decision will open selected frequency bands above 24 gigahertz (GHz) and up to 71 GHz. At the same time, the FCC has requested comment on opening even higher frequencies, possibly above 95 GHz.

Reference: FCC Takes Steps to Facilitate Mobile Broadband and Next Generation Wireless Technologies in Spectrum above 24 GHz: New rules will enable rapid development and deployment of next generation 5G technologies and services.

(http://transition.fcc.gov/Daily_Releases/Daily_Business/2016/db0714/DOC-340301A1.pdf)

Reference: Fact Sheet: Spectrum Frontiers Rules Identify, Open Up Vast Amounts of New High-Band Spectrum for Next Generation (5G) Wireless Broadband.

(http://transition.fcc.gov/Daily_Releases/Daily_Business/2016/db0714/DOC-340310A1.pdf)

All five commissioners of the FCC, including Chairman Thomas Wheeler, approved this expedited move to 5G. No commissioner called for evaluating the health impact before proceeding with 5G, despite the recent findings of the National Toxicology Program at NIH that cellular radiation likely causes tumors. Nor did even one commissioner express any interest in, or concern about, the impact of this new technology on public health. Rather, the FCC's emphasis was on the billions of dollars to be made by proceeding to implement 5G as rapidly as possible, with a minimum of regulatory interference, to assure an international competitive position.

In contrast to the FCC's disinterest in the impact of 5G on the public health, extensive written comments from individual members of the public and from many interested organizations raised a host of health concerns that were totally ignored in the FCC's presentations.

Reference: July 2016 Open Commission Meeting addressing "Spectrum Frontiers" and "Advancing Technology Transitions".

(<https://www.fcc.gov/news-events/events/2016/07/july-2016-open-commission-meeting>)

Reference: The FCC Approves 5G Millimeter Wave Spectrum Frontiers. Includes excerpts from selected comments provided to the FCC by individuals and organizations that expressed concern about the health impact of the FCC's plan for 5G.

(<http://ehtrust.org/policy/fcc-approves-5g-millimeter-wave-spectrum-frontiers/>)

Reference: Comments on FCC Docket 14-177, Spectrum Bands above 24 GHz. All of the comments submitted to the FCC about the key docket leading to the implementation of 5G.

(https://www.fcc.gov/ecfs/search/filings?proceedings_name=14-177&sort=date_disseminated,DESC)

U.S. Government agencies, and U.S. medical organizations, have disputed the validity of the FCC's exposure guidelines.

U.S. Government agencies, as well as U.S. medical organizations, have disputed the validity of the FCC's thermal exposure guidelines, maintaining that they are outdated and need to be updated to provide adequate protection of human beings, including children and seniors as well as other vulnerable groups.

U.S. Environmental Protection Agency

The Environmental Protection Agency (EPA) would be a better agency than the FCC to entrust with setting radiofrequency radiation exposure guidelines because the EPA has both health expertise and environmental responsibilities. The EPA is often cited by the FCC, and by the wireless industries, as one of the agencies that the FCC has *consulted* about the FCC's exposure guidelines, as if to increase the credibility of those guidelines. However, the fact that the EPA has *explicitly disputed* the validity of those guidelines is consistently omitted from those FCC citations.

Specifically, in 2002, the EPA addressed the limitations of the thermal exposure guidelines of the FCC, and the similar guidelines of private organizations, including the Institute of Electrical and Electronics Engineers and the International Commission on Non-Ionizing Radiation Protection:

"The FCC's current exposure guidelines, as well as those of the Institute of Electrical and Electronics Engineers (IEEE) and the International Commission on Non-ionizing Radiation Protection, are thermally based, and do not apply to chronic, nonthermal exposure situations.... The FCC's exposure guideline is considered protective of effects arising from a thermal mechanism but not from all possible mechanisms. Therefore, the generalization by many that the guidelines protect human beings from harm by any or all mechanisms is not justified."

"Federal health and safety agencies have not yet developed policies concerning possible risk from long-term, nonthermal exposures. When developing exposure standards for other physical agents such as toxic substances, health risk uncertainties, with emphasis given to sensitive populations, are often considered. Incorporating information on exposure scenarios involving repeated short duration/nonthermal exposures that may continue over very long periods of time (years), with an exposed population that includes children, the elderly, and people with various debilitating physical and medical conditions, could be beneficial in delineating appropriate protective exposure guidelines."

Reference: Letters from Frank Marcinowski, Director, Radiation Protection Division, EPA, and Norbert Hankin, Center for Science and Risk Assessment, Radiation Protection Division, EPA, to Janet Newton, President, the EMR Network, with copies to the FCC and the IEEE, dated July 16, 2002.

(http://www.emrpolicy.org/litigation/case_law/docs/noi_epa_response.pdf)

In summary, the EPA makes the following points: (1) the FCC's thermal exposure guidelines do *not* protect against all harm, only the harm caused by too much heating; (2) the FCC's thermal exposure guidelines do *not* apply to "chronic, nonthermal exposure", which is the type of exposure generated by cell towers and many other wireless devices; and (3) when new FCC guidelines are developed for chronic nonthermal exposures, they must accommodate "children, the elderly, and people with various debilitating physical and medical conditions" because those groups are not accommodated now.

U.S. Food and Drug Administration

The Food and Drug Administration (FDA) is also often cited by the FCC, and by the wireless industries, as one of the agencies that the FCC has consulted about exposure guidelines. But the FDA is the agency that "nominated" the NTP study of the possible health effects of cellular radiation, in part because of the FDA's uncertainty about the validity of the FCC's exposure guidelines:

"Currently cellular phones and other wireless communication devices are required to meet the radio frequency radiation (RFR) exposure guidelines of the Federal Communications Commission (FCC),

which were most recently revised in August 1996. The existing exposure guidelines are based on protection from acute injury from thermal effects of RFR exposure, and may not be protective against any non-thermal effects of chronic exposures.”

Reference: Nominations from FDA’s Center from [for] Device[s] and Radiological Health, Radio Frequency Radiation Emissions of Wireless Communication Devices (CDRH), Executive Summary, as attached to transmittal letter from William T. Allaben, Ph.D., FDA Liaison, to Dr. Errol Zeiger, Coordinator, Chemical Nomination and Selection, National Toxicology Program, May 19, 1999,⁵ (http://ntp.niehs.nih.gov/ntp/htdocs/chem_background/exsumpdf/wireless051999_508.pdf)

The FDA’s wisdom in nominating the NTP study was well justified by the NTP’s publication of the “Partial Findings” described above. Those findings demonstrated both that the FCC’s exposure guidelines are not protective and that the thermal assumption on which those guidelines are based is invalid.

U.S. Department of the Interior

In 2014 the Department of the Interior (Fish and Wildlife Service) also addressed the limitations of the FCC’s thermal exposure guidelines. The Department of the Interior was motivated by the multiple adverse effects of electromagnetic radiation on the health, and the life, of birds, particularly in connection with cell towers. The Department of the Interior stated the following:

“However, the electromagnetic radiation standards used by the Federal Communications Commission (FCC) continue to be based on thermal heating, a criterion now nearly 30 years out of date and inapplicable today.”

Reference: Letter from Willie R. Taylor, Director, Office of Environmental Policy and Compliance, Office of the Secretary, United States Department of the Interior, to Mr. Eli Veenendaal, National Telecommunications and Information Administration, U.S. Department of Commerce, dated February 7, 2014. (https://www.ntia.doc.gov/files/ntia/us_doi_comments.pdf)

American Academy of Environmental Medicine

The American Academy of Environmental Medicine (AAEM), which trains physicians in preparation for Board Certification in Environmental Medicine, states the following:

“The AAEM strongly supports the use of wired Internet connections, and encourages avoidance of radiofrequency such as from WiFi, cellular and mobile phones and towers, and ‘smart meters’.”

"The peer reviewed, scientific literature demonstrates the correlation between RF [radiofrequency] exposure and neurological, cardiac, and pulmonary disease as well as reproductive and developmental disorders, immune dysfunction, cancer and other health conditions. The evidence is irrefutable."

“To install WiFi in schools plus public spaces risks a widespread public health hazard that the medical system is not yet prepared to address.”

⁵ This date and the referenced URL were changed when this superior reference was posted, at my request, by the NTP/NIEHS/NIH.

Reference: American Academy of Environmental Medicine, Wireless Radiofrequency Radiation in Schools, November 14, 2013.

(<http://www.aaemonline.org/pdf/WiredSchools.pdf>)

American Academy of Pediatrics

The American Academy of Pediatrics (AAP), whose 60,000 doctors care for our children, supports the development of more restrictive standards for radiofrequency radiation exposure in order to better protect the public, particularly the children. In a letter to the Federal Communications Commission (FCC) and the Food and Drug Administration (FDA), dated August 29, 2013, the AAP states the following:

“Children are not little adults and are disproportionately impacted by all environmental exposures, including cell phone radiation. Current FCC standards do not account for the unique vulnerability and use patterns specific to pregnant women and children. It is essential that any new standard for cell phones or other wireless devices be based on protecting the youngest and most vulnerable populations to ensure they are safeguarded throughout their lifetimes.”

Reference: American Academy of Pediatrics, letter dated August 29, 2013 addressed to The Honorable Mignon L. Clyburn, Acting Commissioner, Federal Communications Commission, and The Honorable Dr. Margaret A. Hamburg, Commissioner, U.S. Food and Drug Administration.

(<http://apps.fcc.gov/ecfs/document/view?id=7520941318>)

After reviewing the “Partial Findings” from the new study by the National Toxicology Program at the National Institutes of Health, described above, the American Academy of Pediatrics cautioned parents about the use of cell phones by their children:

“In light of the findings, the Academy continues to reinforce its recommendation that parents should limit use of cell phones by children and teens.”

Reference: American Academy of Pediatrics, AAP responds to study showing link between cell phone radiation, tumors in rats, May 27, 2016.

(<http://www.aappublications.org/news/2016/05/27/Cancer052716>)

The Telecommunications Act of 1996, in combination with the FCC’s exposure guidelines, empowers the wireless industries to mandate the exposure of the public to levels of radiofrequency radiation already found harmful to health.

The Telecommunications Act of 1996 bars state and local governments from objecting to the placement of cell towers on environmental/health grounds unless the FCC’s exposure guidelines would be exceeded. Specifically, the Act states the following:

“No State or local government or instrumentality thereof may regulate the placement, construction, and modification of personal wireless service facilities on the basis of the environmental effects of radio frequency emissions to the extent that such facilities comply with the Commission's [FCC’s] regulations concerning such emissions.”

Reference: Telecommunications Act of 1996, Section 704 Facilities Siting; Radio Frequency Emission Standards, page 117.

(<http://transition.fcc.gov/Reports/tcom1996.pdf>)

This Act, in combination with the FCC's permissive exposure guidelines, strips state and local governments of the right to protect their own residents from levels of radiofrequency radiation already shown to be harmful to health. In effect, this Act transfers to the wireless industries the right to **mandate** the exposure of the public, including those most vulnerable to harm, to radiofrequency radiation without the need for further governmental action. State and local governments can still resist, but to do so they must confront this Act which is designed to frustrate their success. Even so, some governments do heroically resist and some do succeed.

Protecting ourselves and our families

We can act on our own to protect ourselves and our families, but only partially.

Instead of increasing our exposure to cellular radiation, and to the radiation from other digital wireless devices, we can decrease our exposure and improve our chances for good health. Desirable steps in this direction include the following:

- Reduce or stop the use of cell phones. Reserve them for emergencies or other essential uses.
- Replace cordless telephones with corded telephones.
- Establish wired (Ethernet) interconnections between routers and the wireless devices that the routers support. Then turn off the wireless capabilities, such as Wi-Fi and Bluetooth, of them all.
- "Opt out" of the wireless smart meter on your residence, if your state or local electric power company permits. Many states, but not all, have an opt-out provision.
- Alert family members about the health risks posed by wireless devices, particularly for vulnerable groups such as pregnant mothers, unborn children, young and teenage children, adult males of reproductive age, seniors, the disabled, and anyone with a chronic health condition. Everyone is vulnerable, but these groups are more so.

Reference: For more information on reducing radiation at home, please see Ronald M. Powell, Ph.D., How to Reduce the Electromagnetic Radiation in Your Home, which is document (10) on the following list.

(<https://www.scribd.com/document/291507610/>)

We can obtain better protection if we work together.

We can contribute our efforts to the hundreds of new organizations that are emerging nationwide to raise awareness about the health risks posed by the radiation exposure from wireless devices in homes, in the workplace, in schools, and in public places, especially where children are present. Through the Internet, look for organizations that address the intersection of health with cell phones, cordless phones, Wi-Fi, smart meters, and wireless desktop computers, laptops, and tablets. These wireless devices are the principal sources of radiofrequency radiation in the home.

Take care for our children. Today's adults grew up in an environment with much less radiofrequency radiation than exists today. Today's children are not so lucky. To have the same chance at a healthy life, they need a lot of help. Unfortunately, the levels of radiofrequency radiation in our environment are rising exponentially as

governments and wireless industries continue to promote, and even mandate, the exposure of the public to ever higher levels of radiofrequency radiation, with no limit in sight. That means that many of our children will become chronically ill, and many will die, while still young adults. This is a tragedy in the making. To stop it will require greatly increased awareness of the problem and serious political action at multiple levels of government. That is no small task, but we all can help. We can join with others to become a part of the solution for ourselves and our families, but especially for our children and our grandchildren.



Beatrice Alexandra Golomb, MD, PhD
 Professor of Medicine
 UC San Diego School of Medicine
 9500 Gilman Drive, #0995
 La Jolla, CA 92093-0995
 Phone: 858 558-4950 x201

August 18, 2017

To whom it may concern,

I urge in the strongest terms that you vigorously oppose California SB 649.

If this bill passes, many people will suffer greatly, and needlessly, as a direct result.

This sounds like hyperbole. It is not.

My research group at UC San Diego alone has received hundreds of communications from people who have developed serious health problems from electromagnetic radiation, following introduction of new technologies. Others with whom I am in communication, have independently received hundreds of similar reports. Most likely these are a tip of an iceberg of tens or perhaps hundreds of thousands of affected person. As each new technology leading to further exposure to electromagnetic radiation is introduced – and particularly introduced in a fashion that prevents vulnerable individuals from avoiding it – a new group become sensitized to health effects. This is particularly true for pulsed signals in the radiowave and microwave portion of the spectrum, the type for which the proposed bill SB 640 will bypass local control.

Mechanisms by which health effects are exerted have been shown to include oxidative stress (the type of injury against which antioxidants protect, see optional section below), damage to mitochondria (the energy producing parts of cells), damage to cell membranes^{1, 21}, and via these mechanisms, an impaired “blood brain barrier”³⁻⁵ (the blood brain barrier defends the brain against introduction of foreign substances and toxins; additionally, disruption can lead to brain edema⁶), constriction of blood vessels and impaired blood flow to the brain⁷, and triggering of autoimmune reactions^{8, 9}. Following a large exposure, that depresses antioxidant defenses, magnifying vulnerability to future exposures, some persons no longer tolerate many other forms and intensities of electromagnetic radiation that previously caused them no problem, and that currently cause others no problem. But this group deserves – nay needs -- the right to be able to avoid these exposures.

Affected individuals not only experience “symptoms” that “merely” cause them distress and suffering, when they are exposed – symptoms like headaches^{10, 11}, ringing ears^{10, 11} and chest pain¹⁰ from impaired blood flow, heart rhythm abnormalities^{10, 11}, and inability to sleep^{10, 11}. These symptoms arise from physiological injury. Moreover, **many experience significant health problems that can include seizures¹¹, heart failure, hearing loss¹²⁻¹⁴ and severe cognitive impairment^{11, 15}**. The mechanisms involved are those also involved in development and progression of neurodegenerative conditions including Alzheimer’s disease¹⁶.



Fully half who were employed when their problems developed lost their job because of the problem, among participants of a survey we conducted. They reported that their condition had cost them up to 2 million dollars to date. Many had lost their homes. A number became homeless, and have swelled the ranks of so-called “EMF refugees”¹⁷⁻¹⁹. Among those affected, many were previously high functioning individuals – engineers, doctors, lawyers. The best and the brightest are among those whose lives – and ability to contribute to society – will be destroyed. High profile individuals with acknowledged electrohypersensitivity include, for instance, Gro Harlem Brundtland – the former 3-time Prime Minister of Norway and former Director General of the World Health Organization²⁰; Matti Niemela, former Nokia Technology chief²¹; as well as the wife of Frank Clegg²², who formerly headed Microsoft Canada and is current head of Canadians for Safe Technology²³.

Each new roll-out of electromagnetic technology for which exposure is obligatory, swells the ranks of those who develop problems with electromagnetic fields (EMF). - particularly following a significant exposure to pulsed radiowave-microwave radiation, and particularly when people have no ability to avoid it.

Many state that they didn’t give credence to the problem (if they had heard of it at all) **until they themselves fell prey to it.**

This is not a psychologically driven condition. Multiple objective physiological changes reflecting mechanisms of injury have been shown in persons with this condition^{24, 25}.

The role for oxidative stress, that has been shown in innumerable studies (below), is affirmed by evidence of a link of this condition to genetic variants in antioxidant defenses, that are less avid in defending against oxidative stress³⁰⁷. People cannot manipulate their genes, to produce such an outcome by suggestibility.

An analysis by a University of Washington researcher showed that most studies funded by industry reported failure to show physiological effects. However, most studies without such industry bias affirmed effects. This is redolent of findings shown in medicine²⁶, regarding which the former editor in chief of the BMJ (the British Medical Journal), Richard Smith, noted, based on findings of a study, “This {result} suggests that, far from conflict of interest being unimportant in the objective and pure world of science where method and the quality of data is everything, it is the main factor determining the result of studies.”²⁷. So where articles deny injury from nonionizing radiowave-microwave radiation, there is commonly a stake aligned with financial benefit from such denial.

Those who are affected are in desperate need of *protection* by our elected officials. They need creation of safe spaces and housing, and roadways to allow travel, not removal of any prospect of one; protection of local rights to make decisions - **not removal of any recourse or ability to avoid what injures them.** They are far more strongly in need of protections than a great many protected classes – their problems arose due to actions of others, against which they were given no control – *and can be reversed*, in most cases, if the assault on them is rolled back. Through no fault of their own, and in some cases against their will (e.g. before opt out was permitted with smart meters), they were subjected to an



exposure that has altered their lives as they knew them, and forced them – needlessly - to the margins of society.

Let our focus be on safer, wired and well shielded technology – not more wireless.

This legislation, if passed, and the resulting unrestricted roll-out of this technology, will predictably and directly injure and disable a new group, and add depth of suffering to those already affected.

In other spheres we abridge freedoms to protect the vulnerable few. We require that every schoolchild be vaccinated, supposedly to protect the vulnerable few who may not respond effectively to a vaccine. The need to protect the vulnerable group is deemed to be so great that it justifies the decision to abridge individual rights.

In contrast, this bill seeks to abridge individual freedoms, and local rights, in the service of harming a vulnerable group, and creating a new one.

(The common factor appears to be that in both cases, the direction is aligned with a powerful industry that influences political decisions.)

Luckily, no abridgment of individual rights and freedoms is required to protect, ^there.

If any group can opt out (such as, I understand, firefighters*)²⁸; **then every group deserves that equal right.** Others should not be second class citizens, subject to fewer protections.

It would go far to helping this cause if anyone complicit in promoting or passing the legislation (and then after that, *their* families) were required to be the first subjected, for a substantial test period, to the *greatest* amount of exposure that anyone *else* (and their families) may be subjected to, when new policies of this type are rolled out. It will still not do them equal damage; because they may not represent the vulnerabilities that others will have; but such a policy might help them to think twice. *That* is a bill I would strongly endorse.

Most who are now affected – were not, until they were. This may become you – or your child or grandchild. Moreover, if you have a child, or a grandchild, his sperm, or her eggs (all of which she will already have by the time she is a fetus in utero), will be affected by the oxidative stress damage created by the electromagnetic radiation, in a fashion that may affect your future generations irreparably.

It was noted above that, among survey completers, fully half of those who were employed at the time they developed electrosensitivity, lost employment *due to* this problem. (This may understate the scope of the tragedy, since this most-affected group may be least likely to be able to respond to an online survey.) **Many who previously had no problem navigating in the world are now restricted from access to basic services** like hospital care, post offices and libraries because of these problems. With each new introduction of technology that exposes many to yet a new nondiscretionary source of electromagnetic radiation, particularly (but not exclusively) that which emits pulsed radiation in the radiowave-microwave part of the spectrum, a new group of people are affected; and the suffering of those who are already affected increases greatly.



Please, defend the public and our future. Protect the rights of the individual and the locality, against a form of incursion that will lead to serious harm to some – and set a terrible precedent. **Vote no on California SB 649**, and urge that everyone else do the same.

Sincerely,

Beatrice Alexandra Golomb, MD, PhD
Professor of Medicine
UC San Diego School of Medicine

*Comment on the fire fighter exemption: “The legislature granted an exemption from SB 649 to the firefighters who requested it for health reasons. Throughout California firefighters have long complained of often disabling symptoms from cell towers on their stations. Cities frequently rent out space on fire stations to add to city revenue. ...Symptoms experienced by the firefighters have included neurological impairment including severe headache, confusion, inability to focus, lethargy, inability to sleep, and inability to wake up for 911 emergency calls. Firefighters have reported getting lost on 911 calls in the same community they grew up in, and one veteran medic forgot where he was in the midst of basic CPR on a cardiac victim and couldn’t recall how to start the procedure over again...Prior to the installation of the tower on his station, this medic had not made a single mistake in 20 years. A pilot study (2004) of California firefighters showed brain abnormalities, cognitive impairment, delayed reaction time, and lack of impulse control in all 6 firefighters tested (<https://ecfsapi.fcc.gov/file/7022117660.pdf>). This study led to the overwhelming passage of Resolution 15 by the International Association of Firefighters in Boston in August 2004. Res. 15 called for further study and was amended to impose a moratorium on the placement of cell towers on fire stations throughout the US and Canada.”^{15 28}
Clearly, others who experience similar problems also deserve protections.

Optional – More on the Science

There is a robust literature showing that electromagnetic radiation, including in nonionizing frequencies, and at levels^{29,30} below those that are cause thermal effects (heating) – causes physiological effects, injury, and cell death –not only in humans but many animals and plants^{3, 7, 31-49}. Unsurprisingly, industry has sought – against the tide of evidence to the contrary - to maintain that radiation must be ionizing or heating to cause injury.

Scores or hundreds of studies show that radiation, including specifically radiowave-microwave spectrum radiation, and including low-level exposure, can impair antioxidant defenses, increase “oxidative stress” (free radical injury) and damage mitochondria, the energy producing parts of cells^{1, 2, 34, 50-6930, 70-104105-13646, 137-171}. These effects occur with ionizing and nonionizing radiation, at thermal and subthermal levels. (Indeed, much or most of the damage by ionizing radiation, and radiation above the thermal limit, occurs by mechanisms also documented to occur without ionization, and below the thermal limit.) These



mechanisms cohere with the mechanisms documented to play a role in symptoms and health conditions that are reported in those who are electrosensitive – extending to seizures¹⁷²⁻¹⁷⁶, heart failure¹⁷⁷⁻¹⁸⁴ and cognitive decline^{5, 32, 57, 108, 185-195}.

These mechanisms have known involvement in induction of brain cancer, metabolic diseases like obesity and diabetes, autism, autoimmune disease, and neurodegenerative conditions, conditions that have exploded. In each case these have been linked, or presumptively linked, in some studies to electromagnetic radiation^{8, 9, 16, 34, 196-219}.

Such radiation also has effects on sperm^{33, 100, 220-228}; and the DNA of sperm²²⁹ (consistent with recent news reports of marked recent declines in sperm counts and function)..

Such radiation also has toxic effects in pregnancy²³⁰, to the fetus and subsequent offspring²³¹⁻²³⁵ including at low levels²³⁶, and is tied to developmental problems in later life, including attention deficit and hyperactivity^{31, 235-241}. It is critical to defend pregnant women (and eggs of girls who may at a later time become pregnant) from exposures with such toxicity.

Electromagnetic radiation across much or most of the spectrum (not excluding visible light) has been shown to depress levels of melatonin^{40, 72, 242-252}, which is best known for its role in sleep (and indeed, impaired sleep is the most consistent symptom in affected individuals^{10, 11}).

Melatonin is in fact a critical antioxidant that defends the body against harm from many toxic exposures²⁵³⁻²⁶⁶ including electromagnetic radiation itself^{61, 66, 67, 82, 101, 107, 118, 121, 138, 144, 151, 204, 249, 267-284} - **reducing the oxidative stress** that is implicated in cancer, metabolic diseases like obesity and diabetes, autism, autoimmune disease, bipolar disorder and neurodegenerative conditions, and that also plays a role in heart attack and stroke^{9, 285-329330-343}.

Radiation, and specifically radiation in the radiowave-microwave portion of the spectrum can also depress levels of other critical antioxidant systems that also defend the body against chemical, radiation, and other sources of injury. These other antioxidant systems include the glutathione system, superoxide dismutase and catalase^{81, 102, 115, 116, 233, 344-358} - which are also involved in defending against health problems.

This suggests that depression of antioxidant defenses due to electromagnetic radiation may magnify risk of chemically induced health effects (and depression of antioxidant systems due to some chemicals may amplify risk of harm from electromagnetic radiation). Indeed just such effects have been reported^{359, 360}.



References.

1. Benderitter M, Vincent-Genod L, Pouget JP, Voisin P. The cell membrane as a biosensor of oxidative stress induced by radiation exposure: a multiparameter investigation. *Radiat Res* 2003;159:471-83.
2. Baureus Koch CL, Sommarin M, Persson BR, Salford LG, Eberhardt JL. Interaction between weak low frequency magnetic fields and cell membranes. *Bioelectromagnetics* 2003;24:395-402.
3. Tang J, Zhang Y, Yang L, et al. Exposure to 900 MHz electromagnetic fields activates the mpk-1/ERK pathway and causes blood-brain barrier damage and cognitive impairment in rats. *Brain Res* 2015;1601:92-101.
4. Nittby H, Brun A, Eberhardt J, Malmgren L, Persson BR, Salford LG. Increased blood-brain barrier permeability in mammalian brain 7 days after exposure to the radiation from a GSM-900 mobile phone. *Pathophysiology* 2009;16:103-12.
5. Zhang. Exposure to 900 MHz electromagnetic fields activates the mpk-1/ERK pathway and causes blood-brain barrier damage and cognitive impairment in rats. *Brain Res* 2015;1609:92-101.
6. Adair JC, Baldwin N, Kornfeld M, Rosenberg GA. Radiation-induced blood-brain barrier damage in astrocytoma: relation to elevated gelatinase B and urokinase. *J Neurooncol* 1999;44:283-9.
7. Aalto S, Haarala C, Bruck A, Sipila H, Hamalainen H, Rinne JO. Mobile phone affects cerebral blood flow in humans. *J Cereb Blood Flow Metab* 2006;26:885-90.
8. Ivanov AA, Grigor'ev lu G, Mal'tsev VN, et al. [Autoimmune processes after long-term low-level exposure to electromagnetic fields (the results of an experiment). Part 3. The effect of the long-term non-thermal RF EMF exposure on complement-fixation antibodies against homogenous tissue]. *Radiats Biol Radioecol* 2010;50:17-21.
9. Grigor'ev lu G, Mikhailov VF, Ivanov AA, et al. [Autoimmune processes after long-term low-level exposure to electromagnetic fields (the results of an experiment). Part 4. Manifestation of oxidative intracellular stress-reaction after long-term non-thermal EMF exposure of rats]. *Radiats Biol Radioecol* 2010;50:22-7.
10. Lamech F. Self-reporting of symptom development from exposure to radiofrequency fields of wireless smart meters in victoria, australia: a case series. *Altern Ther Health Med* 2014;20:28-39.
11. Halteman E. Wireless utility meter safety impacts survey: Final Results Summary. Sept 13 2011;(<http://emfsafetynetwork.org/wp-content/uploads/2011/09/Wireless-Utility-Meter-Safety-Impacts-Survey-Results-Final.pdf>). 97.
12. Alsanosi AA, Al-Momani MO, Hagr AA, Almomani FM, Shami IM, Al-Habeeb SF. The acute auditory effects of exposure for 60 minutes to mobile's electromagnetic field. *Saudi Med J* 2013;34:142-6.
13. Karaer I, Simsek G, Gul M, et al. Melatonin protects inner ear against radiation damage in rats. *Laryngoscope* 2015.
14. Celiker H, Ozgur A, Tumkaya L, et al. Effects of exposure to 2100MHz GSM-like radiofrequency electromagnetic field on auditory system of rats. *Braz Otorhinolaryngol* 2016;S1808-8694:302221.
15. Foster S. Health exemption for firefighters sends a message to the world. *GALLERY*;Posted on June 26, 2017.
16. Sobel E, Davanipour Z, Sulkava R, et al. Occupations with exposure to EMFs: a possible link for Alzheimer's disease. *Amer J Epidemiol* 1995;142:515-24.



17. Stein Y. Environmental refugees. UNESCO 10th World Conference on ZBioethics, Medical Ethics and Health Law 2015;Jerusalem, Israel:Jan 6-8.
18. Frompovich CJ. Environmental refugees: Electromagnetic hypersensitivity (EHS) sufferers. Naturalblazecom 2016;Jan 28.
19. <http://www.emfanalysis.com/emf-refugee/>.
20. <http://articles.latimes.com/2010/feb/15/health/la-he-electromagnetic-syndrome1-2010feb15>.
21. <http://stopsmartmetersorguk/former-nokia-chief-mobile-phones-wrecked-my-health/>.
22. http://www.huffingtonpost.ca/frank-clegg/post_5393_b_3745157.html.
23. Clegg F. Electrohypersensitivity Is Real. The Huffington Post, Canada 2013;June 12, 2013.
24. Belpomme D, Campagnac C, Irigaray P. Reliable disease biomarkers characterizing and identifying electrohypersensitivity and multiple chemical sensitivity as two etiopathogenic aspects of a unique pathological disorder. Rev Environ Health 2015;30:251-71.
25. Heuser G, Heuser SA. Functional brain MRI in patients complaining of electrohypersensitivity after long term exposure to electromagnetic fields. . Rev Environ Health 2017;Jul 5.
26. Golomb BA. Conflict of Interest in Medicine
<http://thesciencenetwork.org/programs/beyond-belief-candles-in-the-dark/beatrice-golomb>: Beyond Belief: Candles in the Dark, sponsored by The Science Network (tsntv.org), session entitled "This is Your Brain on Politics" Salk Institute. La Jolla, CA. Oct 5; 2008.
27. Smith R. Conflicts of interest: how money clouds objectivity. J R Soc Med 2006;99:292-7.
28. International Association of Fire Fighters Division of Occupational Health SaM. Position on the health effects from radio frequency/ microwave (RF/MW) radiation in fire department facilities from base stations for antennas and towers for the conduction of cell phone transmissions. 2006.
29. Gurler HS, Bilgici B, Akar AK, Tomak L, Bedir A. Increased DNA oxidation (8-OHdG) and protein oxidation (AOPP) by low level electromagnetic field (2.45 GHz) in rat brain and protective effect of garlic. Int J Radiat Biol 2014;90:892-6.
30. Jajte J, Zmyslony M. [The role of melatonin in the molecular mechanism of weak, static and extremely low frequency (50 Hz) magnetic fields (ELF)]. Med Pr 2000;51:51-7.
31. Hardell L, Sage C. Biological effects from electromagnetic field exposure and public exposure standards. Biomed Pharmacother 2008;62:104-9.
32. Deshmukh PS, Nasare N, Megha K, et al. Cognitive impairment and neurogenotoxic effects in rats exposed to low-intensity microwave radiation. Int J Toxicol 2015;34:284-90.
33. Avendano C, Mata A, Sanchez Sarmiento CA, Doncel GF. Use of laptop computers connected to internet through Wi-Fi decreases human sperm motility and increases sperm DNA fragmentation. Fertil Steril 2012;97:39-45 e2.
34. Barnes F, Greenenbaum B. Some Effects of Weak Magnetic Fields on Biological Systems: RF fields can change radical concentrations and cancer cell growth rates. IEEE Power Electronics Magazine 2016;3:60-8.
35. Blank M, Goodman R. Comment: a biological guide for electromagnetic safety: the stress response. Bioelectromagnetics 2004;25:642-6; discussion 7-8.



36. Burlaka A, Selyuk M, Gafurov M, Lukin S, Potaskalova V, Sidorik E. Changes in mitochondrial functioning with electromagnetic radiation of ultra high frequency as revealed by electron paramagnetic resonance methodsX. *Int J Radiat Biol* 2014;90:357-62.
37. Derias EM, Stefanis P, Drakeley A, Gazvani R, Lewis-Jones DI. Growing concern over the safety of using mobile phones and male fertility {THERMAL + NONTHERMAL}. *Arch Androl* 2006;52:9-14.
38. Diem E, Schwarz C, Adlkofer F, Jahn O, Rudiger H. Non-thermal DNA breakage by mobile-phone radiation (1800 MHz) in human fibroblasts and in transformed GFSH-R17 rat granulosa cells in vitro. *Mutat Res* 2005;583:178-83.
39. Ferreira AR, Knakievicz T, Pasquali MA, et al. Ultra high frequency-electromagnetic field irradiation during pregnancy leads to an increase in erythrocytes micronuclei incidence in rat offspring. *Life Sci* 2006;80:43-50.
40. Halgamuge MN. Pineal melatonin level disruption in humans due to electromagnetic fields and ICNIRP limits. *Radiat Prot Dosimetry* 2013;154:405-16.
41. Mancinelli F, Caraglia M, Abbruzzese A, d'Ambrosio G, Massa R, Bismuto E. Non-thermal effects of electromagnetic fields at mobile phone frequency on the refolding of an intracellular protein: myoglobin. *J Cell Biochem* 2004;93:188-96.
42. Lai H. Research on the neurological effects of nonionizing radiation at the University of Washington. *Bioelectromagnetics* 1992;13:513-26.
43. Lerchl A, Kruger H, Niehaus M, Streckert JR, Bitz AK, Hansen V. Effects of mobile phone electromagnetic fields at nonthermal SAR values on melatonin and body weight of Djungarian hamsters (*Phodopus sungorus*) - BODY WT CHG. *J Pineal Res* 2008;44:267-72.
44. Leszczynski D, Joenvaara S, Reivinen J, Kuokka R. Non-thermal activation of the hsp27/p38MAPK stress pathway by mobile phone radiation in human endothelial cells: molecular mechanism for cancer- and blood-brain barrier-related effects. *Differentiation* 2002;70:120-9.
45. Lixia S, Yao K, Kaijun W, et al. Effects of 1.8 GHz radiofrequency field on DNA damage and expression of heat shock protein 70 in human lens epithelial cells. *Mutat Res* 2006;602:135-42.
46. Sahin D, Ozgur E, Guler G, et al. The 2100MHz radiofrequency radiation of a 3G-mobile phone and the DNA oxidative damage in brain. *J Chem Neuroanat* 2016;75:94-8.
47. Song JM, Milligan JR, Sutherland BM. Bistranded oxidized purine damage clusters: induced in DNA by long-wavelength ultraviolet (290-400 nm) radiation? *Biochemistry* 2002;41:8683-8.
48. Yurekli AI, Ozkan M, Kalkan T, et al. GSM base station electromagnetic radiation and oxidative stress in rats. *Electromagn Biol Med* 2006;25:177-88.
49. Tafforeau M, Verdu MC, Norris V, et al. Plant sensitivity to low intensity 105 GHz electromagnetic radiation. *Bioelectromagnetics* 2004;25:403-7.
50. Ciejka E, Jakubowska E, Zelechowska P, Huk-Kolega H, Kowalczyk A, Goraca A. [Effect of extremely low frequency magnetic field on glutathione in rat muscles]. *Med Pr* 2014;65:343-9.
51. Consales C, Merla C, Marino C, Benassi B. Electromagnetic fields, oxidative stress, and neurodegeneration. *Int J Cell Biol* 2012;2012:683897.
52. Copeland ES. Production of free radicals in reduced glutathione and penicillamine by thermal hydrogen atoms and X-radiation. *Int J Radiat Biol Relat Stud Phys Chem Med* 1969;16:113-20.



53. Cravotto G, Binello A, Di Carlo S, Orio L, Wu ZL, Ondruschka B. Oxidative degradation of chlorophenol derivatives promoted by microwaves or power ultrasound: a mechanism investigation. *Environ Sci Pollut Res Int* 2010;17:674-87.
54. Crouzier D, Perrin A, Torres G, Dabouis V, Debouzy JC. Pulsed electromagnetic field at 9.71 GHz increase free radical production in yeast (*Saccharomyces cerevisiae*). *Pathol Biol (Paris)* 2009;57:245-51.
55. de Moraes Ramos FM, Schonlau F, Novaes PD, Manzi FR, Boscolo FN, de Almeida SM. Pycnogenol protects against ionizing radiation as shown in the intestinal mucosa of rats exposed to X-rays. *Phytother Res* 2006;20:676-9.
56. Devi PU, Ganasoundari A. Modulation of glutathione and antioxidant enzymes by *Ocimum sanctum* and its role in protection against radiation injury. *Indian J Exp Biol* 1999;37:262-8.
57. Deshmukh PS, Banerjee BD, Abegaonkar MP, et al. Effect of low level microwave radiation exposure on cognitive function and oxidative stress in rats. *Indian J Biochem Biophys* 2013;50:114-9.
58. Dimri M, Joshi J, Chakrabarti R, Sehgal N, Sureshababu A, Kumar IP. Todralazine protects zebrafish from lethal effects of ionizing radiation: role of hematopoietic cell expansion. *Zebrafish* 2015;12:33-47.
59. Dimri M, Joshi J, Shrivastava N, Ghosh S, Chakraborti R, Indracanti PK. Prilocaine hydrochloride protects zebrafish from lethal effects of ionizing radiation: role of hematopoietic cell expansion. *Tokai J Exp Clin Med* 2015;40:8-15.
60. Durovic B, Spasic-Jokic V. Influence of occupational exposure to low-dose ionizing radiation on the plasma activity of superoxide dismutase and glutathione level. *Vojnosanit Pregl* 2008;65:613-8.
61. El-Missiry MA, Fayed TA, El-Sawy MR, El-Sayed AA. Ameliorative effect of melatonin against gamma-irradiation-induced oxidative stress and tissue injury. *Ecotoxicol Environ Saf* 2007;66:278-86.
62. Falone S, Mirabilio A, Carbone MC, et al. Chronic exposure to 50Hz magnetic fields causes a significant weakening of antioxidant defence systems in aged rat brain. *Int J Biochem Cell Biol* 2008;40:2762-70.
63. Fitzgerald MP, Madsen JM, Coleman MC, et al. Transgenic biosynthesis of trypanothione protects *Escherichia coli* from radiation-induced toxicity. *Radiat Res* 2010;174:290-6.
64. Giannopoulou E, Katsoris P, Parthymou A, Kardamakis D, Papadimitriou E. Amifostine protects blood vessels from the effects of ionizing radiation. *Anticancer Res* 2002;22:2821-6.
65. Goraca A, Ciejska E, Piechota A. Effects of extremely low frequency magnetic field on the parameters of oxidative stress in heart. *J Physiol Pharmacol* 2010;61:333-8.
66. Goswami S, Haldar C. UVB irradiation severely induces systemic tissue injury by augmenting oxidative load in a tropical rodent: efficacy of melatonin as an antioxidant. *J Photochem Photobiol B* 2014;141:84-92.
67. Goswami S, Sharma S, Haldar C. The oxidative damages caused by ultraviolet radiation type C (UVC) to a tropical rodent *Funambulus pennanti*: role of melatonin. *J Photochem Photobiol B* 2013;125:19-25.
68. Groen HJ, Meijer C, De Vries EG, Mulder NH. Red blood cell glutathione levels in lung cancer patients treated by radiation and continuously infused carboplatin. *Anticancer Res* 1996;16:1033-7.
69. Guler G, Seyhan N, Aricioglu A. Effects of static and 50 Hz alternating electric fields on superoxide dismutase activity and TBARS levels in guinea pigs. *Gen Physiol Biophys* 2006;25:177-93.
70. Guler G, Turkozer Z, Tomruk A, Seyhan N. The protective effects of N-acetyl-L-cysteine and epigallocatechin-3-gallate on electric field-induced hepatic oxidative stress. *Int J Radiat Biol* 2008;84:669-80.



71. Gultekin FA, Bakkal BH, Guven B, et al. Effects of ozone oxidative preconditioning on radiation-induced organ damage in rats. *J Radiat Res* 2013;54:36-44.
72. Halgamuge MN. Critical time delay of the pineal melatonin rhythm in humans due to weak electromagnetic exposure. *Indian J Biochem Biophys* 2013;50:259-65.
73. Irmak MK, Fadillioglu E, Gulec M, Erdogan H, Yagmurca M, Akyol O. Effects of electromagnetic radiation from a cellular telephone on the oxidant and antioxidant levels in rabbits. *Cell Biochem Funct* 2002;20:279-83.
74. Jagetia G, Baliga M, Venkatesh P. Ginger (*Zingiber officinale* Rosc.), a dietary supplement, protects mice against radiation-induced lethality: mechanism of action. *Cancer Biother Radiopharm* 2004;19:422-35.
75. Jagetia GC, Malagi KJ, Baliga MS, Venkatesh P, Veruva RR. Triphala, an ayurvedic rasayana drug, protects mice against radiation-induced lethality by free-radical scavenging. *J Altern Complement Med* 2004;10:971-8.
76. Jagetia GC, Venkatesha VA, Reddy TK. Naringin, a citrus flavonone, protects against radiation-induced chromosome damage in mouse bone marrow. *Mutagenesis* 2003;18:337-43.
77. Jurkiewicz BA, Bissett DL, Buettner GR. Effect of topically applied tocopherol on ultraviolet radiation-mediated free radical damage in skin. *J Invest Dermatol* 1995;104:484-8.
78. Kalns J, Ryan KL, Mason PA, Bruno JG, Gooden R, Kiel JL. Oxidative stress precedes circulatory failure induced by 35-GHz microwave heating. *Shock* 2000;13:52-9.
79. Karslioglu I, Ertekin MV, Taysi S, et al. Radioprotective effects of melatonin on radiation-induced cataract. *J Radiat Res (Tokyo)* 2005;46:277-82.
80. Kim KC, Piao MJ, Cho SJ, Lee NH, Hyun JW. Phloroglucinol protects human keratinocytes from ultraviolet B radiation by attenuating oxidative stress. *Photodermatol Photoimmunol Photomed* 2012;28:322-31.
81. Klebanoff SJ. The effect of x-radiation on the glutathione metabolism of intact erythrocytes in vitro. *J Gen Physiol* 1958;41:725-36.
82. Koc M, Taysi S, Emin Buyukokuroglu M, Bakan N. The effect of melatonin against oxidative damage during total-body irradiation in rats. *Radiat Res* 2003;160:251-5.
83. Koiram PR, Veerapur VP, Kunwar A, et al. Effect of curcumin and curcumin copper complex (1:1) on radiation-induced changes of anti-oxidant enzymes levels in the livers of Swiss albino mice. *J Radiat Res* 2007;48:241-5.
84. Kowalski S. Changes of antioxidant activity and formation of 5-hydroxymethylfurfural in honey during thermal and microwave processing. *Food Chem* 2013;141:1378-82.
85. Koylu H, Mollaoglu H, Ozguner F, Naziroglu M, Delibas N. Melatonin modulates 900 Mhz microwave-induced lipid peroxidation changes in rat brain. *Toxicol Ind Health* 2006;22:211-6.
86. Koyu A, Ozguner F, Yilmaz H, Uz E, Cesur G, Ozcelik N. The protective effect of caffeic acid phenethyl ester (CAPE) on oxidative stress in rat liver exposed to the 900 MHz electromagnetic field. *Toxicol Ind Health* 2009;25:429-34.
87. Lai H, Singh NP. Melatonin and a spin-trap compound block radiofrequency electromagnetic radiation-induced DNA strand breaks in rat brain cells. *Bioelectromagnetics* 1997;18:446-54.
88. Lai H, Singh NP. Melatonin and N-tert-butyl-alpha-phenylnitron block 60-Hz magnetic field-induced DNA single and double strand breaks in rat brain cells. *J Pineal Res* 1997;22:152-62.



89. Lai H, Singh NP. Magnetic-field-induced DNA strand breaks in brain cells of the rat. *Environ Health Perspect* 2004;112:687-94.
90. Lantow M, Schuderer J, Hartwig C, Simko M. Free radical release and HSP70 expression in two human immune-relevant cell lines after exposure to 1800 MHz radiofrequency radiation. *Radiat Res* 2006;165:88-94.
91. Lee BC, Johng HM, Lim JK, et al. Effects of extremely low frequency magnetic field on the antioxidant defense system in mouse brain: a chemiluminescence study. *J Photochem Photobiol B* 2004;73:43-8.
92. Lee JH, Park JW. The effect of alpha-phenyl-N-t-butyl nitron on ionizing radiation-induced apoptosis in U937 cells. *Free Radic Res* 2005;39:1325-33.
93. Li HT, Schuler C, Leggett RE, Levin RM. Differential effects of coenzyme Q10 and alpha-lipoic acid on two models of in vitro oxidative damage to the rabbit urinary bladder. *Int Urol Nephrol* 2011;43:91-7.
94. Li P, Zhao QL, Wu LH, et al. Isofraxidin, a potent reactive oxygen species (ROS) scavenger, protects human leukemia cells from radiation-induced apoptosis via ROS/mitochondria pathway in p53-independent manner. *Apoptosis* 2014;19:1043-53.
95. Lin SY, Chang HP. Induction of superoxide dismutase and catalase activity in different rat tissues and protection from UVB irradiation after topical application of Ginkgo biloba extracts. *Methods Find Exp Clin Pharmacol* 1997;19:367-71.
96. Lourencini da Silva R, Albano F, Lopes dos Santos LR, Tavares AD, Jr., Felzenszwalb I. The effect of electromagnetic field exposure on the formation of DNA lesions. *Redox Rep* 2000;5:299-301.
97. Low WK, Sun L, Tan MG, Chua AW, Wang DY. L-N-Acetylcysteine protects against radiation-induced apoptosis in a cochlear cell line. *Acta Otolaryngol* 2008;128:440-5.
98. Lulli M, Witort E, Papucci L, et al. Coenzyme Q10 protects retinal cells from apoptosis induced by radiation in vitro and in vivo. *J Radiat Res* 2012;53:695-703.
99. Maaroufi K, Save E, Poucet B, Sakly M, Abdelmelek H, Had-Aissouni L. Oxidative stress and prevention of the adaptive response to chronic iron overload in the brain of young adult rats exposed to a 150 kilohertz electromagnetic field. *Neuroscience* 2011;186:39-47.
100. Mailankot M, Kunnath AP, Jayalekshmi H, Koduru B, Valsalan R. Radio frequency electromagnetic radiation (RF-EMR) from GSM (0.9/1.8GHz) mobile phones induces oxidative stress and reduces sperm motility in rats. *Clinics (Sao Paulo)* 2009;64:561-5.
101. Manda K, Anzai K, Kumari S, Bhatia AL. Melatonin attenuates radiation-induced learning deficit and brain oxidative stress in mice. *Acta Neurobiol Exp (Wars)* 2007;67:63-70.
102. Manda K, Bhatia AL. Pre-administration of beta-carotene protects tissue glutathione and lipid peroxidation status following exposure to gamma radiation. *J Environ Biol* 2003;24:369-72.
103. Manda K, Reiter RJ. Melatonin maintains adult hippocampal neurogenesis and cognitive functions after irradiation. *Prog Neurobiol* 2010;90:60-8.
104. Martinez-Samano J, Torres-Duran PV, Juarez-Oropeza MA, Elias-Vinas D, Verdugo-Diaz L. Effects of acute electromagnetic field exposure and movement restraint on antioxidant system in liver, heart, kidney and plasma of Wistar rats: a preliminary report. *Int J Radiat Biol* 2010;86:1088-94.
105. Mathew ST, Bergstrom P, Hammarsten O. Repeated Nrf2 stimulation using sulforaphane protects fibroblasts from ionizing radiation. *Toxicol Appl Pharmacol* 2014;276:188-94.



106. McArdle AH. Protection from radiation injury by elemental diet: does added glutamine change the effect? *Gut* 1994;35:S60-4.
107. Meena R, Kumari K, Kumar J, Rajamani P, Verma HN, Kesari KK. Therapeutic approaches of melatonin in microwave radiations-induced oxidative stress-mediated toxicity on male fertility pattern of Wistar rats. *Electromagn Biol Med* 2014;33:81-91.
108. Megha K, Deshmukh PS, Banerjee BD, Tripathi AK, Abegaonkar MP. Microwave radiation induced oxidative stress, cognitive impairment and inflammation in brain of Fischer rats. *Indian J Exp Biol* 2012;50:889-96.
109. Mishra S, Reddy DS, Jamwal VS, et al. Semiquinone derivative isolated from *Bacillus* sp. INM-1 protects cellular antioxidant enzymes from gamma-radiation-induced renal toxicity. *Mol Cell Biochem* 2013;379:19-27.
110. Mitchell JB, Russo A. The role of glutathione in radiation and drug induced cytotoxicity. *Br J Cancer Suppl* 1987;8:96-104.
111. Molla M, Gironella M, Salas A, et al. Protective effect of superoxide dismutase in radiation-induced intestinal inflammation. *Int J Radiat Oncol Biol Phys* 2005;61:1159-66.
112. Morabito C, Rovetta F, Bizzarri M, Mazzoleni G, Fano G, Mariggio MA. Modulation of redox status and calcium handling by extremely low frequency electromagnetic fields in C2C12 muscle cells: A real-time, single-cell approach. *Free Radic Biol Med* 2010;48:579-89.
113. Moustafa YM, Moustafa RM, Belacy A, Abou-El-Ela SH, Ali FM. Effects of acute exposure to the radiofrequency fields of cellular phones on plasma lipid peroxide and antioxidant activities in human erythrocytes. *J Pharm Biomed Anal* 2001;26:605-8.
114. Musaev AV, Ismailova LF, Shabanova AB, Magerramov AA, Iusifov E, Gadzhiev AM. [Pro- and antioxidant effect of electromagnetic fields of extremely high frequency (460 MHz) on brain tissues in experiment]. *Vopr Kurortol Fizioter Lech Fiz Kult* 2004:19-23.
115. Mukundan H, Bahadur AK, Kumar A, et al. Glutathione level and its relation to radiation therapy in patients with cancer of uterine cervix. *Indian J Exp Biol* 1999;37:859-64.
116. Navarro J, Obrador E, Pellicer JA, Aseni M, Vina J, Estrela JM. Blood glutathione as an index of radiation-induced oxidative stress in mice and humans. *Free Radic Biol Med* 1997;22:1203-9.
117. Okano H. Effects of static magnetic fields in biology: role of free radicals. *Front Biosci* 2008;13:6106-25.
118. Oktem F, Ozguner F, Mollaoglu H, Koyu A, Uz E. Oxidative damage in the kidney induced by 900-MHz-emitted mobile phone: protection by melatonin. *Arch Med Res* 2005;36:350-5.
119. Oral B, Guney M, Ozguner F, et al. Endometrial apoptosis induced by a 900-MHz mobile phone: preventive effects of vitamins E and C. *Adv Ther* 2006;23:957-73.
120. Ozguner F, Altinbas A, Ozaydin M, et al. Mobile phone-induced myocardial oxidative stress: protection by a novel antioxidant agent caffeic acid phenethyl ester. *Toxicol Ind Health* 2005;21:223-30.
121. Ozguner F, Bardak Y, Comlekci S. Protective effects of melatonin and caffeic acid phenethyl ester against retinal oxidative stress in long-term use of mobile phone: a comparative study. *Mol Cell Biochem* 2006;282:83-8.
122. Ozguner F, Oktem F, Armagan A, et al. Comparative analysis of the protective effects of melatonin and caffeic acid phenethyl ester (CAPE) on mobile phone-induced renal impairment in rat. *Mol Cell Biochem* 2005;276:31-7.



123. Ozguner F, Oktem F, Ayata A, Koyu A, Yilmaz HR. A novel antioxidant agent caffeic acid phenethyl ester prevents long-term mobile phone exposure-induced renal impairment in rat. Prognostic value of malondialdehyde, N-acetyl-beta-D-glucosaminidase and nitric oxide determination. *Mol Cell Biochem* 2005;277:73-80.
124. Ozyurt H, Cevik O, Ozgen Z, et al. Quercetin protects radiation-induced DNA damage and apoptosis in kidney and bladder tissues of rats. *Free Radic Res* 2014;48:1247-55.
125. Pall ML. Scientific evidence contradicts findings and assumptions of Canadian Safety Panel 6: microwaves act through voltage-gated calcium channel activation to induce biological impacts at non-thermal levels, supporting a paradigm shift for microwave/lower frequency electromagnetic field action. *Rev Environ Health* 2015;30:99-116.
126. Patruno A, Tabrez S, Pesce M, Shakil S, Kamal MA, Reale M. Effects of extremely low frequency electromagnetic field (ELF-EMF) on catalase, cytochrome P450 and nitric oxide synthase in erythro-leukemic cells. *Life Sci* 2015;121:117-23.
127. Patwardhan RS, Sharma D, Checker R, Thoh M, Sandur SK. Spatio-temporal changes in glutathione and thioredoxin redox couples during ionizing radiation-induced oxidative stress regulate tumor radio-resistance. *Free Radic Res* 2015;49:1218-32.
128. Paul P, Bansal P, Nayak PG, Pannakal ST, Priyadarsini KI, Unnikrishnan MK. Polyphenolic fraction of *Pilea microphylla* (L.) protects Chinese hamster lung fibroblasts against gamma-radiation-induced cytotoxicity and genotoxicity. *Environ Toxicol Pharmacol* 2012;33:107-19.
129. Pei H, Chen W, Hu W, et al. GANRA-5 protects both cultured cells and mice from various radiation types by functioning as a free radical scavenger. *Free Radic Res* 2014;48:670-8.
130. Piao MJ, Hyun YJ, Oh TH, et al. *Chondracanthus tenellus* (Harvey) hommersand extract protects the human keratinocyte cell line by blocking free radicals and UVB radiation-induced cell damage. *In Vitro Cell Dev Biol Anim* 2012;48:666-74.
131. Pillai S, Oresajo C, Hayward J. Ultraviolet radiation and skin aging: roles of reactive oxygen species, inflammation and protease activation, and strategies for prevention of inflammation-induced matrix degradation - a review. *Int J Cosmet Sci* 2005;27:17-34.
132. Rabbani ZN, Salahuddin FK, Yarmolenko P, et al. Low molecular weight catalytic metalloporphyrin antioxidant AEOL 10150 protects lungs from fractionated radiation. *Free Radic Res* 2007;41:1273-82.
133. Regoli F, Gorbi S, Machella N, et al. Pro-oxidant effects of extremely low frequency electromagnetic fields in the land snail *Helix aspersa*. *Free Radic Biol Med* 2005;39:1620-8.
134. Reliene R, Pollard JM, Sobol Z, Trouiller B, Gatti RA, Schiestl RH. N-acetyl cysteine protects against ionizing radiation-induced DNA damage but not against cell killing in yeast and mammals. *Mutat Res* 2009;665:37-43.
135. Roginskaya M, Bernhard WA, Razskazovskiy Y. Protection of DNA against direct radiation damage by complex formation with positively charged polypeptides. *Radiat Res* 2006;166:9-18.
136. Saenko Y, Cieslar-Pobuda A, Skonieczna M, Rzeszowska-Wolny J. Changes of reactive oxygen and nitrogen species and mitochondrial functioning in human K562 and HL60 cells exposed to ionizing radiation. *Radiat Res* 2013;180:360-6.
137. Sainz RM, Reiter RJ, Tan DX, et al. Critical role of glutathione in melatonin enhancement of tumor necrosis factor and ionizing radiation-induced apoptosis in prostate cancer cells in vitro. *J Pineal Res* 2008;45:258-70.



138. Sener G, Jahovic N, Tosun O, Atasoy BM, Yegen BC. Melatonin ameliorates ionizing radiation-induced oxidative organ damage in rats. *Life Sci* 2003;74:563-72.
139. Sener G, Kabasakal L, Atasoy BM, et al. Ginkgo biloba extract protects against ionizing radiation-induced oxidative organ damage in rats. *Pharmacol Res* 2006;53:241-52.
140. Seyhan N, Guler G. Review of in vivo static and ELF electric fields studies performed at Gazi Biophysics Department. *Electromagn Biol Med* 2006;25:307-23.
141. Shafiee H, Mohammadi H, Rezayat SM, et al. Prevention of malathion-induced depletion of cardiac cells mitochondrial energy and free radical damage by a magnetic magnesium-carrying nanoparticle. *Toxicol Mech Methods* 2010;20:538-43.
142. Sharma R, Tiku AB. Emodin, an anthraquinone derivative, protects against gamma radiation-induced toxicity by inhibiting DNA damage and oxidative stress. *Int J Radiat Biol* 2014;90:275-83.
143. Shi S, Wang G, Wang Y, Zhang L, Zhang L. Protective effect of nitric oxide against oxidative stress under ultraviolet-B radiation. *Nitric Oxide* 2005;13:1-9.
144. Shirazi A, Mihandoost E, Mohseni M, Ghazi-Khansari M, Rabie Mahdavi S. Radio-protective effects of melatonin against irradiation-induced oxidative damage in rat peripheral blood. *Phys Med* 2013;29:65-74.
145. Simko M. Cell type specific redox status is responsible for diverse electromagnetic field effects. *Curr Med Chem* 2007;14:1141-52.
146. Simko M, Droste S, Kriehuber R, Weiss DG. Stimulation of phagocytosis and free radical production in murine macrophages by 50 Hz electromagnetic fields. *Eur J Cell Biol* 2001;80:562-6.
147. Sirerol JA, Feddi F, Mena S, et al. Topical treatment with pterostilbene, a natural phytoalexin, effectively protects hairless mice against UVB radiation-induced skin damage and carcinogenesis. *Free Radic Biol Med* 2015;85:1-11.
148. Smith-Pearson PS, Kooshki M, Spitz DR, Poole LB, Zhao W, Robbins ME. Decreasing peroxiredoxin II expression decreases glutathione, alters cell cycle distribution, and sensitizes glioma cells to ionizing radiation and H(2)O(2). *Free Radic Biol Med* 2008;45:1178-89.
149. Song L, Wang D, Cui X, Hu W. The protective action of taurine and L-arginine in radiation pulmonary fibrosis. *J Environ Pathol Toxicol Oncol* 1998;17:151-7.
150. Stevens RG. Electromagnetic fields and free radicals. *Environ Health Perspect* 2004;112:A726; author reply A.
151. Taysi S, Koc M, Buyukokuroglu ME, Altinkaynak K, Sahin YN. Melatonin reduces lipid peroxidation and nitric oxide during irradiation-induced oxidative injury in the rat liver. *J Pineal Res* 2003;34:173-7.
152. Thotala D, Chetyrkin S, Hudson B, Hallahan D, Voziyan P, Yazlovitskaya E. Pyridoxamine protects intestinal epithelium from ionizing radiation-induced apoptosis. *Free Radic Biol Med* 2009;47:779-85.
153. Tofani S, Barone D, Berardelli M, et al. Static and ELF magnetic fields enhance the in vivo anti-tumor efficacy of cis-platin against lewis lung carcinoma, but not of cyclophosphamide against B16 melanotic melanoma. *Pharmacol Res* 2003;48:83-90.
154. Tulard A, Hoffschir F, de Boisferon FH, Luccioni C, Bravard A. Persistent oxidative stress after ionizing radiation is involved in inherited radiosensitivity. *Free Radic Biol Med* 2003;35:68-77.



155. Tunez I, Drucker-Colin R, Jimena I, et al. Transcranial magnetic stimulation attenuates cell loss and oxidative damage in the striatum induced in the 3-nitropropionic model of Huntington's disease. *J Neurochem* 2006;97:619-30.
156. von Deutsch AW, Mitchell CD, Williams CE, et al. Polyamines protect against radiation-induced oxidative stress. *Gravit Space Biol Bull* 2005;18:109-10.
157. Vujaskovic Z, Batinic-Haberle I, Rabbani ZN, et al. A small molecular weight catalytic metalloporphyrin antioxidant with superoxide dismutase (SOD) mimetic properties protects lungs from radiation-induced injury. *Free Radic Biol Med* 2002;33:857-63.
158. Wolf FI, Torsello A, Tedesco B, et al. 50-Hz extremely low frequency electromagnetic fields enhance cell proliferation and DNA damage: possible involvement of a redox mechanism. *Biochim Biophys Acta* 2005;1743:120-9.
159. Xu Y, Parmar K, Du F, Price BD, Sun Y. The radioprotective agent WR1065 protects cells from radiation damage by regulating the activity of the Tip60 acetyltransferase. *Int J Biochem Mol Biol* 2011;2:295-302.
160. Yakymenko I, Tsybulin O, Sidorik E, Henshel D, Kyrylenko O, Kyrylenko S. Oxidative mechanisms of biological activity of low-intensity radiofrequency radiation. *Electromagn Biol Med* 2015;35:186-202.
161. Yang Y, Li B, Liu C, et al. Hydrogen-rich saline protects immunocytes from radiation-induced apoptosis. *Med Sci Monit* 2012;18:BR144-8.
162. Yokoyama H, Sato T, Ogata T, Ohya-Nishiguchi H, Kamada H. In vivo longitudinally detected ESR measurements at microwave regions of 300, 700, and 900 MHz in rats treated with a nitroxide radical. *J Magn Reson* 1997;129:201-6.
163. Yokus B, Cakir DU, Akdag MZ, Sert C, Mete N. Oxidative DNA damage in rats exposed to extremely low frequency electro magnetic fields. *Free Radic Res* 2005;39:317-23.
164. Yoshida T, Goto S, Kawakatsu M, Urata Y, Li TS. Mitochondrial dysfunction, a probable cause of persistent oxidative stress after exposure to ionizing radiation. *Free Radic Res* 2012;46:147-53.
165. Yoshikawa T, Tanigawa M, Tanigawa T, Imai A, Hongo H, Kondo M. Enhancement of nitric oxide generation by low frequency electromagnetic field. *Pathophysiology* 2000;7:131-5.
166. Zhang R, Kang KA, Piao MJ, et al. Eckol protects V79-4 lung fibroblast cells against gamma-ray radiation-induced apoptosis via the scavenging of reactive oxygen species and inhibiting of the c-Jun NH(2)-terminal kinase pathway. *Eur J Pharmacol* 2008;591:114-23.
167. Zhou BR, Yin HB, Xu Y, et al. Baicalin protects human skin fibroblasts from ultraviolet A radiation-induced oxidative damage and apoptosis. *Free Radic Res* 2012;46:1458-71.
168. Zhu W, Xu J, Ge Y, et al. Epigallocatechin-3-gallate (EGCG) protects skin cells from ionizing radiation via heme oxygenase-1 (HO-1) overexpression. *J Radiat Res* 2014;55:1056-65.
169. Zmyslony M, Palus J, Dziubaltowska E, et al. Effects of in vitro exposure to power frequency magnetic fields on UV-induced DNA damage of rat lymphocytes. *Bioelectromagnetics* 2004;25:560-2.
170. Zmyslony M, Politanski P, Rajkowska E, Szymczak W, Jajte J. Acute exposure to 930 MHz CW electromagnetic radiation in vitro affects reactive oxygen species level in rat lymphocytes treated by iron ions. *Bioelectromagnetics* 2004;25:324-8.
171. Zmyslony M, Rajkowska E, Mamrot P, Politanski P, Jajte J. The effect of weak 50 Hz magnetic fields on the number of free oxygen radicals in rat lymphocytes in vitro. *Bioelectromagnetics* 2004;25:607-12.



172. Petty RK, Harding AE, Morgan-Hughes JA. The clinical features of mitochondrial myopathy. *Brain* 1986;109 (Pt 5):915-38.
173. Frantseva MV, Velazquez JL, Hwang PA, Carlen PL. Free radical production correlates with cell death in an in vitro model of epilepsy. *Eur J Neurosci* 2000;12:1431-9.
174. DiMauro S, Andreu AL, De Vivo DC. Mitochondrial disorders. *J Child Neurol* 2002;17 Suppl 3:3S35-45; discussion 3S6-7.
175. Marin-Garcia J, Goldenthal MJ, Filiano JJ. Cardiomyopathy associated with neurologic disorders and mitochondrial phenotype. *J Child Neurol* 2002;17:759-65.
176. Kouchaki E, Motaghefard M, Banafshe HR. Effect of mobile phone radiation on pentylenetetrazole-induced seizure threshold in mice. *Iran J Basic Med Sci* 2016;19:800-3.
177. Madmani ME, Yusuf Solaiman A, Tamr Agha K, et al. Coenzyme Q10 for heart failure. *Cochrane Database Syst Rev* 2014;6:CD008684.
178. Taub PR, Ramirez-Sanchez I, Ciaraldi TP, et al. Alterations in skeletal muscle indicators of mitochondrial structure and biogenesis in patients with type 2 diabetes and heart failure: effects of epicatechin rich cocoa. *Clin Transl Sci* 2012;5:43-7.
179. Indik JH, Goldman S, Gaballa MA. Oxidative stress contributes to vascular endothelial dysfunction in heart failure. *Am J Physiol Heart Circ Physiol* 2001;281:H1767-70.
180. Sharma R, Davidoff MN. Oxidative stress and endothelial dysfunction in heart failure. *Congest Heart Fail* 2002;8:165-72.
181. Wolfram R, Oguogho A, Palumbo B, Sinzinger H. Enhanced oxidative stress in coronary heart disease and chronic heart failure as indicated by an increased 8-epi-PGF(2alpha). *Eur J Heart Fail* 2005;7:167-72.
182. White M, Ducharme A, Ibrahim R, et al. Increased systemic inflammation and oxidative stress in patients with worsening congestive heart failure: improvement after short-term inotropic support. *Clin Sci (Lond)* 2006.
183. Kang D, Hamasaki N. Alterations of mitochondrial DNA in common diseases and disease states: aging, neurodegeneration, heart failure, diabetes, and cancer. *Curr Med Chem* 2005;12:429-41.
184. Kerimoglu G, Mercantepe T, Erol, H.S.
- Turgut, A, Kaya H, Colakoglu S, Odaci E. Effects of long term exposure to 900 megahertz electromagnetic field on heart morphology and biochemistry of male adolescent rats. *Biotech Histochem* 2016;Aug 11: 1-10 {Epub ahead of print}.
185. Finsterer J. Cognitive decline as a manifestation of mitochondrial disorders (mitochondrial dementia). *J Neurol Sci* 2008;272:20-33.
186. Reiter RJ, Tan DX, Pappolla MA. Melatonin relieves the neural oxidative burden that contributes to dementias. *Ann N Y Acad Sci* 2004;1035:179-96.
187. Popescu BO, Toescu EC, Popescu LM, et al. Blood-brain barrier alterations in ageing and dementia. *J Neurol Sci* 2009;283:99-106.
188. Pappolla MA, Chyan YJ, Poeggeler B, et al. Alzheimer beta protein mediated oxidative damage of mitochondrial DNA: prevention by melatonin. *J Pineal Res* 1999;27:226-9.
189. Matsubara E, Bryant-Thomas T, Pacheco Quinto J, et al. Melatonin increases survival and inhibits oxidative and amyloid pathology in a transgenic model of Alzheimer's disease. *J Neurochem* 2003;85:1101-8.



190. Feng Z, Qin C, Chang Y, Zhang JT. Early melatonin supplementation alleviates oxidative stress in a transgenic mouse model of Alzheimer's disease. *Free Radic Biol Med* 2006;40:101-9.
191. Nittby H, Grafstrom G, Tian DP, et al. Cognitive impairment in rats after long-term exposure to GSM-900 mobile phone radiation. *Bioelectromagnetics* 2007.
192. Kim JY, Kim HJ, Kwon KN, Park MJ. Effects of radiofrequency field exposure on glutamate-induced oxidative stress in mouse hippocampal HT22 cells. *Int J Radiat Biol* 2016;Sept 20:1-22 {Epub ahead of print}.
193. Mugunthan N, Shanmugasamy K, Anbalagan J, Rajanarayanan S, Meenachi S. Effects of long term exposure of 9001800 MHz radiation emitted from 2G mobile phone on mice hippocampus - A histomorphometric study. *J Clin Diagn Res* 2016;10:AF01-6.
194. Killin LOJ, Starr JM, Shiue IJ, Russ TC. Environmental risk factors for dementia: a systematic review. *BMC Geriatrics* 2016;12 Oct:DOI: 10.1186/s12877-016-0342-y.
195. Sonmez OF, Odaci E, Bas O, Kaplan S. Purkinje cell number decreases in the adult female rat cerebellum following exposure to 900 MHz electromagnetic field. *Brain Res* 2010;1356:95-101.
196. Herbert MR, Sage C. Autism and EMF? Plausibility of a pathophysiological link – Part I. *Pathophysiology* 2013;20:191-209.
197. Zueva NA, Kovalenko AN, Gerasimenko TI, Man'kovskii BN, Korpachova TI, Efimov AS. [Analysis of irradiation dose, body mass index and insulin blood concentration in personnel cleaning up after the Chernobyl nuclear plant accident]. *Lik Sprava* 2001:26-8.
198. Grigor'ev Iu G, Grigor'ev OA, Ivanov AA, et al. [Autoimmune processes after long-term low-level exposure to electromagnetic fields (the results of an experiment). Part 1. Mobile communications and changes in electromagnetic conditions for the population. Needs for additional substantiation of the existing hygienic standards]. *Radiats Biol Radioecol* 2010;50:6-11.
199. Grigor'ev Iu G, Grigor'ev OA, Merkulov AV, Shafirkin AV, Vorob'ev AA. [Autoimmune processes after long-term low-level exposure to electromagnetic fields (the results of an experiment). Part 2. General scheme and conditions of the experiment. Development of RF exposure conditions complying with experimental tasks. Animal's status during the long-term exposure]. *Radiats Biol Radioecol* 2010;50:12-6.
200. Grigor'ev Iu G, Shafirkin AV, Nosocskii AM. [New data for proving the presence of significant effects of electromagnetic exposure (to autoimmune changes in rats)]. *Radiats Biol Radioecol* 2011;51:721-30.
201. Brainard GC, Kavet R, Kheifets LI. The relationship between electromagnetic field and light exposures to melatonin and breast cancer risk: a review of the relevant literature. *J Pineal Res* 1999;26:65-100.
202. Milham S. A cluster of male breast cancer in office workers. *Am J Ind Med* 2004;46:86-7.
203. Milham S, Ossiander E. Electric typewriter exposure and increased female breast cancer mortality in typists. *Med Hypotheses* 2007;68:450-1.
204. Naziroglu M, Tokat S, Demirci S. Role of melatonin on electromagnetic radiation-induced oxidative stress and Ca²⁺ signaling molecular pathways in breast cancer. *J Recept Signal Transduct Res* 2012;32:290-7.
205. Zhao G, Lin X, Zhou M, Zhao J. Relationship between exposure to extremely low-frequency electromagnetic fields and breast cancer risk: a meta-analysis. *Eur J Gynaecol Oncol* 2014;35:264-9.
206. Coureau G, Bouvier G, Lebailly P, et al. Mobile phone use and brain tumours in the CERENAT case-control study. *Occup Environ Med*;71:514-22.



207. Carlberg M, Hardell L. Decreased survival of glioma patients with astrocytoma grade IV (glioblastoma multiforme) associated with long-term use of mobile and cordless phones. *Int J Environ Res Public Health* 2014;11:10790-805.
208. Carlberg M, Hardell L. Evaluation of Mobile Phone and Cordless Phone Use and Glioma Risk Using the Bradford Hill Viewpoints from 1965 on Association or Causation. *Biomed Res Int* 2017;2017:9218486.
209. Carlberg M, Koppel T, Ahonen M, Hardell L. Case-control study on occupational exposure to extremely low-frequency electromagnetic fields and glioma risk. *Am J Ind Med* 2017;April 10 (epub ahead of print).
210. Carlbert M, Hardell L. Evaluation of mobile phone and cordless phone use and glioma risk using the Bradford Hill viewpoints from 1965 on. Association or causation? *Biomed Res Int* 2017;Epub Mar 16:<https://www.hindawi.com/journals/bmri/2017/9218486/>
211. Hardell L, Carlberg M, Hansson Mild K. Use of mobile phones and cordless phones is associated with increased risk for glioma and acoustic neuroma. *Pathophysiology* 2013;20:85-110.
212. Hardell L, Carlberg M, Soderqvist F, Mild KH. Pooled analysis of case-control studies on acoustic neuroma diagnosed 1997-2003 and 2007-2009 and use of mobile and cordless phones. *Int J Oncol* 2013;43:1036-44.
213. Hardell L, Carlberg M. Use of mobile and cordless phones and survival of patients with glioma. *Neuroepidemiology* 2013;40:101-8.
214. Hardell L, Carlberg M. Using the Hill viewpoints from 1965 for evaluating strengths of evidence of the risk for brain tumors associated with use of mobile and cordless phones. *Rev Environ Health* 2013;28:97-106.
215. Hardell L, Carlberg M, Hansson Mild K. Pooled analysis of case-control studies on malignant brain tumours and the use of mobile and cordless phones including living and deceased subjects. *Int J Oncol* 2011;38:1465-74.
216. Hardell L, Carlberg M, Soderqvist F, Mild KH. Case-control study of the association between malignant brain tumours diagnosed between 2007 and 2009 and mobile and cordless phone use. *Int J Oncol* 2013;43:1833-45.
217. Hardell L, Carlberg M. Mobile phone and cordless phone use and the risk for glioma - Analysis of pooled case-control studies in Sweden, 1997-2003 and 2007-2009. *Pathophysiology* 2015;22:1-13.
218. Lerchl A, Kruger H, Niehaus M, Streckert JR, Bitz AK, Hansen V. Effects of mobile phone electromagnetic fields at nonthermal SAR values on melatonin and body weight of Djungarian hamsters (*Phodopus sungorus*). *J Pineal Res* 2008;44:267-72.
219. Lerchl A, Klose M, Grote K, et al. Tumor promotion by exposure to radiofrequency electromagnetic fields below exposure limits for humans. *Biochem Biophys Res Commun* 2015;459:585-90.
220. Adams JA, Galloway TS, Mondal D, Esteves SC, Mathews F. Effect of mobile telephones on sperm quality: a systematic review and meta-analysis. *Environ Int* 2014;70:106-12.
221. Houston BJ, Nixon B, King BV, De Iuliis GN, Aitken RJ. The effects of radiofrequency electromagnetic radiation on sperm function. *Reproduction* 2016;152:R263-R76.
222. Atasoy HI, Gunal MY, Atasoy P, Elgun S, Bugdayci G. Immunohistopathologic demonstration of deleterious effects on growing rat testes of radiofrequency waves emitted from conventional Wi-Fi devices. *J Pediatr Urol*;9:223-9.



223. Abeleva EA. [Changes of the Nature of Radiation-Induced Mutation in Spermatids of *Drosophila* under the Influence of Arginine]. *Radiobiologiya* 1964;4:426-31.
224. Hong R, Zhang Y, Liu Y, Weng EQ. [Effects of extremely low frequency electromagnetic fields on DNA of testicular cells and sperm chromatin structure in mice]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 2005;23:414-7.
225. Ugras MY, Kurus M, Ates B, Soylemez H, Otlu A, Yilmaz I. *Prunus armeniaca* L (apricot) protects rat testes from detrimental effects of low-dose x-rays. *Nutr Res* 2010;30:200-8.
226. Den Boer PJ, van Loon AA, Mackenbach P, van der Schans GP, Grootegeed JA. Effect of glutathione depletion on the cytotoxicity of xenobiotics and induction of single-strand DNA breaks by ionizing radiation in isolated hamster round spermatids. *Journal of reproduction and fertility* 1990;88:259-69.
227. Liu C, Duan W, Xu S, et al. Exposure to 1800 MHz radiofrequency electromagnetic radiation induces oxidative DNA base damage in a mouse spermatocyte-derived cell line. *Toxicol Lett* 2013;218:2-9.
228. Yan JG, Agresti M, Bruce T, Yan YH, Granlund A, Matloub HS. Effects of cellular phone emissions on sperm motility in rats. *Fertil Steril* 2007;88:957-64.
229. Aitken RJ, Bennetts LE, Sawyer D, Wiklendt AM, King BV. Impact of radio frequency electromagnetic radiation on DNA integrity in the male germline. *Int J Androl* 2005;28:171-9.
230. Guler G, Tomruk A, Ozgur E, Seyhan N. The effect of radiofrequency radiation on DNA and lipid damage in non-pregnant and pregnant rabbits and their newborns. *Gen Physiol Biophys* 2010;29:59-66.
231. Borhani N, Rajaei F, Salehi Z, Javadi A. Analysis of DNA fragmentation in mouse embryos exposed to an extremely low-frequency electromagnetic field. *Electromagn Biol Med* 2011;30:246-52.
232. Sedeghi T, Ahmadi A, Javadian M, et al. Preterm birth among women living within 600 meters of high voltage overhead power lines: a case-control study. *Rom J Intern Med* 2017;Apr 18:{Epub ahead of print}.
233. Bahreymi Toossi MH, Sadeghnia HR, Mohammad Mahdizadeh Feyzabadi M, et al. Exposure to mobile phone (900-1800 MHz) during pregnancy: tissue oxidative stress after childbirth. *J Matern Fetal Neonatal Med* 2017;Apr 23 {Epub ahead of print};1-6.
234. Sudan M, Kheifets L, Arah O, Olsen J, Zeltzer L. Prenatal and Postnatal Cell Phone Exposures and Headaches in Children. *Open Pediatr Med Journal* 2012;6:46-52.
235. Aldad TS, Gan G, Gao XB, Taylor HS. Fetal radiofrequency radiation exposure from 800-1900 mhz-rated cellular telephones affects neurodevelopment and behavior in mice. *Sci Rep*;2:312.
236. Shahin S, Singh VP, Shukla RK, et al. 2.45 GHz microwave irradiation-induced oxidative stress affects implantation or pregnancy in mice, *Mus musculus*. *Appl Biochem Biotechnol* 2013;169:1727-51.
237. Othman H, Ammari M, Sakly M, Abdelmelek H. Effects of prenatal exposure to WiFi signal on postnatal development and behavior in rat: Influence of maternal restraint. *Behavioral Brain Research* 2017;36:291-302.
238. Zarei S, Mortazavi SMJ, Mehdizadeh AR, et al. A Challenging Issue in the Etiology of Speech Problems: The Effect of Maternal Exposure to Electromagnetic Fields on Speech Problems in the Offspring. *Journal of Biomedical Physics & Engineering* 2015;5:151-4.
239. Divan HA, Kheifets L, Obel C, Olsen J. Prenatal and postnatal exposure to cell phone use and behavioral problems in children. *Epidemiology* 2008;19:523-9.



240. Divan HA, Kheifets L, Obel C, Olsen J. Cell phone use and behavioural problems in young children. *J Epidemiol Community Health* 2012;66:524-9.
241. Birks L, Guxens M, Papadopoulou E, et al. Maternal cell phone use during pregnancy and child behavioral problems in five birth cohorts. *Environment International* 2017.
242. Reiter RJ. Alterations of the circadian melatonin rhythm by the electromagnetic spectrum: a study in environmental toxicology. *Regul Toxicol Pharmacol* 1992;15:226-44.
243. Reiter RJ. Static and extremely low frequency electromagnetic field exposure: reported effects on the circadian production of melatonin. *J Cell Biochem* 1993;51:394-403.
244. Reiter RJ. Electromagnetic fields and melatonin production. *Biomed Pharmacother* 1993;47:439-44.
245. Reiter RJ. Melatonin suppression by static and extremely low frequency electromagnetic fields: relationship to the reported increased incidence of cancer. *Rev Environ Health* 1994;10:171-86.
246. Fernie KJ, Bird DM, Petittclerc D. Effects of electromagnetic fields on photophasic circulating melatonin levels in American kestrels. *Environ Health Perspect* 1999;107:901-4.
247. Griefahn B, Kunemund C, Blaszkewicz M, Lerchl A, Degen GH. Effects of electromagnetic radiation (bright light, extremely low-frequency magnetic fields, infrared radiation) on the circadian rhythm of melatonin synthesis, rectal temperature, and heart rate. *Ind Health* 2002;40:320-7.
248. Jarupat S, Kawabata A, Tokura H, Borkiewicz A. Effects of the 1900 MHz electromagnetic field emitted from cellular phone on nocturnal melatonin secretion. *J Physiol Anthropol Appl Human Sci* 2003;22:61-3.
249. [Melatonin in the environmental medicine diagnosis in connection with electromagnetic fields: statement of the commission "Methods and Quality Assurance in Environmental Medicine"]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz* 2005;48:1406-8.
250. Rapoport SI, Breus TK. [Melatonin as a most important factor of natural electromagnetic fields impacting patients with hypertensive disease and coronary heart disease. Part 1]. *Klin Med (Mosk)* 2011;89:9-14.
251. Dyche J, Anch AM, Fogler KA, Barnett DW, Thomas C. Effects of power frequency electromagnetic fields on melatonin and sleep in the rat. *Emerg Health Threats J* 2012;5.
252. Qin F, Zhang J, Cao H, et al. Effects of 1800-MHz radiofrequency fields on circadian rhythm of plasma melatonin and testosterone in male rats. *J Toxicol Environ Health A* 2012;75:1120-8.
253. Bagchi M, Balmoori J, Ye X, Bagchi D, Ray SD, Stohs SJ. Protective effect of melatonin on naphthalene-induced oxidative stress and DNA damage in cultured macrophage J774A.1 cells. *Mol Cell Biochem* 2001;221:49-55.
254. Abdel Moneim AE, Ortiz F, Leonardo-Mendonca RC, et al. Protective effects of melatonin against oxidative damage induced by Egyptian cobra (*Naja haje*) crude venom in rats. *Acta Trop* 2015;143:58-65.
255. Abd-Elghaffar S, El-Sokkary GH, Sharkawy AA. Aluminum-induced neurotoxicity and oxidative damage in rabbits: protective effect of melatonin. *Neuro Endocrinol Lett* 2005;26:609-16.
256. Abdel-Wahab MH, Arafa HM, El-Mahdy MA, Abdel-Naim AB. Potential protective effect of melatonin against dibromoacetonitrile-induced oxidative stress in mouse stomach. *Pharmacol Res* 2002;46:287-93.
257. Abdel-Wahhab MA, Abdel-Galil MM, El-Lithey M. Melatonin counteracts oxidative stress in rats fed an ochratoxin A contaminated diet. *J Pineal Res* 2005;38:130-5.
258. Abraham P, Kolli VK, Rabi S. Melatonin attenuates methotrexate-induced oxidative stress and renal damage in rats. *Cell Biochem Funct* 2010;28:426-33.



259. Agil A, Reiter RJ, Jimenez-Aranda A, et al. Melatonin ameliorates low-grade inflammation and oxidative stress in young Zucker diabetic fatty rats. *J Pineal Res* 2013;54:381-8.
260. Aksoy N, Vural H, Sabuncu T, Aksoy S. Effects of melatonin on oxidative-antioxidative status of tissues in streptozotocin-induced diabetic rats. *Cell Biochem Funct* 2003;21:121-5.
261. Aktas C, Kanter M, Erboga M, Mete R, Oran M. Melatonin attenuates oxidative stress, liver damage and hepatocyte apoptosis after bile-duct ligation in rats. *Toxicol Ind Health* 2014;30:835-44.
262. Albendea CD, Gomez-Trullen EM, Fuentes-Broto L, et al. Melatonin reduces lipid and protein oxidative damage in synaptosomes due to aluminium. *J Trace Elem Med Biol* 2007;21:261-8.
263. Al-Malki AL. Synergistic effect of lycopene and melatonin against the genesis of oxidative stress induced by cyclophosphamide in rats. *Toxicol Ind Health* 2014;30:570-5.
264. Aranda M, Albendea CD, Lostale F, et al. In vivo hepatic oxidative stress because of carbon tetrachloride toxicity: protection by melatonin and pinoline. *J Pineal Res* 2010;49:78-85.
265. Arushanian EB. [Limitation of oxidative stress as the main factor of the universal protective properties of melatonin]. *Eksp Klin Farmakol* 2012;75:44-9.
266. Bagheri F, Goudarzi I, Lashkarbolouki T, Elahdadi Salmani M. Melatonin prevents oxidative damage induced by maternal ethanol administration and reduces homocysteine in the cerebellum of rat pups. *Behav Brain Res* 2015;287:215-25.
267. Aynali G, Naziroglu M, Celik O, Dogan M, Yarihtas M, Yasan H. Modulation of wireless (2.45 GHz)-induced oxidative toxicity in laryngotracheal mucosa of rat by melatonin. *Eur Arch Otorhinolaryngol* 2013;270:1695-700.
268. Bardak Y, Ozerturk Y, Ozguner F, Durmus M, Delibas N. Effect of melatonin against oxidative stress in ultraviolet-B exposed rat lens. *Curr Eye Res* 2000;20:225-30.
269. Argun M, Tok L, Uguz AC, Celik O, Tok OY, Naziroglu M. Melatonin and amfenac modulate calcium entry, apoptosis, and oxidative stress in ARPE-19 cell culture exposed to blue light irradiation (405 nm). *Eye (Lond)* 2014;28:752-60.
270. Ayata A, Mollaoglu H, Yilmaz HR, Akturk O, Ozguner F, Altuntas I. Oxidative stress-mediated skin damage in an experimental mobile phone model can be prevented by melatonin. *J Dermatol* 2004;31:878-83.
271. Bhatia AL, Manda K. Study on pre-treatment of melatonin against radiation-induced oxidative stress in mice. *Environ Toxicol Pharmacol* 2004;18:13-20.
272. Guney Y, Hicsonmez A, Uluoglu C, et al. Melatonin prevents inflammation and oxidative stress caused by abdominopelvic and total body irradiation of rat small intestine. *Braz J Med Biol Res* 2007;40:1305-14.
273. Jang SS, Kim HG, Lee JS, et al. Melatonin reduces X-ray radiation-induced lung injury in mice by modulating oxidative stress and cytokine expression. *Int J Radiat Biol* 2013;89:97-105.
274. Kim BC, Shon BS, Ryoo YW, Kim SP, Lee KS. Melatonin reduces X-ray irradiation-induced oxidative damages in cultured human skin fibroblasts. *J Dermatol Sci* 2001;26:194-200.
275. Koc M, Taysi S, Buyukokuroglu ME, Bakan N. Melatonin protects rat liver against irradiation-induced oxidative injury. *J Radiat Res* 2003;44:211-5.
276. Manda K, Ueno M, Anzai K. Melatonin mitigates oxidative damage and apoptosis in mouse cerebellum induced by high-LET 56Fe particle irradiation. *J Pineal Res* 2008;44:189-96.



277. Naziroglu M, Celik O, Ozgul C, et al. Melatonin modulates wireless (2.45 GHz)-induced oxidative injury through TRPM2 and voltage gated Ca(2+) channels in brain and dorsal root ganglion in rat. *Physiol Behav* 2012;105:683-92.
278. Oksay T, Naziroglu M, Dogan S, Guzel A, Gumral N, Kosar PA. Protective effects of melatonin against oxidative injury in rat testis induced by wireless (2.45 GHz) devices. *Andrologia* 2012.
279. Sener G, Atasoy BM, Ersoy Y, Arbak S, Sengoz M, Yegen BC. Melatonin protects against ionizing radiation-induced oxidative damage in corpus cavernosum and urinary bladder in rats. *J Pineal Res* 2004;37:241-6.
280. Sharma S, Haldar C. Melatonin prevents X-ray irradiation induced oxidative damage in peripheral blood and spleen of the seasonally breeding rodent, *Funambulus pennanti* during reproductively active phase. *Int J Radiat Biol* 2006;82:411-9.
281. Sokolovic D, Djindjic B, Nikolic J, et al. Melatonin reduces oxidative stress induced by chronic exposure of microwave radiation from mobile phones in rat brain. *J Radiat Res* 2008;49:579-86.
282. Taysi S, Memisogullari R, Koc M, et al. Melatonin reduces oxidative stress in the rat lens due to radiation-induced oxidative injury. *Int J Radiat Biol* 2008;84:803-8.
283. Tok L, Naziroglu M, Dogan S, Kahya MC, Tok O. Effects of melatonin on Wi-Fi-induced oxidative stress in lens of rats. *Indian J Ophthalmol* 2014;62:12-5.
284. Yilmaz S, Yilmaz E. Effects of melatonin and vitamin E on oxidative-antioxidative status in rats exposed to irradiation. *Toxicology* 2006;222:1-7.
285. Albers DS, Beal MF. Mitochondrial dysfunction and oxidative stress in aging and neurodegenerative disease. *J Neural Transm Suppl* 2000;59:133-54.
286. Ansari MA, Joshi G, Huang Q, et al. In vivo administration of D609 leads to protection of subsequently isolated gerbil brain mitochondria subjected to in vitro oxidative stress induced by amyloid beta-peptide and other oxidative stressors: relevance to Alzheimer's disease and other oxidative stress-related neurodegenerative disorders. *Free Radic Biol Med* 2006;41:1694-703.
287. Arumugam S, Thandavarayan RA, Arozal W, et al. Quercetin offers cardioprotection against progression of experimental autoimmune myocarditis by suppression of oxidative and endoplasmic reticulum stress via endothelin-1/MAPK signalling. *Free Radic Res* 2012;46:154-63.
288. Barnham KJ, Masters CL, Bush AI. Neurodegenerative diseases and oxidative stress. *Nat Rev Drug Discov* 2004;3:205-14.
289. Bashir S, Harris G, Denman MA, Blake DR, Winyard PG. Oxidative DNA damage and cellular sensitivity to oxidative stress in human autoimmune diseases. *Ann Rheum Dis* 1993;52:659-66.
290. Belch JJ, Mackay IR, Hill A, Jennings P, McCollum P. Oxidative stress is present in atherosclerotic peripheral arterial disease and further increased by diabetes mellitus. *Int Angiol* 1995;14:385-8.
291. Benz CC, Yau C. Ageing, oxidative stress and cancer: paradigms in parallax. *Nat Rev Cancer* 2008;8:875-9.
292. Bernstein AI, Miller GW. Oxidative signaling in experimental autoimmune encephalomyelitis. *Toxicol Sci* 2010;114:159-61.
293. Bonnefont-Rousselot D. Obesity and oxidative stress: potential roles of melatonin as antioxidant and metabolic regulator. *Endocr Metab Immune Disord Drug Targets* 2014;14:159-68.
294. Butterfield DA, Castegna A, Drake J, Scapagnini G, Calabrese V. Vitamin E and neurodegenerative disorders associated with oxidative stress. *Nutr Neurosci* 2002;5:229-39.



295. Butterfield DA, Howard BJ, LaFontaine MA. Brain oxidative stress in animal models of accelerated aging and the age-related neurodegenerative disorders, Alzheimer's disease and Huntington's disease. *Curr Med Chem* 2001;8:815-28.
296. Ceriello A, Motz E. Is oxidative stress the pathogenic mechanism underlying insulin resistance, diabetes, and cardiovascular disease? The common soil hypothesis revisited. *Arterioscler Thromb Vasc Biol* 2004;24:816-23.
297. Chang YC, Chuang LM. The role of oxidative stress in the pathogenesis of type 2 diabetes: from molecular mechanism to clinical implication. *Am J Transl Res* 2010;2:316-31.
298. Chauhan A, Chauhan V. Oxidative stress in autism. *Pathophysiology* 2006;13:171-81.
299. Chauhan A, Chauhan V, Brown WT, Cohen I. Oxidative stress in autism: increased lipid peroxidation and reduced serum levels of ceruloplasmin and transferrin--the antioxidant proteins. *Life Sci* 2004;75:2539-49.
300. Dhaun N, Kluth DC. Oxidative stress promotes hypertension and albuminuria during the autoimmune disease systemic lupus erythematosus. *Hypertension* 2012;59:e47; author reply e8.
301. Dobrian AD, Davies MJ, Schriver SD, Lauterio TJ, Prewitt RL. Oxidative stress in a rat model of obesity-induced hypertension. *Hypertension* 2001;37:554-60.
302. Donkena KV, Young CY, Tindall DJ. Oxidative stress and DNA methylation in prostate cancer. *Obstet Gynecol Int* 2010;2010:302051.
303. Facheris M, Beretta S, Ferrarese C. Peripheral markers of oxidative stress and excitotoxicity in neurodegenerative disorders: tools for diagnosis and therapy? *J Alzheimers Dis* 2004;6:177-84.
304. Gilgun-Sherki Y, Melamed E, Offen D. Oxidative stress induced-neurodegenerative diseases: the need for antioxidants that penetrate the blood brain barrier. *Neuropharmacology* 2001;40:959-75.
305. Henriksen EJ, Diamond-Stanic MK, Marchionne EM. Oxidative stress and the etiology of insulin resistance and type 2 diabetes. *Free Radic Biol Med* 2011;51:993-9.
306. Hoeldtke RD, Bryner KD, VanDyke K. Oxidative stress and autonomic nerve function in early type 1 diabetes. *Clin Auton Res* 2011;21:19-28.
307. Islam MT. Oxidative stress and mitochondrial dysfunction-linked neurodegenerative disorders. *Neurol Res* 2017;39:73-82.
308. James SJ, Cutler P, Melnyk S, et al. Metabolic biomarkers of increased oxidative stress and impaired methylation capacity in children with autism. *Am J Clin Nutr* 2004;80:1611-7.
309. Kaffe ET, Rigopoulou EI, Koukoulis GK, Dalekos GN, Moulas AN. Oxidative stress and antioxidant status in patients with autoimmune liver diseases. *Redox Rep* 2015;20:33-41.
310. Karbownik M, Reiter RJ. Melatonin protects against oxidative stress caused by delta-aminolevulinic acid: implications for cancer reduction. *Cancer Invest* 2002;20:276-86.
311. Karbownik M, Reiter RJ, Burkhardt S, Gitto E, Tan DX, Lewinski A. Melatonin attenuates estradiol-induced oxidative damage to DNA: relevance for cancer prevention. *Exp Biol Med (Maywood)* 2001;226:707-12.
312. Kern JK, Jones AM. Evidence of toxicity, oxidative stress, and neuronal insult in autism. *J Toxicol Environ Health B Crit Rev* 2006;9:485-99.
313. Khandrika L, Kumar B, Koul S, Maroni P, Koul HK. Oxidative stress in prostate cancer. *Cancer Lett* 2009.



314. Kovacic P, Jacintho JD. Systemic lupus erythematosus and other autoimmune diseases from endogenous and exogenous agents: unifying theme of oxidative stress. *Mini Rev Med Chem* 2003;3:568-75.
315. Kumagai S, Jikimoto T, Saegusa J. [Pathological roles of oxidative stress in autoimmune diseases]. *Rinsho Byori* 2003;51:126-32.
316. Kumagai S, Nobuhara Y, Saegusa J. [Oxidative stress and autoimmune diseases]. *Nihon Naika Gakkai Zasshi* 2003;92:1096-103.
317. Kupczyk D, Rybka J, Kedziora-Kornatowska K, Kedziora J. [Melatonin and oxidative stress in elderly patients with type 2 diabetes]. *Pol Merkur Lekarski* 2010;28:407-9.
318. Lin MT, Beal MF. Mitochondrial dysfunction and oxidative stress in neurodegenerative diseases. *Nature* 2006;443:787-95.
319. Mariani E, Polidori MC, Cherubini A, Mecocci P. Oxidative stress in brain aging, neurodegenerative and vascular diseases: an overview. *J Chromatogr B Analyt Technol Biomed Life Sci* 2005;827:65-75.
320. McGinnis WR. Oxidative stress in autism. *Altern Ther Health Med* 2005;11:19.
321. Moreno-Otero R. May oxidative stress contribute to autoimmune hepatitis pathogenesis, and can antioxidants be of value as adjuvant therapy for refractory patients? *Dig Dis Sci* 2013;58:1440-1.
322. Nguyen AM, Rao NA. Oxidative photoreceptor cell damage in autoimmune uveitis. *J Ophthalmic Inflamm Infect* 2011;1:7-13.
323. Pandi-Perumal SR, BaHammam AS, Brown GM, et al. Melatonin antioxidative defense: therapeutical implications for aging and neurodegenerative processes. *Neurotox Res* 2013;23:267-300.
324. Pereira EC, Ferderbar S, Bertolami MC, et al. Biomarkers of oxidative stress and endothelial dysfunction in glucose intolerance and diabetes mellitus. *Clin Biochem* 2008;41:1454-60.
325. Pillarisetti S, Saxena U. Role of oxidative stress and inflammation in the origin of Type 2 diabetes--a paradigm shift. *Expert Opin Ther Targets* 2004;8:401-8.
326. Rao AV, Balachandran B. Role of oxidative stress and antioxidants in neurodegenerative diseases. *Nutr Neurosci* 2002;5:291-309.
327. Rodrigues P, de Marco G, Furriol J, et al. Oxidative stress in susceptibility to breast cancer: study in Spanish population. *BMC Cancer* 2014;14:861.
328. Rose S, Melnyk S, Pavliv O, et al. Evidence of oxidative damage and inflammation associated with low glutathione redox status in the autism brain. *Transl Psychiatry* 2012;2:e134.
329. Rossignol DA, Frye RE. A review of research trends in physiological abnormalities in autism spectrum disorders: immune dysregulation, inflammation, oxidative stress, mitochondrial dysfunction and environmental toxicant exposures. *Mol Psychiatry* 2012;17:389-401.
330. Shah AA, Sinha AA. Oxidative stress and autoimmune skin disease. *Eur J Dermatol* 2013;23:5-13.
331. Sheridan J, Wang LM, Tosetto M, et al. Nuclear oxidative damage correlates with poor survival in colorectal cancer. *Br J Cancer* 2009;100:381-8.
332. Sondergaard ES, Gogenur I. [Oxidative stress may cause metastatic disease in patients with colorectal cancer.]. *Ugeskr Laeger* 2014;176.
333. Srinivasan V. Melatonin oxidative stress and neurodegenerative diseases. *Indian J Exp Biol* 2002;40:668-79.



334. Sun GY, Wood WG. Recent developments in understanding oxidative mechanisms and contributions of glial cell activation, mitochondrial dysfunction, and lipids and signaling pathways to neurodegenerative diseases. Preface. *Mol Neurobiol* 2010;41:53-4.
335. Udensi UK, Tchounwou PB. Dual effect of oxidative stress on leukemia cancer induction and treatment. *J Exp Clin Cancer Res* 2014;33:106.
336. Valko M, Rhodes CJ, Moncol J, Izakovic M, Mazur M. Free radicals, metals and antioxidants in oxidative stress-induced cancer. *Chem Biol Interact* 2006;160:1-40.
337. Vessby J, Basu S, Mohsen R, Berne C, Vessby B. Oxidative stress and antioxidant status in type 1 diabetes mellitus. *J Intern Med* 2002;251:69-76.
338. Wells PG, McCallum GP, Chen CS, et al. Oxidative stress in developmental origins of disease: teratogenesis, neurodevelopmental deficits, and cancer. *Toxicol Sci* 2009;108:4-18.
339. Yamamoto T. Autoimmune mechanisms of scleroderma and a role of oxidative stress. *Self Nonsell* 2011;2:4-10.
340. Yao Y, Walsh WJ, McGinnis WR, Pratico D. Altered vascular phenotype in autism: correlation with oxidative stress. *Arch Neurol* 2006;63:1161-4.
341. Yu JH, Kim H. Oxidative stress and cytokines in the pathogenesis of pancreatic cancer. *J Cancer Prev* 2014;19:97-102.
342. Zephy D, Ahmad J. Type 2 diabetes mellitus: Role of melatonin and oxidative stress. *Diabetes Metab Syndr* 2015;9:127-31.
343. Zoroglu SS, Armutcu F, Ozen S, et al. Increased oxidative stress and altered activities of erythrocyte free radical scavenging enzymes in autism. *Eur Arch Psychiatry Clin Neurosci* 2004;254:143-7.
344. Torbenko VP, Bogdanova IA, Gerasimov AM. [Effect of a combined radiation lesion on the enzyme activity of the glutathione redox system of the rat liver]. *Biull Eksp Biol Med* 1983;95:48-50.
345. Erden M, Bor NM. Changes of reduced glutathion, glutathion reductase, and glutathione peroxidase after radiation in guinea pigs. *Biochem Med* 1984;31:217-27.
346. Evans JW, Taylor YC, Brown JM. The role of glutathione and DNA strand break repair in determining the shoulder of the radiation survival curve. *Br J Cancer Suppl* 1984;6:49-53.
347. Boyer TD, Vessey DA, Kempner E. Radiation inactivation of microsomal glutathione S-transferase. *J Biol Chem* 1986;261:16963-8.
348. Connor MJ, Wheeler LA. Depletion of cutaneous glutathione by ultraviolet radiation. *Photochem Photobiol* 1987;46:239-45.
349. Singh LR, Uniyal BP, Mukherjee SK, Sarkar SR, Sharma SK. Effect of whole body gamma-radiation on glutathione reductase of rat tissues. *Strahlenther Onkol* 1987;163:337-9.
350. Leus NF, Kolomiichuk SG, Lishchenko VB. [Activity of glutathione-S-transferase in the blood plasma, liver and crystalline lens tissues as affected by low doses of ionizing radiation and polychromatic light]. *Ukr Biokhim Zh* 1997;69:54-9.
351. Grande S, Luciani AM, Rosi A, et al. Radiation effects on soluble metabolites in cultured HeLa cells examined by ¹H MRS: changes in concentration of glutathione and of lipid catabolites induced by gamma rays and proton beams. *Int J Cancer* 2001;96 Suppl:27-42.
352. Rathgen GH. [Radiation-induced changes of the glutathione content of some rat organs modified by cysteine]. *Strahlentherapie* 1970;139:243-50.



353. Rathgen GH, Lieser H. [Significance of glutathione in radiation effect studies and chemical radiation protection]. *Strahlentherapie* 1972;143:670-6.
354. Sarkar SR, Singh LR, Uniyal BP, Chaudhuri BN. Effect of whole body gamma radiation on reduced glutathione contents of rat tissues. *Strahlentherapie* 1983;159:32-3.
355. Rosi A, Grande S, Luciani AM, et al. Role of glutathione in apoptosis induced by radiation as determined by ¹H MR spectra of cultured tumor cells. *Radiat Res* 2007;167:268-82.
356. Tanita J, Tsuchida S, Hozawa J, Sato K. Expression of glutathione S-transferase-pi in human squamous cell carcinomas of the pharynx and larynx. Loss after radiation therapy. *Cancer* 1993;72:569-76.
357. Vartanyan LS, Gurevich SM, Kozachenko AI, Nagler LG, Lozovskaya EL, Burlakova EB. Changes in superoxide production rate and in superoxide dismutase and glutathione peroxidase activities in subcellular organelles in mouse liver under exposure to low doses of low-intensity radiation. *Biochemistry (Mosc)* 2000;65:442-6.
358. Woodward GE. The effect of ultra-violet, radium and X-ray radiation on glutathione in pure solution. *Biochem J* 1933;27:1411-4.
359. Byun YH, Ha M, Kwon HJ, et al. Mobile phone use, blood lead levels, and attention deficit hyperactivity symptoms in children: a longitudinal study. *PLoS One* 2013;8:e59742.
360. Sanie-Jahromi F, Saadat Z, Saadat M. Effects of extremely low frequency electromagnetic fields and cisplatin on mRNA levels of some DNA repair genes. *Life Sciences* 2016;3205:30588-4.

Harry Vere Lehmann
Principal Attorney

Law Offices of Harry V. Lehmann PC
4 Vineyard Court
Novato, California 94947

Area Code 415
Telephone: 897-2121
Facsimile: 898-6959

July 6, 2017

VIA PRIORITY MAIL and/or HAND DELIVERY and/or EMAIL

Assemblymember Marc Levine
5135 State Capitol
Sacramento, CA 95814

Re: Mass casualties are likely in District 10 from passage of SB 649

Dear Assemblymember Levine,

Senate Bill 649, a decision now before you, will likely result in mass fatalities in your District including children, who due to skull development levels and other factors, are more subject than adults to the effects of the carcinogenic cellular radiation which will saturate the homes in your District if this Bill is passed. Like you, I disdain inflammatory phases as such are so often deployed by emotionally over-loaded people with incomplete capture of the facts and science. Yet, directly relevant to SB 649, the Toxicology Program of our federal National Institutes of Health has shown through their \$25 million study, as announced on May 27, 2016, that cellular wireless radiation affects human tissue via non-thermal means and the formation of glioma, the cancer cell which results in glioblastoma (the brain cancer that kills people). Brain cancer killed four of my colleagues and friends which is what led me several years ago into dedication to our work educating consumers about smartphone proximity through www.greenswan.org. SB 649 is not about smart phone proximity but the constant radiation from the 50,000 towers from SB 649 presents a moral necessity to oppose this Bill. SB 649, now pushed by an industry which makes huge donations and contributions, is being advocated to wirelessly supplant cable as a main means of delivering TV, et al. Senate Bill 649 should be stopped in its tracks in order to protect the residents of your District. At the very least, SB 649 should be put on hold pending further study, as our federal Senate decided regarding the federal version of the same Bill, called S-19, pending further study.

As a trial lawyer, I have specialized in engineering and scientific proof civil cases since 1983. As nearly as I can tell I've personally handled approximately 1,600 civil cases, including certified class actions like the Chevron aviation gasoline matter (new engines for 1647 aircraft), the Mobil Oil AV-1 matter (overhauled or replaced engines for 850 aircraft, mostly twins), and I served as part of the plaintiffs' team in the Yuba Flood Cases, which after far too long settled against the State for \$423 million, as well as many hundreds of other cases, some of them also involving large groups of plaintiffs. I am not important, or by contemporary standards wealthy. Like you, I want facts, not hot-headed opinion from

some alarmist. Rather, our opposition to SB 649 is not grounded in emotion, but strongly grounded in science. If this Bill is allowed to be passed by our Assembly and is then signed into law, mass Crimes Against Humanity will likely result due to radiation exposure, **as you are hereby notified and warned**. Dated May 23, 2017, a 14 page submission on this subject was made to the already-overworked Senate Appropriations Committee, which presentation was composed of a detailed and annotated letter over my signature and supported by a Declaration under Penalty of Perjury by Mr. Paul McGavin. Paul and I are mere two of the large of California residents who, like representatives of cities and counties, oppose SB 649. Rather than taking up your time with more of my own words, and having given you this legal Notice of the likely consequences from the passage of SB 649, I respectfully advise you of said letter submitted to Senate Appropriations to your attention, and hereby incorporate that May 23rd Appropriations letter herein by this reference as though more fully set forth. Copies of that letter and Declaration should be immediately available to you from Senator Lara's office if you so request. I note in closing the additional factor that if SB 649 becomes law in California, the State will face ruinous financial loss from the resulting ADA complaints, all as set forth in that incorporated letter. **A selection of sources for your study is listed below**. Thank you.

Very truly yours,



Harry V. Lehmann

A small selection of articles and sources related to non-ionizing radiation and health:

<https://ehtrust.org>

<http://scientists4wiredtech.com>

<http://scientists4wiredtech.com/2017/03/rfr-hazards/>

<https://www.niehs.nih.gov/news/newsletter/2016/6/science-highlights/cellphones/index.htm>

<http://www.motherjones.com/environment/2016/05/federal-study-links-cell-phone-radiation-cancer/>

<http://www.cbc.ca/news/cell-tower-radiation-harmful-to-humans-study-1.958047>

<https://www.wsj.com/articles/cellphone-boom-spurs-antenna-safety-worries-1412293055>

<http://www.latimes.com/business/la-fi-cellphone-5g-health-20160808-snap-story.html>

JIM SCOTT
EILEEN EVA MAY SCOTT
849 Mariner Way
Parksville, B.C.
V9P 1S3 [REDACTED]
E mail: [REDACTED]

May 25, 2019

RDN
c/o RDN.bc.ca/public notices
6300 Hammond Bay Road,
Nanaimo, B.C.

Re: Development Permit with Variance
Application No. PL2019-034
843 Mariner Way
Electoral Area G

Please accept this e mail as our written submission that we are in full approval of a development permit with variance being granted for 843 Mariner Way.

This seems a very reasonable variance and we are most definitely in favour of it.

Thank you for receiving our submission.

Yours truly,



Eileen E. M. Scott



James G. Scott

-----Original Message-----

From: Deborah Pearson
Sent: Friday, May 24, 2019 10:09 AM
To: Planning Email
Subject: Variance Permit

Attention: Stephen Boogaards

re Application No. PL2019-048
751 Woodland Drive
Area G

I am fine with the increased square footage of the accessory building.

I understand further to our telephone conversation this is not permitted for short term use such as Airbnb or VRBO which contravenes the definition of this secondary suite.

Sincerely,
Deborah Pearson
761 Woodland Drive
Area G

From: Amy McIntyre

Sent: Wednesday, May 22, 2019 11:57 AM

To: Redpath, Nicholas; briangregg@sitepathconsulting.com; Rogers, Bob; Salter, Leanne;
ic.spectrumvictoria-victoriaspectre.ic@canada.ca

Subject: Coombs Cell Tower New Alternate Site***JUST CAME AVAILABLE

This property has just come for sale. It's closer to the Coombs market than the current proposed site, with no residences in the 'cancer radius'.

It's worth looking into to see if Couverdon would portion off or even donate a portion. It's right on the corner of the port Alberni highway and Virginia Road.

No homes close by, and it's right off the highway, and not on the mountain side. Win win all around.

Bob Rogers I implore you to read all communications and see that the majority of our community does not want this here. If you won't listen to us at least follow our directors lead whom we voted in because we trust her with our best interests.

Anyone who does does not live in this community does not have our best interests at heart, and should not have any final say.

FYI BRIAN GREGG:

THERE ARE MULTIPLE DAYCARES, ENDANGERED BIRD SPECIES, LOW FLYING AIRCRAFT, and YOING CHILDREN ALL IN CLOSE PROXIMITY TO CURRENT PROPOSED SITE.

PASS THAT ALONG TO ROGERS THAT IS YOUR JOB HERE.

And does the local fire Hall know this cell tower is primarily for DATA USE IN COOMBS CORE, NOT FOR CELL SERVICE IN THE TREES???

I have marked both the current proposed site in close proximity to my home and others, and the land available RIGHT NOW, with nothing but trees surrounding.

Couverdon Realty Ltd.

For Sale


160 Acres

750m Of Highway 4 Exposure

www.couverdon.com 1-877-239-4811



2590 Palmer Rd



✕ 2590 Palmer Rd

From: Amy McIntyre
Sent: Friday, May 24, 2019 10:27 PM
To: Redpath, Nicholas
Subject: NEW NEWS RE COOMBS CELL TOWER VOTE POSSIBLE ENDANGERED SPECIES

***UPDATE:As of today there are TWO INCREDIBLY RARE White Ravens living here on the bordering property

Hello

The petition opposing the cell tower has reached 184. That may not sound like a lot, but we are in a rural, fairly unpopulated area.
90% of the community is opposed!!

The fact that I have had almost double the amount of mail it's Rogers did(100), should speak for itself what the majority of the community wants (and doesn't want).

To summarize;

I will start with the fact that at the end of the day, the Coombs community has voted Leanne Salter as our area director because we trust her with our wellbeing, and YOU should follow HER LEAD in this vote.

Benefit of proposed cell tower:

*Faster data downloads in the Coombs core for visitors and employees. (It is currently adequate enough to access social media etc) SO not even a benefit!!! And CERTAINLY not for anyone living in the area.

Cons

*Radiation risks to people, especially those within a 500meter radius (THIS INCLUDES MYSELF AND YOUNG CHILDREN), and especially women and young children

*Neurological risks, particularly those sensitive to EMF (myself) and young children

*Property values affected negatively, will not be as desirable

*Environmental risk to our very diverse bird population (makes them confused and they crash) 'the one of a kind white raven', variety of owl species, woodpecker species, migratory birds etc

*takes away from the uniqueness of the Coombs area that is not industrial, from Creekmore coffee to the general store

*radiation risk to livestock grown for meat, especially organic

*This area is primarily ALR which is for agriculture land use and should be kept as such, Highway 4 Auto Salvage is zoned for their business and should be kept as such. There are many people here who believe they already have more buildings than what they are zoned for. They are not and should not be zoned for a 200ft monstrous telecommunications tower.

*it is in a recreational and emergency aircraft flight path. Not only does it cause a risk of collision but will require a light in all night. Detrimental to anyone in sight (MYSELF) and again, this is partly why there are so many bird deaths around cell towers.

I'm sure there are a few things I'm forgetting, but it is pretty clear this tower will be all risk, no reward.

We worked very hard to make this property our home, and never had any intention of moving. We live here for health reasons, outdoor lifestyle, and the scenic views. I do not appreciate that being threatened because Rogers would like to keep their high cell phone rates for the few people that complain about their coverage in this area.

For people that live here, they can get landlines, install cell boosters or switch providers. Tourists can easily access wifi at almost any coffee shop, hotel etc.

I have been a Rogers customer for 8+ years and have perfectly fine service everywhere I go in the area, including my front yard which is 296 meters from the proposed site.

Why would you risk the health of my children for Rogers? Coombs is not suffering in any way, tourism economy isn't down. People that want city conveniences don't move to Coombs, they move to the city.

I implore you all to please imagine this was going in your backyard, out your bedroom window, beside your children's swing set. How would you really feel? Even if you don't 'believe' in the health risks, I do. Many people do. They are called risks because there's a chance they cause breast cancer in women. Brain lesions in children. Health Canada's Safety Code 6 is unreliable, and not legal in other countries. Health Canada has been wrong in the past, and I believe in the not too distant future they will admit being wrong about this also.

Thank you

Amy and Dave McIntyre



From: Amy McIntyre

Sent: Monday, May 27, 2019 9:21 PM

To: McLean, Stuart; Salter, Leanne; briangregg@sitepathconsulting.com; Craig, Vanessa; scott.fraser.MLA@leg.bc.ca; Redpath, Nicholas; Young, Maureen; Wilson, Keith; ic.spectrumvictoria-victoriaspectre.ic@canada.ca; Ian Thorpe; Gourlay, Clarke; Rogers, Bob; Leonard Krog; Sheryl Armstrong; Don Bonner; Tyler Brown; Ben Geselbracht; Erin Hemmens; Jim Turley; Mark Swain; Ed Mayne; Brian Wiese; Adam Fras

Subject: FYI VIDEO OF ENDANGERED BIRDS NESTING BESIDE PROPOSED TOWER SITE

A video can be a much more effective than even pictures.

This family of ravens has been coming to our property almost as long as we've lived here (6 yrs), but this is only the third year for the white raven, and now there are two.

These ravens share the same gene abnormality as the Protected Kermode bear in the North, and there are currently no other sightings in the world, or even Qualicum Beach.

We see them daily now and they live between our home and the proposed cell tower site. (<300metres) they spend all morning and parts of the remaining day hunting and playing throughout our little corner of Coombs.

While cancer links are very real, because it hasn't been proven beyond a shadow of a doubt some people like to claim ignorance.

It has been proven throughout the world that telecommunication towers are in fact a very real cause of bird and bee deaths.

Before the meeting tomorrow I ask you think long and hard if you are willing to kill off a species, rather than look for an alternative site. Which is a very simple request.

<https://en.wikipedia.org/wiki/Towerkill>

<https://www.smithsonianmag.com/science-nature/communication-towers-are-death-traps-for-threatened-bird-species-1293988/>

Sent from my iPhone