



OFFICE BUILDING
FLOOR PLAN
150 BUILDING AREA: 216.30 M (2283.1 FT)

INTERIOR WALL TYPES		EXTERIOR WALL TYPES		FLOOR TYPES	
NOTE: F.R.R. DETERMINED USING APPENDIX D-2.3.4 METHOD OF CALCULATION	W1	NOTE: F.R.R. DETERMINED USING APPENDIX D-2.3.4 METHOD OF CALCULATION	WV	NOTE: F.R.R. DETERMINED USING APPENDIX D-2.3.4 METHOD OF CALCULATION	F1
	- 16mm TYPE X GYPSUM BOARD - 38x89 WOOD STUDS - ACOUSTIC BATT INSULATION - 16mm TYPE X GYPSUM BOARD FIRE RATING: 1.0HR F.R.R. (45MIN)		- 38mm HORIZONTAL LAP SIDING - 19mm P.T. WOOD STRAPPING - 2 LAYERS 30 MIN BUILDING PAPER - 15mm PLYWOOD SHEATHING - 38x 48mm WOOD STUDS - R-24 BATT INSULATION - POLY VAPOUR BARRIER - 16mm TYPE X GYPSUM BOARD		- NEW SHEET VINYL - RUBBER BASE - CONCRETE SLAB AS PER STRUCTURAL

SYMBOLS LEGEND:

	SECTION/ELEVATION SYMBOL
	SHEET WHERE DRAWN
	PLAN DETAIL SYMBOL
	DETAIL NUMBER
	SHEET WHERE DRAWN
	CALLOUT DETAIL SYMBOL
	DETAIL NUMBER
	SHEET WHERE DRAWN
	ROOM TAG
	DOOR TAG
	WINDOW TAG
	ROOF TAG
	WALL TAG
	WALL (RATED) TAG
	FLOOR TAG
	ROOM NUMBER
	ROOM NAME
	ROOM AREA
	KEYNOTE
	FLOOR DRAIN
	MAN DOOR
	ROLL-UP DOOR
	BOLLARDS
	WHEELCHAIR (FLOOR PAINT)
	FLOOR ELEVATION
	45mm F.R.R. WALL ASSEMBLY
	1HR F.R.R. WALL ASSEMBLY
	STEEL BRACE FRAMES
	WORK POINT
	ELEVATION MARKER
	REVISION NUMBER



6300 Hammond Bay Road
Nanaimo, BC V9T 6N2
Tel: 250-390-4111 Fax: 250-390-4163

2015 BUILDING RELOCATIONS
RDN REGIONAL LANDFILL-1105 CEDAR ROAD
NANAIMO, B.C.
XCG CONSULTANTS LTD.



3701 Shelton Rd, Nanaimo, BC V9T 2H1
Tel: 250-751-8558 Fax: 250-751-8559
Email: mol@heroldengineering.com

©Copyright reserved. This drawing contains the exclusive intellectual property of Herold Engineering and is not to be used, copied, or reproduced without written consent of Herold Engineering Limited.

OFFICE BUILDING
FLOOR PLAN

DESIGNED	ENGINEER'S SEAL
ES	
DESIGN REVIEW	
ES	
DRAFTED	
LH	
DRAFTING REVIEW	
ES	
PROJECT No.	CLIENT DRAWING No.
3233-003	n/a
SCALE	PERMIT No.
AS SHOWN	n/a
HEL DRAWING No.	REVISION
A201	4