

REQUEST FOR PROPOSALS No. 25-017

Nanoose Bay Final Effluent Chamber Piping Bypass Pumping Plan

ISSUED: Feb 27, 2025

CLOSING DATE AND TIME: Submissions must be received on or before: 3:00 PM (15:00 hrs) Local Time on March 26, 2025

Submissions and Questions are to be directed to: Ian Benoit, P.Eng Regional District of Nanaimo 6300 Hammond Bay Road Nanaimo, BC 250-268-3431 ibenoit@rdn.bc.ca

Questions are requested at least five (5) business days before the closing date



1. INSTRUCTIONS TO PROPONENTS

The Regional District of Nanaimo (RDN) invites qualified firms to submit a proposal package to provide a bypass pumping plan for 100% of the incoming flows to the Nanoose Bay Pollution Control Centre (NBPCC) as set forth in this Request for Proposal (RFP).

This RFP does not include the construction services for the bypass pumping. The RDN may award the construction services for the bypass itself to the successful respondent subject to satisfactory performance, respondents capabilities, available budget and necessary approvals.

1.1. Closing Date / Time / Submission Method

Submissions must be received on or before 3:00 PM (15:00 hrs), Local Time, on March 26, 2025.

1.2. Submission Method:

By Email: In PDF format with "**RFP No. 25-017 NBPCC Final Effluent Chamber Piping Bypass**" as the subject line at this electronic address: <u>ibenoit@rdn.bc.ca</u>

Please note: Maximum email file size limit is 20MB, or less. The Regional District of Nanaimo (RDN) will not be liable for any technological delays of submissions.

Submissions received in any other manner will not be accepted.

1.3. Amendment to Proposals

Proposals may be amended in writing and sent via email to the RDN contact person identified on the cover page on or before the closing. Such amendments should be signed by the authorized signatory of the Proponent.

1.4. Addenda

If the RDN determines that an amendment is required to this RFP, the RDN will post the Addendum on the RDN (<u>www.rdn.bc.ca/current-bid-opportunities</u>) and BC Bid (<u>www.bcbid.gov.bc.ca</u>) websites. Each addendum will be incorporated into and become part of the RFP. No amendment of any kind to the RFP is effective unless it is contained in a written addendum issued by the RDN. It is the sole responsibility of the Proponent to check and ensure all amendments are included prior to submitting their final Proposal submission.

1.5. Withdrawal of Proposals

The Proponent may withdraw their Proposal at any time by submitting a written withdrawal email to the RDN contact person identified on the cover page on or before the closing.

1.6. Unsuccessful Vendors

The RDN will offer debriefings to unsuccessful Proponents, on request, at a mutually agreeable time.

2. REFERENCE / BACKGROUND INFORMATION

The following reference documents are included in the appendices for additional facility and project background.

- Appendix A Site Layout, and effluent piping drawings
- Appendix B Block Flow Diagram
- Appendix C Misc Details



- Appendix D Site Photos
- Appendix E Sample Form of Contract

3. INTRODUCTION

At the Nanoose Bay Pollution Control Center (NBPCC), there is severe piping corrosion observed in the final effluent chamber. This is a critical piece of the process and will require replacement.

The purpose of this Request for Proposal is to solicit submissions from qualified consultants/contractors to design and engineer a bypass plan to allow for construction activities to replace piping in the final effluent chamber. The bypass plan is required to divert 100% of the facility flow.

The bypass plan must have sufficient multi-disciplinary detail for a contractor to procure equipment and materials, install, isolate, and execute the bypass.

It is required to divert treated effluent as opposed to untreated effluent for the duration of the bypass. This would involve bypassing the final effluent chamber by beginning the bypass at Primary Sedimentation Tank No. 2, and discharging directly downstream of the final effluent chamber.

The duration of the required bypass is currently unknown.

The NBPCC is located at 3260 Schooner Cove Dr, Nanoose Bay, BC. Details of the requirements for the bypass pumping are described in the following sections.

4. BACKGROUND

4.1. Nanoose Bay Pollution Control Centre (NBPCC)

The Nanoose Bay Pollution Control Centre (NBPCC) serves a population of approximately 1,500 people and businesses in Nanoose Bay, British Columbia. The facility was constructed in 1988 and provides screening and chemically enhanced primary wastewater treatment.

4.2. General Process Description

The following is a list of the relevant project assets, generally in order of the process:

- Raw sewage screening of influent, via screw augur;
- Aerated grit settling chamber;
- Primary settling, via Primary Sedimentation Tank No. 2
 - Note: Primary Sedimentation Tank No. 1 is not in service.
- Effluent is discharged via V-Notch weirs in the Primary Sedimentation Tank No. 2, into the final effluent chamber
- Effluent is pumped in the final effluent chamber to the outfall.

There are no additional lift stations from the final effluent chamber to the outfall. See Appendix B for The Block Flow Diagram.

4.3. Bypass Purpose – Project Background

The effluent discharge piping in the final effluent chamber (and associated valving) is a critical piece of infrastructure which discharges effluent to the main effluent outfall. The piping is corroded and in



need of repair. During the work, the wet well will need to be bypassed. The work will require confined space entry. There is a mix of both Poly Ethelene and carbon steel pipe in the project.

The existing pumps are generally in good condition and will not require replacement, although the pump bases may require replacement.

5. SCOPE OF SERVICES AND DELIVERABLES

The general scope is to provide a Bypass Pumping Plan signed and sealed by a Professional Engineer registered to practice engineering in the Province of British Columbia. The plan may include the following details, at a minimum. All deliverables to be reviewed and approved by the RDN;

5.1. Mechanical and Piping:

- 1. Hydraulic analysis calculation note, including but not limited to:
 - a. Assumptions (fluid properties, etc.);
 - b. Method of calculation (Darcy Weisbach, etc.);
 - c. Suction and Discharge location of piping/hose, and respective elevations;
 - d. Length of piping;
 - e. Estimated bends, fittings, etc.
 - f. Maximum design pressure of system (for rating purposes);
 - g. Maximum velocity.
- 2. Mechanical specification information, including but not limited to:
 - a. Recommended pumps c/w specification and datasheet;
 - i. Must design for 100% pumping redundancy (ie: backup pump(s))
 - b. Pump curve marked up with design conditions specified in Section 7 displayed on the curve;
 - c. Pumps must be appropriate for the process as described in Section 7;
- 3. Piping and other specification/datasheet information, including but not limited to:
 - a. Pipe/hose, fittings, and valve specifications with connection types and design information (rated pressure, temp);
 - b. Connection types of pump;
 - c. Isolation information, including:
 - i. Plug specification and datsheet (or other method of isolation);
 - ii. Method and workplan to perform isolation;

5.2. Electrical and Instrumentation:

- 1. Design and engineering of pump flow control, inclusive of required instrumentation (float switches, other) as required;
 - a. Describe pump control methodology, and set points for pump control and relevant alarms;
 - b. Provide datasheets and specifications of all instrumentation used in the project;
- Specification of alarm callout system to both the contractor and the RDN. Integration into RDN system is preferred. Bypass pumping to be monitored 24 hours, 7 days a week for the duration of the project;
- 3. Specification of motors and power. Preference is for tie-in to RDN MCC if there is available capacity, to be determined by respondent;
 - a. 70db maximum for the project;
 - b. 100% power redundancy required.



5.3. General:

- 1. Combination of marked up layout drawing or pictures as required to demonstrate the layout of equipment, piping/hosing, and tie-ins;
- 2. Details and designs of temporary works as required for bypass pumping, including but not limited to:
 - a. Required pipe/hose supports;
 - b. Tie-in details;
 - c. Window removal and reinstatement;
 - d. Manhole modifications;
 - e. Temporary barricades;
- 3. Allow for site visits as required to facilitate the work;
- 4. Environmental Management Plan. In particular, the plan may include spill prevention, containment and mitigation measures for wastewater, fuel, etc. Reference "WWS-COM-10.1 Contractor Supplier Package" in Appendix F for more information on environmental management requirements.

6. PROCESS DESIGN CRITERIA

The following table describes the process fluid and design flows for the project. The fluid is described as primary treated municipal wastewater. The treatment at NBPCC involves settling of solids and injection of a polymer (PAX XL6). The values provided below are typical for the summer season (June – August) when the work is intended to take place.

Description	Design Min	Average	Design Max
Temperature (°C)	15	17-20	23
Suspended Solids (mg/L)	101	375	1,461
рН	6.95	7.4	7.98
Flow (m3/d) Note 1	257	315	550
Flow (GPM) Note 1	47	58	101

Note 1 – This flow is measured from the influent flume into the facility, and is an approximation of total daily flow, not instantaneous flow.

7. ANTICIPATED BYPASS METHODOLOGY

7.1. General

The following section describes the anticipated bypass methodology by the RDN. This methodology is open to revision during the Work as required.

The general bypass method may be to hydrovac and expose the effluent discharge piping directly adjacent to the final effluent chamber. Once the discharge piping has been exposed and drained, we will then tie-in the bypass piping from Primary Sedimentation Tank No. 2, to the now exposed flange directly adjacent to the concrete final effluent chamber.



7.2. Anticipated isolation locations

The following is a list of the anticipated isolation locations, which is communicated further in the drawings and pictures in the appendices. Isolation size, location and type to be confirmed by the respondent during the work.

- Sedimentation Tank No. 2:
 - $\circ~$ (1) DN 300 Isolate effluent outlet into Final Effluent Chamber
- Final Eflluent Chamber:
 - (1) DN 250 Disconnect and isolate effluent outlet into septic tanks
 - o (1) DN 250 Disconnect and isolate effluent outlet to outfall
 - (1) DN 300 Isolate overflow to underground

8. SCHEDULE

The Proponent to confirm to confirm in their submission that they can provide an IFC bypass plan by end of April, 2025.

9. PROPOSAL SUBMISSION AND EVALUATION

9.1. Submission

The RDN requests submissions, from qualified bypass pumping contractors/consultants, of a detailed proposal demonstrating that their solution meets the criteria provided above and further detailed in the appendices. To assist in receiving similar and relevant information, and to ensure your Proposal receives fair evaluation, the RDN asks Proponents to provide the following information.

Please include with your proposal:

- 1. Description of the Scope of Work as understood by the proponent;
- 2. A list of project deliverables that will satisfy the Scope of Work requirements and this RFP;
- 3. Description of three to five similar or relevant reference projects completed within the last 10 years. Details for each project to include:
 - a. Project name and location.
 - b. Name and contact information for the owner's representative or engineer of record.
 - c. Type of fluid transported through pipe.

9.2. Evaluation

Proposals will be evaluated on a 50 pts financial, 50 pts technical basis. The technical evaluation will review:

- Understanding of Scope of Work;
- Proposed Deliverables;
- Reference Projects;

Proposals submitted should be in enough detail to allow the RDN to determine the Proponent's qualifications and capabilities from the documents received. The selection committee, formed at the RDN's sole discretion, will score the Proposals in accordance with the criteria provided.

The lowest priced submission shall received 50 pts. Other submissions will receive factored reduced scores,

ie: (lowest priced submission)/(selected submission)*50



The RDN may evaluate proposals on a comparative basis by comparing one Proponent's proposal to another Proponent's proposal. The RDN reserves the right to not complete a detailed evaluation if the RDN concludes the proposal is materially incomplete, irregular or if it contains any financial or commercial terms that are unacceptable to the RDN.

The selection committee may proceed with an award recommendation or the RDN may proceed to negotiate with the highest evaluated Proponent with the intent of developing an agreement. If the parties after having bargained in good faith are unable to conclude a formal agreement, the RDN and the Proponent will be released without penalty or further obligations other than any surviving obligations regarding confidentiality and the RDN may, at its discretion, contact the Proponent of the next best rated Proposal and attempt to conclude a formal agreement with it, and so on until a contract is concluded or the proposal process is cancelled.

The RDN reserves the right to award the assignment in whole or in part or to add or delete any portion of the work. Throughout the evaluation process, the evaluation committee may seek additional clarification on any aspect of the Proposal to verify or clarify the information provided and conduct any background investigation and/or seek any additional information it considers necessary.

10. PROPOSED PURCHASE CONTRACT

The RDN's preferred form of Contract is attached herein. Proponents should carefully review this form of Contract. Should any vendors request that RDN consider revisions to the form of Contract, Proponents should include any clauses of concern in their proposal submission and suggest replacement language.

11. GENERAL CONDITIONS

11.1. No Contract

By submitting a Request for Proposal and participating in the process as outlined in this RFP, proponents expressly agree that no contract of any kind, Including any "Contract A" obligations, is formed until a fully executed contract is in place.

11.2. Privilege Clause

The lowest or any proposal may not necessarily be accepted.

11.3. Acceptance and Rejection of Submissions

This RFP does not commit the RDN, in any way to select a preferred Proponent, or to proceed to negotiate a contract, or to award any contract. The RDN reserves the right in its sole discretion cancel this RFP, up until award, for any reason whatsoever

The RDN may accept or waive a minor and inconsequential irregularity, or where applicable to do so, the RDN may, as a condition of acceptance of the Submission, request a Proponent to correct a minor or inconsequential irregularity with no change in the Submission.

11.4. Conflict of Interest

Proponents shall disclose in their Proposals any actual or potential Conflict of Interest and existing business relationships it may have with the RDN, its elected officials, appointed officials or employees.



11.5. Solicitation of Board Members and RDN Staff

Proponents and their agents will not contact any member of the RDN Board or RDN Staff with respect to this RFP, other than the RDN Contact named in this document.

11.6. Litigation Clause

The RDN may, in its absolute discretion, reject a Proposal submitted by Proponent, if the Proponent, or any officer or director of the Proponent is or has been engaged either directly or indirectly through another corporation in legal action against the RDN, its elected or appointed officers and employees in relation to:

- any other contract for works or services; or
- any matter arising from the RDN's exercise of its powers, duties, or functions under the Local Government Act, Community Charter or another enactment within five years of the date of this Call for Proposals.

In determining whether to reject a Proposal under this clause, the RDN will consider whether the litigation is likely to affect the Proponent's ability to work with the RDN, its consultants and representatives and whether the RDN's experience with the Proponent indicates that the RDN is likely to incur increased staff and legal costs in the administration of this Contract if it is awarded to the Proponent.

11.7. Exclusion of Liability

Proponents are solely responsible for their own expenses in preparing and submitting a Proposal and for any meetings, negotiations, or discussions with the RDN. The RDN will not be liable to any Proponent for any claims, whether for costs, expense, losses or damages, or loss of anticipated profits, or for any other matter whatsoever, incurred by the Proponent in preparing and submitting a Proposal, or participating in negotiations for a Contract, or other activity related to or arising out of this RFP. Except as expressly and specifically permitted in these Instructions to Proponents, no Proponent shall have any claim for compensation of any kind whatsoever, as a result of participating in this RFP, and by submitting a Proposal each Proponent shall be deemed to have agreed that it has no claim.

11.8. Ownership of Proposals

All Proposals, including attachments and any documentation, submitted to and accepted by the RDN in response to this RFP become the property of the RDN.

11.9. Freedom of Information

All submissions will be held in confidence by the RDN. The RDN is bound by the Freedom of Information and Protection of Privacy Act (British Columbia) and all documents submitted to the RDN will be subject to provisions of this legislation. The successful vendor and value of the award is routinely released.



Appendix A Site Layout Effluent piping drawings

LEGEND

0 250 Ø

CLEANOUT SANITARY SEWER (Gravity)

STORM SEWER

OVERHEAD - "

SANITARY SEWER (Forcemain)

WATERMAIN

-INDICATES CONCRETE ENCASEMENT M_____HT_____....

-

_____ SS

6—–

B.C. TEL.& HYDRO CLUSTER OF SERVICE BOXES

STREET LIGHT

UTILITY POLE & ANCHOR

EDGE OF ASPHALT SANITARY SERVICE GRAVITY

MOUNTABLE CURB & GUTTER

SANITARY SERVICE FORCEMAIN

WATER SERVICE

WATER VALVE

FIRE HYDRANT CATCH BASIN

B.C. HYDRO JUNCTION BOX OR TRANSFORMER PAD. SEE SPECIFIC UTILITY DRAWINGS

DUCT BANK - B.C. HYDRO, B.C. TEL. CABLEVISION & STREET LIGHTING

11

11 11 11 11

. 4 1

AYGROUND

Serie 1

1.36.40.1







DRAWING INDEX

PHASE 1Va

DRAWING NO.	<u>SH NO.</u>	DE
D8707-163	2/17	Schooner
D8707-164	3/17	Schooner
D8707-165	4/17	Schooner
		& Dolphi
D8707-180	5/17	Redden R
D8707-181	6/17	Redden R
D8707-182	7/17	Redden R
D8707-183	8/17	Rockham
D8707-185	9/17	Rockham
	-	& Rolstor
D8707-187	10/17	Dolphin I
D8707-188	11/17	Dolphin I
D8707-189	12/17	Dolphin I
	•	& W.P.C.
D8707-193	1/17	Key Plan
D8707-195	13/17	Watermai
D8707-196	14/17	Watermai
20/0/-1/0	**/ #/	Collingwo
D8707-197	15/17	Renaving
	10/11	0.008 187
D8707-198	16/17	Renaving
	10/17	0+314.560
D8707-199	17/17	Repaying

DRAWING INDEX

PHASE 1Vb

DRAWING NO.	<u>SH NO.</u>	•	DES
D8707-168 D8707-169 D8707-170 D8707-171	1/4 2/4 3/4 4/4		Hig Hig Hur Her
· · · · · · · · · · · · · · · · · · ·			• 1







REVISIONS

JULY/91 Ab Mak RECORD DWG.

DESCRIPTION

Nº DATE BY ENG

ESCRIPTION

er Cove Dr. 0+000 - 0+325 er Cove Dr. 0+325 - 0+650 er Cove Dr. 0+323 - 0+330 er Cove Dr. 0+650 - 0+765.225 ohin Dr. SCO28 - SMH109 n Rd. 0+000 - 0+310 n Rd. 0+310 - 0+635 Rd. 0+635 - Dolphin Dr. mpton Rd. 0+000 - 0+320mpton Rd. 0+620 - Redden Rd. on PL. a Dr. 0-008.187 - 0+314.560 n Dr. 0+314.560 - 0+520 n Dr. SMH115 - 117 C.C. SMH132 - SMH1

ain - Collingwood Dr. ain - Ph. IVa to bod g Dolphin Dr. 7 - 0+314.560 ig Dolphin Dr. 60 -0+520 Repaving Dolphin Dr. 0+520 - 0+732

ESCRIPTION

lighland Rd. 0+000 - 0+250 lighland Rd. 0+250 - 0+425.236 untington PL. & Hobart PL. enley PL.

•		
		 •
•		PROJECT Nº D8707
		DRAWN ALL
		DESIGNED DS
)		CHECKED
· · ·		APPROVED
^ 1	• •	DATE DEC. 3,1990
main)		SCALE 1 : 5000
,		CLIENT

SEAL

FAIRWINDS DEVELOPMENT ORATION

Ω

VINDS DEVELOPMENT SE IV a 8 IV b DS & UTILITIES

PECIFIC Y Co. VGS FOR	KEY LEGE	PLAN ND	æ	
- ·	FW-C	089	•	
	DRAWING № D8707	-193	REV.	SHEET

GUTTER		CORPO
AVITY		i
DRCEMAIN		PROJECT
		FAIRW
		PHAS
	•	ROAD
TER OF SERVICE BOXES		TITLE
BOX	> SEE SPECIFIC UTILITY Co.	KEY
FORMER	DRAWINGS FOR	

UNCTION	вох



\mathbf{R} V. Roberts & associates LTD.	Drawn by Date		-
CONSULTING ENGINEERS	V.R. APRIL 1999		
	Checked by Date		
CIVIL • MUNICIFAL • LAND DEVELOFMENT • FORESTRT			ſ
852 BREAKWATER ROAD, PARKSVILLE, B.C. V9P 1Z8	Approved by Date		Γ
rax (200) 248–3080 e-mail: vroberts@island.net	Seal		

'HIN LAK	E
lighlighted ed line is inticipated oypass oiping route	
ELEVATIONS ARE GEODETIC IN RE THEAST (FORCEMAIN) INVERT ELEV EDGE OF GRAVEL DRIVEWAY TOP OF BANK BOTTOM OF BANK	ELATION TO SMH132 7.=40.217m.
Municipal or District Project No. Municipal or District Drawing No. NB-C-103	ScaleHoriz. 1:250VertConsultant's Drawing No. $6 1 - 0 0 1 - 7$ Sheet No.Rev.





.

.

a. . .

1.

· . .

•

•

				. ·	<u> </u>					
· · · · · · · · · · · · ·						A k	COE	RS		
	tana atau sa farana ang sa							SSO	CIATES	
							UNG Sonsuli	ting F	EKING LT	D. [•]
	in and in a second s			1	1				·····	
		and the second		44	1.			. .		·
109						میں دونی میں ہیں والد اور میں میں اور				
3						C		N A		
				43	. <i></i>	Ja	12	?[[[]	Inds	5
*.									SE	
	99	· · · · · · · · · · · · · · · · · · ·		40				MANOC		<u> </u>
	+0.60%			.	\square		F	REVIS	IONS	
_		•				A • - -			- · · ·	
 	alami, A. Andrew Mandrido and angle of an angle of a state of a stat			41	N ²	DATE	BY	ENG	DESCRIPTIO	N
•• ••	анта Амеликананананан каларан Паралан каларанан каларан		te de la constante de deservoir		<u> </u>	CT.20,88	₽.B.	SAR	AS CONSTRUCTED	
			р	· · ·						
				40	1	,		•		
یں اور اور اور اور اور اور اور اور اور اور اور				1		· · · ·				
			and the last time operation and the many respectively.	39				, ,		
		2 2 2 2					:	· · · ·	• • •	•
., i ., i		*								
an a ta ga di dada ka	alan manalanan ya kuna kuna kuna kuna kuna kuna kuna kun			38		1		•	· .	
	•		5 2 4		n Maria					
				37		,				
			аран саланан сайн сайн сайн сайн сайн сайн сайн		· ·					
		• • •	· · ·	, · · · · · · · · · · · · · · · · · · ·	Í	1				
	damentaria da este este este este este este este est	с 1 #на селото селото у ста 2011 г. – П	: : 	36						I.
Ņ										
: 110				· · · · · ·	1				4	
FLEC		•		35	l	ъ.,	:	•		
JE.	н. Мал			1		• • • • • •	· ·			
ERT	en e	e i Polici de Record		34			i se R			
200	2				1 - A. A					
1.60						ta an				
4		an and a second se		1					· ·	
					* 1. 1.		•			
490						• • •				. 1
òċ					 ;					
		š	•							
	· •		e.	-		•		1		
	v	ан сайта. Ал			SEAL		,		,	\prec
	•									
	an a					م م	•	• .		-T -1
· · ·					n Seanna A					1
	•						**	· · · ·		5)
• • .							:			1
					PPA	IFCT NO	0 97	07	b	C
		، ، 			DRA		.B.∘	<u> </u>		ズ ー
:	· •				DESI	GNED	DS			· · -].
			· .		CHE	CKED	05	,		
	•		<i>e</i>		APP	ROVED	Ú			•
				-	DATE	JUNE	15,19	988.	>	
	•	. •			SCA	LE HOR.	1:50	0,VE	RT. 1:50.	
					CLIE	NT				
				· · ·						
				n Alexandria	FA	IRWIN	IDS	JO	NT VENTU	RE
				i						
		n.				s.,	,	•		. «
* *		л. •					:			· -
•		•	• •		PROJ	ECT				
						RW/INI	٩D	חבי	FI ODMEN	J T
•	•					ALAOC			LEVENIE!	
			· .	•	SE/	WAGE				
		роб 4 -	· • • •		EF	FLUEN	T	SEV	VER &	
			•	-	WA	TER	SUF	PL	Y	
		,								
	A				TITLE	*		·		•
				• .						
			:			AN C		RU		
				, š	0+	263.	2 t	0 0	+ 490.7	
	• •						•			
· .	• •		· ·		E	1	0-	7		
		\$		•			6	<u> </u>	DEV OU	EET
					D8	707-	04			7
			•							

*.3é

0+535 4 - 5° HORIZ. DEFLECTION PULL MIN. 4 JOINTS

0 ROA

FUTURE

٠

- COLO

 $\sum_{i=1}^{n}$

				-		•		Reparation Mathematica					-	· ·		-
					A a share the second se						· · · · · ·		· · · ·			ayon of a second se
											1 m.	· · · · · · · · · · · · · · · · · · ·	and a stand and a stand and a stand and a stand			
															•	
•		-	н		45	39	na an a	r	anarrahan sukaran sanga juu ku ju ja ja u juu i	a the second sec						
				•				G FUTU	RE ROAD	*			· .		•	
		. N			44	HE 38		4-						- Andre and A		
lannan har 19 mailt na hardina ann an Anna Anna an Anna Anna Anna A	9 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	, արձապուտուտեսող, վինչացցիստ, ու ունեկ ոչ չէի ընտուց հավերվինից ,	na an a	and control of an analysis of groups and a second	na manana mangana kata ya kata				n gener i ngganan ngan ngan ngan ngan ngan ngan	n		2				•
LLED T	O MAINTAI	N MIN. I.	Om COVER						1118	×	ORIC	INAL GR	OUND			•
ana tambahan ang kana pang tang tang tang tang tang tang tang t		 A contribution of the set of the the se			43	37			1			6/	and a start of the	a por analas en	i i i i i i i i i i i i i i i i i i i i	ana anan, monjor donor da seconor
											4	TH				
2 2					42	36	\$.706		· · ·							· · · · · · · · · · · · · · · · · · ·
E/		· · · · · · · · · · · · · · · · · · ·					· · · · · · · · · · · · · · · · · · ·									
		Ś					······································								150	
		· · · · · · · · · · · · · · · · · · ·			44 	35					-2.000	*	angene di'n Alter Meine Adelesterijen (Pref - Seine e	- and the set of the state of the set of the	14	
																•
				angeler fantster ward frieddreider diw driv rich rechmete Barbereit	40	34								5.00		\
	5.									NVERT 30		rc)		00		Ň
ب	3020				39	33	-		E	FFLUENT	SEWER					
ng an ha suntar in dire saman basadat Ahaadatan haadada 1945da	and de la march of a star de la march of the set of the	and an		a den tre au au au au anna an anna an anna an an an an an an		•			an a				and an address of the set of a set of the se		ų	
		Ϋ́					3*		2 2			•		•		E.B.
an a sa fara ana ana ata a ana a	1 			1 1	36	3 32		······································	alarat a sanaanaan isaa ni sirii isaa aanaa a		······································	•				
DEPTH	OF TEST-															
	•	•			37 0.5%	31	. .		۱ ح						. >	
				C.T.IO				÷	110			CT10			110	<i>\$</i> .
				FLE	_		•	•	FLEC			FLE(TEC	
n an a charte an		need of the second state o			30	5	1999 - Andrew Martin Martin, and an Alfahar and an	entre for a second s	DE			DE			DEF	a para na mariatria da
•		1997) 1997) 1997)		ER1			r.		ERT.			ERT.		•	ERT.	
a a cara a c					n i shi na ana		1	د به و مقاوم الدول الم الم الم الم الم الم الم الم الم ال	2		and a second or successful the same before the second second second second second second second second second s	3	анананананананан калага (1965, клад 1989), кала 1997, кала 1997, кала 1997, кала 1997, кала 1997, кала 1997, к	compare maniform the support material and	2	
SEWER	INVERTS								35.2	in in indiana		34.5	n de la composition d		33-/	
				7-6(•				'NN			E XW			WV.	
		nanopana kana pelantanan per opin at dip ta ta daka dipantan sari pada at di		Š	n san san sa										1	
				44 1					96	8		30	· · · · ·		23	
		n an an trapa da n trapa kananan kananan kananan kanan na ananan kananan kanan		- 0				a a marana a sa ana ana ana ana ana ana ana ana	ÿ + O			× + 0				namedation scalabilities also also also scale
e ere er elle	4										An and a second		4			•
			NO	TES:							,					
	, 		•	1. A	LL LOCATION	NS OF EXIS	TING UTIL	ITIES ARE SITE. ALL	OR ANY EN	TE ONLY_ KISTING	•		, c	· · · ·	н _н	
с. 1917 г. ж.				S' A	TRUCTURES NO BE RESPO	NOT NECES	SARILY SHO	OWN. CONT	RACTOR TO TO ALL EX	LOCATE				>		
	· · ·		,	P	IPING UTIL	ITIES AND	STRUCTURE	5.	· · · · · · · · · · · · · · · · · · ·		• • • • •	• • • •		P		
•				2. E	LEVATIONS A	ARE TO GEO	DETIC DAT	JM.			•	Ň		E		•
				3. SI	EE. MISCELI	ANEOUS DE	TAILS DRAW	NING D8707	-63 FOR ST	TANDARD	$\langle \rangle$				•	
•			•		UNSINUCIIUN	TO DE C	ONSTRUCTE		ANCE MITT	זרחקו		F.	123			
			۰.	4. Al	YLAW 500.	INSTALLA	TION ANI	REINST	ATEMENT I	O MEET			F //		A	
				М.	INISTRY OF	TRANSPORT	ATION & HI	LGHWAYS REC	UIREMENIS			\		$\int \int $	m	
				5. CI DI	HAINAGES AN RAWINGS ARE	ID HORIZON APPROXIM	TAL & VERI ATE ONLY.	CICAL DEFLI	CTIONS S	HOMN ON		$\sum_{i=1}^{n} a_{i} a_{i} a_{i}$		la.	\mathbf{X}	
				6H	DRIZONTAL	AND VERT	ICAL DEFLE	CTIONS MAY	BE OBTAI	NED BY			here		\backslash	·
				TH	HE INSTALLA	TION OF F. THE JOINT	ACTORY MAD S. MAXIMU	DE ELBOWS (IM ALLOWABI	DR BY DEFL DEFLECT	ECTING ION IS			· • • •	1 j		
	•			1.	.5 ⁰ PER JOI	NT.		•)			i da la	, e
				7. RC	ock was not	ENCOUNTE	RED IN ANY	OF THE TE	ST HOLES	SHOWN.			· · · /			
INTS		FU	TURE ED	GE OF P	AVEMENT-	_		•						F	A A	
· ,	200 6		· · · · · · · · · · · · · · · · · · ·			<u> </u>	• .		······						$\langle \rangle$	Ø
		TO A SIGN	AL CABLE				FUT	URE	ROAD			\\		1	have al	
+60(4	1115			911				1118	02+		- *		<u></u>		
0-7		63	*			3		·	NO			Ĕ.a			ø	
	•								1							
					300 mm	Ø PVC E	FFLUENT I	FORCEMAII	v_/	•				T	•77	4 120
0+58		MPORARY	WATERMA	un		•		*		0 + 742	?·6 30	онхн з	22 1/20	ELBOW	1	
1	3 - TEN										C/	W THRUS	T \BLOC	K.	/	·
	3 - TEN ELE	V. OF EX	ISTING												8	
	3 - TEN ELE WA1	TV. OF EX TERMAIN	(ISTING TOP 41.08	3		•.		· · ·						•	€ &.≯	
	3 - TEM ELE WAT	TV. OF EX TERMAIN	(ISTING TOP 41.08 OH x 200H	3 x 100F	TEE VERT	ICAL	20				19				а 8 8	
FE	3 - TEN ELE WA7 	V. OF EX TERMAIN 20 100 25 YD 100	(ISTING TOP 41-08 OH x 200H OF x 100F F x 100F	3 1 x 100F 90° ELB BLE CHEC	TEE VERTI BOW K BACKFLO	ICAL W PREVEN	20 TER 8 100	FxH GATE	VALVE:	IAI A	19 EMBORAC	Y TIMOED			к к 18	•
FE	3 - TEN ELE WAT 	V. OF EX TERMAIN 20 100 25 YD 100 25 YD 100 20 INTO E.	(ISTING TOP 41-08 OH x 200H OF x 100F F xF DOUB XI STING	3 90°ELB BLE CHEC WITH	TEE VERTI IOW K BACKFLO 2- 200 P	ICAL W PREVENT ROBAR CF	20 TER & 100 PLG'S - & T	FxH GATE HRUST BL	VALVE:	— IN A T CHAME	19 Emporar Der	Y TIMBER			\$ * 18	ſ
FE	3 - TEN ELE WAT 5BCO Nº 80 - TIEL - END	TV. OF EX TERMAIN 20 100 25 YD 100 20 INTO E. 20 OF TEN	AISTING TOP 41-08 OH x 200H OF x 100F FXF DOUB XISTING IPORARY 1	B 90°ELE DLE CHEC WITH WATERM	TEE VERTI ROW K BACKFLO 2- 200 P AIN CONST	ICAL W PREVENT ROBAR CF	20 TER & 100 PLG'S . & T	FxH GATE HRUST BL	VALVE: OCK	— IN A T CHAME	19 EMPORAR DER	Y TIMBER			\$ * 18	ſ
FE	3 - TEN ELE WA7 5BCO Nº 80 - TIEL - END	20 TERMAIN 20 100 25 YD 100 20 100 100 100 100 100 100	AISTING TOP 41.08 OF x 100F F x DOUB F xF DOUB XISTING IPORARY I	B 90°ELB BLE CHEC WITH WATERM	TEE VERTI ROW K BACKFLO 2- 200 F AIN CONST	ICAL W PREVENT ROBAR CF	20 TER & 100 PLG'S - & T	FxH GATE HRUST BL	VALVE:	— IN A T CHAME	19 EMPORAR BER	Y TIMBER			(8)*	
FE	3 - TEN ELE WAT 	20 TERMAIN 20 100 25 YD 100 25 YD 100 20 INTO E. 0 OF TEN 23	AISTING TOP 41.08 OF x 100F F xF DOUB XISTING IPORARY 1	B 90°ELB BLE CHEC WITH WATERM	TEE VERTI ROW K BACKFLO 2- 200 F AIN CONST	ICAL W PREVENT ROBAR CF	20 TER & 100 PLG'S . & T	FxH GATE HRUST BL	VALVE:	— IN A T CHAME	19 Emporar Der	Y TIMBER			\$ * 18	ſ
FE	3 - TEN ELE WAT 	20 TERMAIN 20 100 05 YD 100 0 INTO E. 0 OF TEN 23	AISTING TOP 41.08 OF x 100F F xF DOUB XISTING MPORARY 1	B 90°ELE DLE CHEC WITH WATERM	TEE VERTI OW K BACKFLO 2- 200 P AIN CONST	ICAL W PREVENT ROBAR CF	20 TER & 100 PLG'S . & T	FxH GATE HRUST BL	VALVE: OCK	> IN A T CHAME	19 Emporar Ser	Y TIMBER			(* 18	

•

×

NR UTILITIES ARE APPROXIMATE ONLY 2 307.6768 PB 2 25 With median Replacement 2 307.6768 PB 2 2 2 With median Replacement 3 0CT 20/08 PB 2 2 30 With median Replacement 3 0CT 20/08 PB 2 2 30 With median Replacement 3 0CT 20/08 PB 2 2 30 With median Replacement 3 0CT 20/08 PB 2 2 30 With median Replacement 3 0CT 20/08 PB 2 2 30 With median Replacement 4 00.7678 PB 2 2 30 With median Replacement 4 00.7678 PB 2 2 30 With median Replacement 4 00.7678 PB 2 2 30 With median Replacement 5 0CT 20/08 PB 2 2 30 With median Replacement 5 0CT 20/08 PB 2 2 30 With median Replacement 5 0CT 20/08 PB 2 2 30 With median Replacement 5 0CT 20/08 PB 2 2 30 With median Replacement 5 0CT 20/08 PB 2 2 30 With median Replacement 5 0CT 20/08 PB 2 2 30 With median Replacement 5 0CT 20/08 PB 2 2 30 With median Replacement 5 0CT 20/08 PB 2 2 30 With median Replacement 5 0CT 20/08 PB 2 2 2 30 With median Replacement 5 0CT 20/08 PB 2 2 2 30 With median Replacement 5 0CT 20/08 PB 2 2 2 30 With median Replacement 5 0CALE HOR IT 500, VERT IT 50 CLEAT 5 0 ANY OF THE TIST HOLES SHOW N 5 0		fair Minds
PEUTISIONS NB DATE BY EMA DESCRIPTION 1 29/6/88 PR EMA DESCRIPTION 2 20/6/08 PR EMA DESCRIPTION 3 OCT20/88 PR EMA DESCRIPTION 2 20/6/08 PR EMA DESCRIPTION 3 OCT20/88 PR EMA SCONSTRUCTED 4 VERTICE STANDARD EMA EMA EMA EMA 8 DESCRIPTION AND ESTIMATION OF EMA EMA EMA EMA 10 DESCRIPTION AND ESTIMATION OF EMA EMA EMA EMA 10 DESCRIPTION AND ESTIMATION OF EMA EMA EMA EMA 11 DESCRIPTION ESTIMATION OF EMA EMA EMA EMA		NANOOSE
NN DATE BY DESCRIPTION 1 296/6/38 PB Work: The In At Gull 2 30/6/38 PB Work: The In At Gull 3 OCTEADED SCHORE SCHORE 8 OCTEADED SCHORE SCHORE 8 OCTEADED SCHORE SCHORE 8 SCHORE SCHORE SCHORE 9 SCHORE SCHORE SCHORE 1 SCHORE SCHORE SCHORE 14 SCHORE SCHORE SCHORE 15 SCHORE SCHORE SCHORE 16 SCHORE SCHORE		REVISIONS
1 29/6/88 PE 25 Weiter Tie In Ar Guill 2 30/6/38 PE 26 Weiter Tie In Ar Guill 3 001/20/08 PE 28 CONSTRUCTED 3 001/20/08 PE PE PE PE 3 001/20/08 PE PE PE PE PE 3 001/20/08 PE <		Nº DATE BY ENG DESCRIPTION
2 SOLF 788 PB Water Te in At Gull 3 SCT 20/58 PB Water Te 20 PB		I 29/6/88 P.B. DS Watermain Replacement on Grilse.
SEAL SE		2 30/6/88 P.B. 1/5 Water Tie In At Gull
SEAL SEAL		3 OCT 20/88 P.B. AS CONSTRUCTED
SAL SAL SAL SAL SAL SAL SAL SAL		
NN OTILITIES AND APPROXIMATE ONLY NN OTILITIES AND APPROXIMATE ONLY BEN OF SITE. ALL OR ANY RELISTING RELIE OF JONG. CONTRACTOR TO LOCATE REVIEW OF MORE OF THE 2.0.7. TO AND ALL OFFICIENT OF LOCATE REVIEW OF LOCATIONS FOR THE 2.0.7. TO AND ALL OFFICIENTS SHOWN OF CALL OF JONE OF THE 2.0.7. TO AND ALL OFFICIENTS SHOWN OF LA VERTICL DEFLOTIONS SHOWN OF ALL OFFICIENTS SHOWN OF APPROVED APPROVE		
NN STILLTIES ARE APPROXIMATE ONLY MED OF STILL OR ANY EXISTING REPLICE OF MANAGE TO ALL DRIVING REPLICE OF MANAGE TO ALL DRIVING REPORT AND REPLICE THE REPLICE OF THE REPLICE TO ALL DRIVING DRIVING SOLUTION S OUL: AN APPROVED OF THE REPLICE IN ANY OF THE TEST BOLES SHOWN IN ANY OF THE TEST BOLES SHOWN IN IN ANY OF THE TEST		
NI UTILITES ARE APPROXIMATE ONLY MED UN SITE. ALL OR ANY EXISTING ALL VEAL OF ANY EXISTING REPLIE OF DAMAGE TO ALL EXISTING REPLIE OF DAMAGE TO ALL EXISTING DESIGNED DATE. MARKING DEFOT-63 FOR STANDARD STRUCTED IN ACCORDANCE NITE R.D.N. MED OF AMORE EXISTANCE TO ALL DATE OF AMORE EXISTING DESIGNED DESIGNED OF DESIGNED DESIGNED OF DATE OUNC 15, 1988 SCALE HOR. 1:300, VERT. 1:50 CLIENT FAIRWINDS DEVELOPMENT SCALE HOR. 1:300, VERT. 1:50 CLIENT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY THE PLAN & PROFILE, 1+082:2 to 1+309 FW-O30 DEMAND RE DEMAND RE NEW SIGNED DAWING RE DEMAND RE REV. SWEET SCALE HOR. 1:300 PROJECT FAIRWINDS DEVELOPMENT SCALE HOR. 1:300, VERT. 1:50 CLIENT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY THE PLAN & PROFILE, 1+082:2 to 1+309 FW-O30 DEMAND RE REV. SWEET SCALE NO. 1+309		
SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL		
SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL		
NO UTILITIES ARE APPROXIMATE ONLY MED ON STEE. ALL OR ANY EXISTING MED ON STEE. ALL OR ANY EXISTING MED ON STEE. ALL OR ANY EXISTING MED OF DAMAGE TO ALL EXISTING MED OF AND RETURNED ANY EXISTING DIA AND REINSTAINMENT ON BEI ON AND REINSTAINMENT ON BEI DESIGNED APPROVED DALE JIES SCALE HOR IS 1988 SCALE HOR IS 500, VERT IS 50 ONT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY THE PLAN & PROFILE JOBE A 550 OM LOWS RVW. DEW ON BY ONE STOP DAMING ME DEN ME DEN ME DEN ME MEN BEI DEN ME MEN BEI MEN BEI MEN BEI DEN ME MEN BEI MEN BEI M		
SEAL SEAL SEAL SEAL PROJECT NA DRIVE CONTY IT DATACTOR I DEFICICING IC DATING IC DATING TO ALL CRISTING IC DATING IC		
SEAL SEAL SEAL TIME ON SITE. ALL OR ANY EXISTING MEDION SITE. ALL OR ANY EXIST. PROJECT NA DBYOT. PROJECT NA DBYOT DRAWNG TO ALL EXISTING DESIGNED STRUCTED IN ACCORDANCE WITH R.D.M. DESIGNED STRUCTED IN ACCORDANCE WITH R.D.M. DESIGNED ADDRAWN PRB DESIGNED STRUCTORS MAY BE OBTAINED BY DESIGNED ADDRAWN PRB DESIGNED SCALE HOR I: 500, VERT. I: 50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY THLE PLAN & PROFILE J+082-2 10 J+309 FW-O30 DRAWNE M8 REV. SHEET		
SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL		
NG UTILITIES ARE APPONINGE ONLY RED ON STELL. ALL OR OWNY EXEMPTING RED ON STELL. ALL OR OWNY EXEMPTING REPAIR OF OWNAGE TO ALL EXISTING REPAIR OF OWNERS REPAIRS IN A STRUCTURE IS A VERTICAL DEFLECTION SHOWN ON LA VERTICAL DEFLECTION SHOWN ON ALL DEFLECTIONS HAV BE OBTAINED IN ANY OF THE TEST HOLES SHOWN. IN ANY OF THE TEST HOLES SHOWN. DATE JUNE 15, 1988 SCALE HOR. ISOO, VERT. I: SO CLIENT FAIRWINDS. DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT. SEWER & WATER SUPPLY TITLE PLAN & PROFILE, J+ OB2-2 10 1+309 FW-O30 DRAWING MS REV. SHEET		
NE UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING REPAIR OF DAMAGE TO ALL EXISTING REPAIR OF DAMAGE TO ALL EXISTING REPAIR OF DAMAGE TO ALL EXISTING REPAIRS DOTOT-63 FOR STANDARD STRUCTED IN ACCORDANCE WITE R.D.T. ON AND REINSTATEMENT TO MEET TO MARKING DEVISION ON C ONLY. L & VERTICAL DEFLECTIONS SHOWN ON C ONLY. AND RELEASE OF DEVELOPMENT SCALE HOR. 1: 500, VERT 1: 50 CLENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY THE PLAN & PROFILE. J+082:2 to J+309 EW_OBOLO DEVELOPMENT SHOWN ON EWAL SHOWN ON DEVELOPMENT SHOWN ON DEVELOPMENT SHOWN ON DEVELOPMENT SHOWN ON DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY THE PLAN & PROFILE. J+082:2 to J+309 EW_OBOLO		
NE OTILITIES ARE APPROXIMATE ONLY MED ON STR. ALL OR ANY EXISTING REPAIR OF DAMAGE TO ALL EXISTING REPAIR OF DAMAGE TO ALL EXISTING REPAIRS OF DAMAGE TO ALL EXISTING REPAIRS OF DAMAGE TO ALL EXISTING REPAIRS AS DEVELOPMENT ILS DRAWING DEFUECTIONS SHOWN ON CONT. LA VENTICAL DEFLECTIONS SHOWN ON CONT. TORY MORE ELBORS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTING MAXIMUM		
NB UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR NAW EXISTING REFAIL OF DAMAGE TO ALL EXISTING REFAIL OF DAMAGE TO ALL EXISTING REFAIL OF DAMAGE TO ALL EXISTING RECURRES. TIC DATUM. LIS DRAWIN DEFUNCTIONS SEGUN ON COM AND REINSTATEMENT TO MEET TOW AND REINSTATEMENT TO MEET LIS UPPLY AND OF THE REST HOLES SHOWN ON CONTY. ALL DEFLECTIONS SHOWN ON CONTY. ALL DEFLECTIONS SHOWN ON CONTY MORE EXISTING DESIGNED DS CHECKED DS APPROVED DS DISTANCE WITE TEST HOLES SHOWN. TOWARD DESIGNED OF THE TEST HOLES SHOWN. TOWARD THE TEST HOLES SHOWN. TOWARD THE TEST HOLES SHOWN. DISTANCE AND DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE J+082-2 to I+309 EW-030 DRAWIN ME		
NB UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RECURSES. TIC DATUM. LIS DRAWING DSTOT-43 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET TON A LIGENAYS REQUIREMENTS. L & VENTICAL DEFLECTIONS SHOWN ON MAXIMUM ALLOWABLE DEFLECTION IS ONLY. AL DEFLECTIONS MAY BE OBTAINED BY MAXIMUM ALLOWABLE DEFLECTION IS DI IN ANY OF THE TEST HOLES SHOWN. TO IN ANY OF THE TEST HOLES SHOWN. MAXIMUM ALLOWABLE DEFLECTION IS DI IN ANY OF THE TEST HOLES SHOWN. MAXIMUM ALLOWABLE DEFLECTION SHOWN. MAXIMUM ALLOWABLE DEFLECTION SHOWN. DI IN ANY OF THE TEST HOLES SHOWN. MAXIMUM ALLOWABLE DEFLECTION SHOWN. MAXIMUM ALLOWABLE DEFLECTION SHOWN. MAXIMUM ALLOWABLE DEFLECTION SHOWN. DI IN ANY OF THE TEST HOLES SHOWN. MAXIMUM ALLOWABLE DEFLECTION SHOWN. MAXIMUM ALLOWABLE DEFLEC		
SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL PROJECT NA DETOT STRUCTERS. ILS DRAWING BOTOT-63 FOR STANDARD STRUCTERS. ILS DRAWING BOTOT-63 FOR STANDARD STRUCTERS. ILS DRAWING BOTOT-63 FOR STANDARD STRUCTERS. ILS DRAWING BOTOT-63 FOR STANDARD STRUCTERS. LA VERTICAL DEFLECTIONS SHOWN OK ELS ORDSACCEDER AND AND SE OBTINED BY ONLY MADE ELSOWS OR 3V DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS SCALE HOR. 1:500, VERT. 1:50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE J+082.2 to 1+309 EW-030 DRAWING RØ REV. SHEET		
SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL PROJECT NA DBTO7-63 FOR STANDARD STRUCTERS. IL JUNATION ALL EXISTING AND ADD SETUCTIONS SHOWN ON LA VERTICAL DEFLECTIONS SHOWN ON LA VERTICAL DEFLECTIONS SHOWN ON CONT ADD SETUCTIONS SHOWN ON CONTACT SHOWN ON SAXINUM ALLOWABLE DEFLECTION IS SCALE HOR. 1:500, VERT. 1:50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE J+082.2 to 1+309 EW-030 DRAWING NO NEW SHEET		
SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL PROJECT Nº DB707 DAMAGE TO ALL EXISTING RECTRES. IIC DATUM. LIS DRAWING DB707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. IN AND REINSTATEMENT TO MEET ON A HIGHWAY REQUIREMENTS. S VENTICAL DEFLECTIONS SHOWN OR SOLV. AL DEFLECTIONS MAY BE OBTAINED BY ONLY MADE ELBOWS OR BY DEFLECTION SOLV. AL DEFLECTIONS MAY BE OBTAINED BY OATE JUNE 15, 1988 SCALE HOR. 1:500, VERT. 1:50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE J+082-2 to 1+309 EW-030 DRAWING MB REV. SHEET		
SEAL SEAL	a da anti-anti-anti-anti-anti-anti-anti-anti-	
MOUTINES AND AFTAGET ANY EXISTING REPAIR OF DALL EXISTING REPAIR OF DALL EXISTING RUTURES. TIC DATUM. LIS ORAWING DB707-BS FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON A HIGHMAN SEQUIREMENT TO WEET DIN A UNIX SEQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON S ONLY. ALD DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELONGS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS S CALE D IN ANY OF THE TEST HOLES SHOWN. MAINING ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. MAINING ALCONS OR BY DEFLECTION IS S CALE HOR. I: 500, VERT. I: 50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT S EWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY VITLE PLAN & PROFILE J+082-2 to 1+309 EWA-030 DRAWING M	· · · · · · ·	
TIC DATUM. TIC DATUM. ILS DRAWING DBT07-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET IN A HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTION IS MAINUM ALLOWABLE DEFLECTION IS SCALE HOR. I: 500, VERT. I: 50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SE WAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE J+082-2 to 1+309 EW-0300 DRAWING N ² REV. SHEET	NO UTTLITTES ARE ARPROXIMATE ONLY	SEAL
ILS DRAWING D8707-93 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON A UN REINSTATEMENT TO MEET TO A HIGHWARS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON 5 ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOYS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTING MAXIMUM ALLOWABLE DEFLECTING SCALE HOR. I: 500, VERT. I: 50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE J+082.2 to 1+309 EW-030 DRAWING N ² REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING BUCTURES.	
STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. TO IN ANY OF THE TEST HOLES SHOWN. D IN ANY OF THE TEST HOLES SHOWN. TO DA. POLYETHYLENE PIPE A= 70° OC OC" PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE D.O.OM WIDE x 550 OM LONG R/W. PLAN & PROFILE, J+082-2 to 1+309 EW-030 DRAWING N2 REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM.	SEAL TI
ON AND REINSTATEMENT TO MEET IN & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E & VERTICAL DEFLECTIONS SHOWN ON C & ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. TO D IN ANY OF THE TEST HOLES SHOWN.	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD	
L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTION MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. T T T DAL POLYETHYLENE PIPE A= 70 ° OC OC" PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE J+082.2 to 1+309 EW-030 DRAWING N ² REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N.	PROJECT Nº D8707
CHECKED APPROVED ATE JUNE 15,1988 SCALE HOR. 1:500, VERT. 1:50 CLIENT FAIRWINDS JOINT VENTURE TAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE O.Om WIDE x 550.0m LONG R/W. CHECKED CH	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS.	PROJECT Nº D8707 DRAWN PRB
LT DEFLECTIONS MAY BE OBSTREAMED BY MAXIMUM ALLOWABLE DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS DATE JUNE 15, 1988 SCALE HOR 1: 500, VERT. 1: 50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE 0.0 m WIDE x 550 0m LONG R/W. PLAN & PROFILE J+082.2 to 1+309 EW-030 DRAWING N2	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON	PROJECT Nº D8707 DRAWN PRB DESIGNED DS
SCALE HOR. 1:500, VERT. 1:50 SCALE HOR. 1:500, VERT. 1:50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE J+082·2 to 1+309 FW-030 DRAWING N ² REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY.	PROJECT Nº D8707 DRAWN PRB DESIGNED DS CHECKED DS APPROVED MAIN
CLIENT CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE J+082.2 to J+309 FW-030 DRAWING N ² REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY.	PROJECT Nº D8707 DRAWN PRB DESIGNED DS CHECKED DS APPROVED MAL DATE JUNE 15, 1988
FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE I+082.2 to I+309 FW-030 DRAWING N2 REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY FORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS	PROJECT Nº D8707 DRAWN PRB DESIGNED DS CHECKED DS APPROVED MAL DATE JUNE 15,1988 SCALE HOR. 1:500, VERT. 1:50
PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE $0.0 \text{ m WIDE x 550.0 \text{ m LONG R/W.}}$ PLAN & PROFILE $1+082\cdot2$ to $1+309$ FW-030 DRAWING N ² REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS	PROJECT Nº D8707 DRAWN PRB DESIGNED CHECKED APPROVED DATE JUNE 15, 1988 SCALE HOR. 1: 500, VERT. 1: 50 CLIENT
m DIA. POLYETHYLENE PIPE A= 70° 00' 00" PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY 0.0 m WIDE x 550.0 m LONG R/W. PLAN & PROFILE J+082.2 to 1+309 FW-030 DRAWING N ² REV.	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY FORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS	PROJECT Nº D8707 DRAWN PRB DESIGNED CHECKED DATE JUNE 15, 1988 SCALE HOR. 1: 500, VERT. 1: 50 CLIENT FAIRWINDS JOINT VENITURE
m DIA. POLYETHYLENE PIPE A= 70 ° 00' 00" PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY 0.0 m WIDE x 550.0 m LONG R/W. PLAN & PROFILE I+082.2 to I+309 FW-030 DRAWING N ²	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY FORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS	PROJECT Nº D8707 DRAWN PRB DESIGNED CHECKED APPROVED DATE JUNE 15, 1988 SCALE HOR. 1: 500, VERT. 1: 50 CLIENT FAIRWINDS JOINT VENTURE
PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE $0.0 \text{ m WIDE x 550.0 \text{ m LONG R/W.}}$ PLAN & PROFILE $1+082\cdot2 \text{ to } 1+309$ FW-030 DRAWING N ² REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS	PROJECT Nº D8707 DRAWN PRB DESIGNED DS CHECKED DS APPROVED DE DATE JUNE 15, 1988 SCALE HOR. 1: 500, VERT. 1: 50 CLIENT FAIRWINDS JOINT VENTURE
m DIA. POLYETHYLENE PIPE A= 70 ° 00' 00" FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY WATER SUPPLY 0.0 m WIDE x 550 0 m LONG R/W. PLAN & PROFILE J+082.2 to I+309 FW-030 DRAWING N2 REV.	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY FORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN.	PROJECT Nª D8707 DRAWN PRB DESIGNED CHECKED DATE JUNE 15, 1988 SCALE HOR. 1: 500, VERT. 1: 50 CLIENT FAIRWINDS JOINT VENTURE
SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE I+082.2 to I+309 FW-030 DRAWING N ² REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY FORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN.	PROJECT Nº D8707 DRAWN PRB DESIGNED S CHECKED S APPROVED CHECKED S APPROVED CHECKED S CHECKED S APPROVED CHECKED S APPROVED CHECKED S APPROVED CHECKED S CHECKED S APPROVED CHECKED S APPROVED CHECKED S CHECKED S APPROVED CHECKED S CHECKED S CHECKED S APPROVED CHECKED S CHECKED S APPROVED CHECKED S CHECKED S C CLIENT S C CLIENT S C CLIENT S C C
EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE I+082.2 to I+309 FW-030 Rev. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. ""	PROJECT Nº D8707 DRAWN PRB DESIGNED CHECKED DATE JUNE 15, 1988 SCALE HOR. 1: 500, VERT. 1: 50 CLIENT FAIRWINDS JOINT VENTURE
WATER SUPPLY TITLE TITLE PLAN & PROFILE I+082.2 to I+309 FW-030 REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. ** **	PROJECT Nº D8707 DRAWN PRB DESIGNED S CHECKED S APPROVED DATE JUNE 15, 1988 SCALE HOR. 1: 500, VERT. 1: 50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT
0.0 m WIDE x 550.0 m LONG R/W. PLAN & PROFILE ↓+082.2 to ↓+309 FW-030 DRAWING №2 REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY FORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. **	PROJECT Nº D8707 DRAWN PRB DESIGNED CHECKED DATE JUNE 15, 1988 SCALE HOR. 1: 500, VERT. 1: 50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER &
0.0 m WIDE x 550.0 m LONG R/W. PLAN & PROFILE ↓+082.2 to ↓+309 FW-030 DRAWING №2 REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. TO DIA. POLYETHYLENE PIPE A= 70° 00'00"	PROJECT N [#] D8707 DRAWN PRB DESIGNED CHECKED DATE JUNE 15, 1988 SCALE HOR. 1:500, VERT. 1:50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY
PLAN & PROFILE I+082.2 to I+309 FW-030 DRAWING N ² REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. # <i>TOLA. POLYETHYLENE PIPE A= 70° 00' 00''</i>	PROJECT N ² D8707 DRAWN PRB DESIGNED CHECKED DATE JUNE 15,1988 SCALE HOR. 1:500, VERT. 1:50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY
FLAIN & FRUFILE 1+082.2 to 1+309 FW-030 DRAWING N ² REV.	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY FORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. "" D IN ANY OF THE TEST HOLES SHOWN. ""	PROJECT N ² DB707 DRAWN PRB DESIGNED 25 CHECKED 25 APPROVED 26 DATE JUNE 15, 1988 SCALE HOR. 1:500, VERT. 1:50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY
I+082.2 to I+309 <u>FW-030</u> DRAWING N ² REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. "" D IN ANY OF THE TEST HOLES SHOWN. ""	PROJECT Nº D8707 DRAWN PRB DESIGNED CHECKED DATE JUNE 15, 1988 SCALE HOR. 1: 500, VERT. 1: 50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLANL & PROJECT F
FW-030 DRAWING Nº REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. """"""""""""""""""""""""""""""""""""	PROJECT N ² D8707 DRAWN PRB DESIGNED 25 CHECKED 25 APPROVED 26 DATE JUNE 15, 1988 SCALE HOR. 1:500, VERT. 1:50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE
DRAWING Nº REV. SHEET	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON E ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. "" D IN ANY OF THE TEST HOLES SHOWN. "" D ONL POLYETHYLENE PIPE A= 70° 00' 00" O'O'M WIDE x 550 O'M LONG R/W.	PROJECT Nº D8707 DRAWN PRB DESIGNED DATE JUNE 15, 1988 SCALE HOR. 1:500, VERT. 1:50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE J+082.2 to 1+309
	NG UTILITIES ARE APPROXIMATE ONLY MED ON SITE. ALL OR ANY EXISTING RILY SHOWN. CONTRACTOR TO LOCATE REPAIR OF DAMAGE TO ALL EXISTING RUCTURES. TIC DATUM. ILS DRAWING D8707-63 FOR STANDARD STRUCTED IN ACCORDANCE WITH R.D.N. ON AND REINSTATEMENT TO MEET ION & HIGHWAYS REQUIREMENTS. L & VERTICAL DEFLECTIONS SHOWN ON S ONLY. AL DEFLECTIONS MAY BE OBTAINED BY TORY MADE ELBOWS OR BY DEFLECTING MAXIMUM ALLOWABLE DEFLECTION IS D IN ANY OF THE TEST HOLES SHOWN. "" D IN ANY OF THE TEST HOLES SHOWN. "" D ONL POLYETHYLENE PIPE A= 70° 00' 00" O.Om WIDE x 550.0m LONG R/W.	PROJECT N [®] DB707 DRAWN PRB DESIGNED CHECKED DATE JUNE 15, 1988 SCALE HOR. 1: 500, VERT. 1: 50 CLIENT FAIRWINDS JOINT VENTURE PROJECT FAIRWINDS DEVELOPMENT SEWAGE TREATMENT PLANT EFFLUENT SEWER & WATER SUPPLY TITLE PLAN & PROFILE J+082.2 to J+309 FW/-030

KOERS & ASSOCIATES ENGINEERING LTD. Consulting Engineers

Appendix B Block Flow Diagram

THIS DRAWING REDUCED TO HALF SIZE

-															
15	ISUE	DATE	DITN	OND	APPD	DESCRIPTION	ISSUE	DATE	DRIN	CHD	APPD	DESCRIPTION	DESIGNED J.W.C. T3.	DAYTON & KNICHT ITS	REC
							14					-	B.HUI	DATION & KNIGHT LTD.	CON
	4						1						TWB 11	RI LODI 22 LO BO	OF THE NANOUSE W
	1												CHECKED INT	Dullter CLoury 88	

Appendix C Misc Details

4	ISSUE	DATE	DRIN	CHO	APP'D	- DESCRIPTION	ISSUE	DATE	DRIN	CHID	APPD	DESCRIPTION	DESIGNED JWCB.	DANTON & KNICHT LTD	
EVISION									+				DRAWN K.S.	CONSULTING ENGINEERS	OF THE NANOOSI
*													CHECKED JUNG	Buteller 22 July 88	PRIMAR

Appendix D Site Photos

20 13

1000

Appendix E Sample Form of Contract

REGIONAL DISTRICT OF NANAIMO

CONSULTING SERVICES AGREEMENT

THIS AGREEMENT made the <<u>Day></u> day of <<u>Month></u>, 20<<u>XX></u>.

BETWEEN:

REGIONAL DISTRICT OF NANAIMO 6300 Hammond Bay Road Nanaimo, BC V9T 6N2

(hereinafter called the "Regional District" or "Client")

AND:

<VENDOR NAME> <Street Address> <City, Province> <Postal Code>

(hereinafter called the "Consultant")

NOW THIS AGREEMENT WITNESSETH:

THAT in consideration of the terms, conditions and covenants hereinafter set forth, the Regional District and the Consultant covenant and agree each with the other as follows:

1 Appointment

The Regional District retains the Consultant to provide the Services (herein called the "Services") described in Schedule 'B' which is attached hereto and forms part of this Agreement.

2 Term

The Consultant will provide the Services during the period (hereinafter called the "Term") commencing on <<u>Enter Start Date></u> and ending on <<u>Enter End Date></u>, unless sooner terminated as hereinafter provided.

3 Payment

The Regional District will pay to the Consultant, for the Services, the amount, in the manner and at the times set out in Schedule 'A' attached hereto. The Consultant agrees to accept the amount as full payment and reimbursement. No additional amounts may be charged by the Consultant unless pre-approved by the Regional District in writing.

4 Independent Consultant

The Consultant will be an independent Consultant and not the servant, employee, or agent of the Regional District. The Consultant is not, and must not claim to be the Regional District's agent for any purpose unless the Regional District gives the Consultant authorization in writing to act as the Regional District's agent for specific purposes that are reasonably necessary to the Consultant's rendering of the Services pursuant to this Agreement.

5 Assignment and Sub-Consultants

The Consultant will not, without the prior written consent of the Regional District, assign or subcontract this Agreement or any portion thereof. The Consultant may retain subconsultants to assist in the performance of the Services provided that the terms of this Agreement shall apply to the subconsultants and provided that the Consultant shall be wholly responsible for the professional standards, performance and all actions of the subconsultants. The Consultant shall only employ subconsultants having the appropriate standards, qualifications, and experience in their respective areas of expertise. Notwithstanding the foregoing, Consultant may, where appropriate, subcontract any portion of the Services its affiliates without the Regional District's prior written consent and Consultant shall remain liable for the performance of such affiliates.

6 Intellectual Property

If any Intellectual Property is developed by the Consultant in the course of or in connection with the performance of the Services, the Consultant retains ownership of such Intellectual Property. Provided the Regional District has paid the Consultant for the Services, the Regional District will have a non-exclusive license to use any proprietary concept, product or process of the Consultant which relates to or results from the Services for the life of the Project and solely for purposes of its own internal use and for updating the original work, with respect to that part of the Project to which the Services relate.

7 Conflict

The Consultant shall not, during the term, perform a service for or provide advice to any person, firm or corporation where the performance of the service or the provision of the advice may or does, in the reasonable opinion of the Regional District, give rise to a conflict of interest between the obligations of the consultant to the Regional District under this Agreement, and the obligations of the Consultant to such other person, firm or corporation.

8 Limits of Liability and Consequential Damages Waiver

In consideration of the provision of the Services by the Consultant to the Client under this Agreement, the Client agrees that any and all claims which the Client may have against the Consultant, its employees, officers, agents, representatives and Sub-Consultants in respect of the Services, howsoever arising, whether in contract or in tort, save and except for claims arising out of or in connection with any malicious act or malicious omission under paragraph 9, shall be absolutely limited to \$1,000,000 or the insurance limits as set out in Clause 10, whichever is lower.

No action or proceedings for any breach of this Agreement shall be commenced by either party after the expiry of 6 years after the completion of the Services.

The Consultant's liability to the Client is limited to that proportion of the Client's losses for which the Consultant is responsible under this contract and for which the Consultant has a legal liability. For the avoidance of doubt, the Consultant shall not be held liable for special, indirect, economic or consequential damages, including for loss of profit.

9 Indemnity

Notwithstanding the provision of any insurance coverage by the Client, and subject to paragraph 8, the Consultant shall indemnify and save harmless the Client, its officers, employees, agents, successors, assigns, representatives, Consultants and Other Consultants from and against any losses, claims, damages, actions and causes of action, costs, expenses, judgments and proceedings arising out of or in connection with any error, or negligent or malicious act or omission, by the Consultant or any of its officers, agents, representatives, employees or Sub-Consultants, except to the proportionate extent of any contributing negligent or wrongful act or omission of the Client, or any of its officers, agents, representatives, employees, Consultants or Other Consultants. The terms and conditions, of this indemnity provision shall survive the completion of all Services and the termination of this Agreement for any reason.

10 Insurance

At the Consultant's expense, provide and maintain any insurance that the Consultant is required to provide by law. The Consultant must provide satisfactory proof of insurance coverage to the Regional District upon request.

Comprehensive General Liability Insurance in an amount not less than two million dollars (\$2,000,000.00) inclusive per occurrence against bodily injury and property damage. The Regional District is to be added as an additional insured under this policy, is to be endorsed to provide the Regional District with 30 days advance written notice of cancellation or material change and include a cross liability clause.

Professional liability (errors and omissions) insurance coverage shall be maintained to a limit of not less than \$1,000,000 per claim, \$2,000,000 aggregate within any policy year.

Automobile third party liability insurance in an amount not less than \$2,000,000 inclusive per occurrence for bodily injury, death, and damage to property, covering all vehicles owned or leased by the Consultant.

The Consultant will responsible for paying any insurance deductibles.

11 Termination

Notwithstanding any other provision of this Agreement:

a) If the Consultant fails to comply with any provision of this Agreement, then, and in addition to any other remedy or remedies available to the Regional District, the Regional District may, at its

option, terminate this Agreement immediately by giving written notice of termination to the Consultant.

b) Either Party may terminate this Agreement at any time upon giving the other Party seven (7) days' notice of such termination.

If either such option is exercised by the Regional District, the Regional District will be under no further obligation to the Consultant except to pay the Consultant such amount as the Consultant may be entitled to receive, pursuant to Schedule 'A', for services provided and expenses incurred to the date the said notice is given or delivered to the Consultant. The Consultant will refund to the Regional District any payment already made to the Consultant not yet earned.

12 Prior Dealings

All prior negotiations and agreements between the parties relating to the subject matter of this Agreement are superseded by this Agreement. There are no representations, warranties, understandings, or agreements other than those expressly set forth in the Agreement or subsequently agreed to in writing, which writing shall be executed by a duly authorized officer of the party to be bound thereby prior to the commencement of the work.

13 Waiver

The failure of either party at any time to require the other party's performance of any obligation under this Agreement shall not affect the right to require performance of that obligation in the future. Any waiver by either party of any such breach or any such provision hereof shall not be construed as a waiver or modification of this provision itself, or a waiver or modification of any other right under this Agreement.

14 Counterparts

This Agreement may be executed in counterparts with the same effect as if both parties had signed the same document. Each counterpart shall be deemed to be an original. All counterparts shall be construed together and shall constitute one and the same Agreement.

15 Dispute Resolution

If the parties to this Agreement are unable to agree on the interpretation or application of any provision in the Agreement, or are unable to resolve any other issue relating to this Agreement, the parties agree to the following process in the order it is set out:

- a) the party initiating the process will send written notice to the other party (the "Dispute Notice"); and;
- b) the parties will promptly, diligently and in good faith, including the senior management of both parties, take all reasonable measures to negotiate an acceptable resolution to the disagreement or dispute.

c) if the dispute is not resolved through collaborative negotiation within 30 Business Days of the dispute arising, the parties should then attempt to resolve the dispute through mediation under the rules of the Mediate BC Society and will be held in Nanaimo, BC. unless otherwise agreed.

16 Governing Law

This Agreement is governed by and is to be interpreted and construed in accordance with, the laws applicable in British Columbia.

17 Worksafe BC Coverage

Prior to the commencement of the work, all employers with employees must be registered with WorkSafe BC and remittance up to date. Self-employed proprietors or partners in a partnership, must have Personal Optional Protection coverage.

18 Delay in Performance

Neither the RDN nor the Consultant shall be deemed to be in default of this Agreement for delays in performance caused by circumstances beyond the reasonable control of the non-performing party. For purposes of this Agreement, such circumstances include, but are not limited to abnormal weather conditions, flood, earthquake, fire, epidemic, pandemic, war, riot and other civil disturbance, strike, lockout, work slowdown and other labour disturbances, sabotage, judicial restraint and inability to procure permits, licenses or authorizations from any local, provincial or federal agency for any of the supplies, materials, accesses or services required to be provided by either the RDN or the Consultant under this Agreement. If any such circumstances occur, the non-performing party shall, as soon as possible after being prevented from performing, give written notice to the other party describing the circumstances preventing continued performance and the efforts being made to resume performance of this Agreement.

19 Confidentiality and Privacy

Confidentiality

The Consultant will keep strictly confidential any information supplied to, obtained by, or which comes to the knowledge of the Consultant as a result of, relating to or arising out of the performance of the Services and this Contract (the "Confidential Information") and will not disclose such Confidential Information.

Notwithstanding the preceding sentence, the Consultant may disclose the Confidential Information:

- (a) with the prior written consent of RDN;
- (b) in strict confidence to the Consultant's professional advisors;
- (c) to Subconsultants who, in each case, need to know the applicable Confidential Information for the purposes of performing the Services; and

(d) as otherwise required by law or permitted by this Contract.

The Consultant will require all Personnel and SubConsultants to enter into an agreement with the Consultant containing provisions in the same form as those found herein.

Exceptions to Confidentiality Obligations

The obligations of confidentiality will not apply to:

- (a) information that is, or subsequently becomes, publicly available other than through a breach of this Contract or through a breach of a confidentiality agreement which another person has entered into concerning the Confidential Information;
- (b) information that the Consultant already possessed independently before commencing the Services;
- (c) information that is rightfully received from a third party without breach of any obligation of confidentiality by such third party; or
- (d) information which is independently developed without the use of the Confidential Information.

Collection or Use of Confidential Information

Except with the prior written consent of the RDN, the Consultant will not collect or use, and will ensure that its professional advisors and Subconsultants do not collect or use, the Confidential Information for any purpose other than complying with the terms of this Contract or performing the Services. Without limiting the generality of the foregoing, except with the prior written consent of RDN, the Consultant will not collect or use, and will ensure that its professional advisors and Subconsultants do not collect or use, the Confidential Information to advance the commercial or other interests of the Consultant or any Subconsultant or any subconsultant.

Privacy

The Consultant acknowledges that the RDN is subject to the Freedom of Information and Protection of Privacy Act, R.S.B.C. 1996, c. 165, as amended ("FOIPPA"), and accordingly, any documents, information and data submitted to RDN by the Consultant under this Contract, as well as any resultant studies, documents, information, and date received by the RDN may be disclosed under FOIPPA. The Consultant will not do or omit to do anything that causes the RDN to be not in compliance with FOIPPA.

Publicity

The Consultant will not issue any press release or speak to the media about this Contract or the subject matter of this Contract without the prior written consent of the RDN, which consent may be unreasonably withheld. The Consultant will refer all media inquiries relating to the Services or the Contract to the RDN.

SIGNATORIES

IN WITNESS WHEREOF the parties hereto have executed this Agreement the day and year first above written.

For the Regional District of Nanaimo:

Signature

Printed Name, Title

For the Consultant, < Company Name or Consultant's Name>:

Signature

Printed Name, Title

SCHEDULE 'A' FEES & EXPENSES

Total compensation to be paid to the Consultant by the Regional District of Nanaimo shall not exceed a maximum of **\$<Enter Amount>** in Canadian Dollars. This compensation includes all fees and expenses including GST. If the services are completed by the consultant at less cost than maximum amount, the Regional District shall be billed only for actual hours worked and actual expenses incurred. If the Consultant receives the Maximum Fee, but has yet to complete the Services, it shall continue to provide the Services until it has provided all the Services.

The Consultant shall submit invoices to the Regional District for Services performed monthly (the "billing period") during which the Services are performed under this Agreement; such invoices to be submitted as soon as practicable after each billing period. The invoice submitted for each billing period shall be clearly itemized to show the amount of work performed, the billing rates, the reimbursable expenses and the costs incurred to employ any subconsultants. Except for the amounts which the Regional District in good faith is disputing and except for invoices (or portions of invoices) in respect of which the Regional District has requested and not received supporting evidence, the Regional District shall pay invoices submitted to it for the Services within 30 days' receipt thereof.

SCHEDULE 'B' SCOPE OF WORK

Enter/Attach RFP Response, Scope of Work, Deliverables and Timeframe