













- **September 2022:** Draft results were presented to the DWWP TAC to share early project findings and get feedback from committee.
- December 2022: Received draft report, sent to select members of the DWWP TAC for detailed technical edits.
- Finalization was on hold, pending Provincial aquifer boundaries updates.
- **June 2023:** Province published aquifer mapping updates.
- June September 2023: consultants re-running model and revising report according to new mapping and DWWP TAC and staff comments.
- Mid-September 2023: Final report submitted to RDN, shared with TAC and project partners.
- October 2023: Final Report presented to RDN Board.
- Ongoing: Use findings to inform concurrent Planning initiatives, including Area F OCP Update.

- **September 2022:** Draft results were presented to the DWWP TAC to share early project findings and get feedback from committee.
- December 2022: Received draft report, sent to select members of the DWWP TAC for detailed technical edits.
- Finalization was on hold, pending Provincial aquifer boundaries updates.



- June 2023: Province published aquifer mapping updates.
- June September 2023: consultants re-running model and revising report according to new mapping and DWWP TAC and staff comments.
- Mid-September 2023: Final report submitted to RDN, shared with TAC and project partners.
- October 2023: Final Report presented to RDN Board.
- Ongoing: Use findings to inform concurrent Planning initiatives, including Area F OCP Update.


- **September 2022:** Draft results were presented to the DWWP TAC to share early project findings and get feedback from committee.
- December 2022: Received draft report, sent to select members of the DWWP TAC for detailed technical edits.
- Finalization was on hold, pending Provincial aquifer boundaries updates.
- **June 2023:** Province published aquifer mapping updates.
- June September 2023: consultants re-running model and revising report according to new mapping and DWWP TAC and staff comments.
- Mid-September 2023: Final report submitted to RDN, shared with TAC and project partners.
- October 2023: Final Report presented to RDN Board.
- Ongoing: Use findings to inform concurrent Planning initiatives, including Area F OCP Update.

- **September 2022:** Draft results were presented to the DWWP TAC to share early project findings and get feedback from committee.
- December 2022: Received draft report, sent to select members of the DWWP TAC for detailed technical edits.
- Finalization was on hold, pending Provincial aquifer boundaries updates.
- **June 2023:** Province published aquifer mapping updates.
- **June September 2023:** consultants re-running model and revising report according to new mapping and DWWP TAC and staff comments.



- Mid-September 2023: Final report submitted to RDN, shared with TAC and project partners.
- October 2023: Final Report presented to RDN Board.
- Ongoing: Use findings to inform concurrent Planning initiatives, including Area F OCP Update.


- **September 2022:** Draft results were presented to the DWWP TAC to share early project findings and get feedback from committee.
- December 2022: Received draft report, sent to select members of the DWWP TAC for detailed technical edits.
- Finalization was on hold, pending Provincial aquifer boundaries updates.
- **June 2023:** Province published aquifer mapping updates.
- June September 2023: consultants re-running model and revising report according to new mapping and DWWP TAC and staff comments.
- Mid-September 2023: Final report submitted to RDN, shared with TAC and project partners.
- October 2023: Final Report presented to RDN Board.
- Ongoing: Use findings to inform concurrent Planning initiatives, including Area F OCP Update.



Objective:

To develop a refined numerical water budget model for the French Creek Water Region (WR3) to understand current and future water availability & constraints.

Phase 3 builds upon the Phase 1 conceptual model and preliminary water budgets, and the Phase 2 expanded data collection and monitoring




Aquifer Mapping Updates


All existing aquifer boundaries were updated and there are three newly delineated aquifers in the study area:

1250 - below aquifers 217 and 216; between Morningstar Creek and Grandon Creek

1248 - French Creek valley and delta

1252 - near Morison Creek; above aquifer 209





Water Supply Systems in Project Area by Aquifer

RDN French Creek Aquifer 1250 (now connected to TQB)
 RDN Surfside Aquifer 664
 Town of Qualicum Riverside Aquifer 664
 Town of Qualicum Berwick Aquifer 217 + 1250
 City of Parksville Springwood Aquifer 216
 City of Parksville Railway Aquifer 216
 EPCOR French Creek North Aquifer 1250
 EPCOR French Creek South Aquifer 216

Groundwater - Surface Water Interaction

Likely connections, high confidence:

- Little Qualicum River & Aquifer 664
- French Creek & Aquifers 220, 216, 1248, 1250
- Whiskey Creek & Aquifer 663
- Englishman River & Aquifers 220 and 212

Potentially connected

- Beach Creek & Aquifer 217
- Confluence of Little Q and Whiskey Creek & Aquifer
 217

Likely not connected to groundwater, high confidence

- Grandon Creek
- Carey Creek



Aquifer Stress - Water Budget Calculations

Groundwater extraction (private and municipal groundwater use) and discharge (baseflow or gw contribution to streamflow)

-- divided by --

the total inputs to the aquifer (precipitation, vertical or lateral leakage from adjacent aquifers)


= relative Aquifer Stress (%)


Table 24: Phase 3 French Creek Wate	r Budget Aquifer Stress Classification
-------------------------------------	--

Stress%	Stress Classification
0 – 10	Low
10 – 20	Moderate
20 – 30	High
> 30	Very High

Aquifer Stress - Current Conditions







Scenario 1: Climate Change

The % of annual rain will increase and the % of snowfall will decrease.

Dry season gw recharge rates decreased, length of dry season increased to 6 months, increased water demand for agriculture.

Additional precipitation from storm events linked to greater overland flow and surface water discharge to ocean, rather than gw recharge.

Table 26: Summary of Projected Climate Change for Nanaimo Region (PCIC, 2022)

Climate Variable	Season	Median	Range (10th to 90th percentile)
Projected changes to the 2050s (2040	-2069)		
Temperature (°C)	Annual	+2.7°C	+1.9°C to +3.9°C
Precipitation (%)	Annual	1.70%	-1.5% to +5.4%
	Summer	-13%	-41% to +3.0%
	Winter	3.40%	-0.22% to +9.3%
Precipitation as Snow* (%)	Annual	-82%	-91% to -75%
	Winter	-85%	-91% to -76%
	Spring	-80%	-93% to -56%
Projected changes to the 2080s (2070	-2099)	•	•
Temperature (°C)	Annual	+4.3°C	+3.2°C to +6.0°C
Precipitation (%)	Annual	7.60%	-0.52% to +13%
	Summer	-24%	-56% to -5.3%
	Winter	13%	+0.50% to +19%
Precipitation as Snow* (%)	Annual	-92%	-97% to -84%
	Winter	-94%	-98% to -86%
	Spring	-91%	-100% to -71%

Notes

- Climate variables marked with " are derived from temperature and/or precipitation values, and are not direct outputs of the climate models.
- CAUTION: Percent changes from a low baseline value can result in deceptively large percent change values. A small baseline can occur
 when the season and/or region together naturally make for zero or near-zero values. For example, snowfall in summer in low-lying
 southern areas.

Scenario 2: Build-Out Water Demand

Applied 567 L/day/lot for residential water demand, accounting for the total lots given full build out based on zoning.

Some rural lots currently used for agriculture (outside of ALR) will be redeveloped as residential eventually based on zoning.

REGIONAL DISTRICT OF NANAIMO

Table 27: Summary of Build-out Information in the Project Area

	Area F (in Project Area)	Area G (in Project Area)	Total
Current Lots	897	2,059	2,956
New Lots Future Build-out	854	1,368	2,222
Total Lots Future Build-out	1,751	3,427	5,178
	•		

Notes

a. Based Area F and G Build-out geodatabase provided by RDN September 2022


Scenario 3: Land Cover Change

Full subdivision potential build-out

35% lot coverage (impervious) for lots <3 ha


10% lot coverage (impervious) for lots >3 ha


Groundwater recharge rate reduced accordingly



Aquifer Stress - Combined Future Scenario (Climate, Demand at Build Out, Land Cover Change)









Aquifer Stress - Combined Future Scenario (Climate, Demand at Build Out, Land Cover Change)









Aquifer Stress - Combined Future Scenario (Climate, Demand at Build Out, Land Cover Change)









Predicted Water Level Change in Bedrock Aquifers - Combined Scenario

For Aquifer 220, water levels are predicted to decline by over 20m in the upper elevations, reflecting the effects of climate change and reduction in recharge.

Bear in mind that Aquifer 220 is characterized as low productivity.





KEY FINDINGS - Groundwater

The following aquifers are rated as high or very high stress in the current and future scenarios and should be prioritized for management and monitoring:

- Aquifer 209 (private wells)
- Aquifer 216 (Parksville, Epcor, private wells)
- Aquifer 1250 (Epcor, TQB)
- Aquifer 664 (Town of Qualicum, RDN Surfside)
- potentially Aquifer 1248 pending final review (private wells)

KEY FINDINGS - Surface Water

In the combined scenario, groundwater baseflow in French Creek is predicted to decrease by up to 19% from the Future Base Case scenario at the end of the dry season.

French Creek is classified as High Stress (based on water availability and licensed demand) and as Risk Level 3 under the Environmental Flow Needs (EFN) Policy Framework, meaning the aquatic environment may be severely flow-limited and reaching a threshold of concern.




Recall that French Creek is estimated to be hydraulically connected Aquifers 220, 216, 1248, 1250


Using the results to...

- inform Planning Policies -- i.e. Official Community Plans and Development Permit Areas for Aquifer Protection, Regional Growth Strategy (water limits as limits to growth).
- inform Regional Water Supply Planning and Provincial Water Allocation Decisions
- inform Water Management in Community Systems and Water Conservation Efforts for all Water Users (serviced and unserviced).

The **Final French Creek Water Budget Report** will be complete before end of September. It will go to RDN Board Oct. 24th. A **data viewer** being built to help share results with municipal partners, planning staff etc.

Area F Official Community Plan Update





Area F Official Community Plan Update

Development Permit Areas for Aquifer Protection

Proposed categories:

1. Intensive Land Use

2. Vulnerable Aquifers

3. High Stress / Low Productivity Aquifers

Proposed requirements:

> Hydrogeological Assessment & Rainwater (Stormwater) Management Plan

> Rainwater (Stormwater) Management Plan

> Rainwater Harvesting System

Area F Official Community Plan Update

Implementation of Watershed Performance Targets //

Rainwater (Stormwater) Management Plan Checklist

Category	Description	Recommended Performance Targets
Baseflow Release Rate (L/s/ha of impervious area)	Replicates interflow and is used to augment stream baseflow discharge	0.2
Retention Volume (m3/ha of impervious area)	Replicates interflow storage and is used to control interflow rate and allow time for water to infiltrate into groundwater aquifers	450
Infiltration System Area (m2/ha of impervious area)	Replicates groundwater recharge and is defined as the area on a lot where water can infiltrate into groundwater systems	120
Flood detention volume (m3/ha of total development area)	Storage to mitigate peak flows for 1 in 50 year storm events. These are generally more suited to larger lot redesign and centralized facilities such as neighborhood scale stormwater ponds	750

Component	Details
Site Conditions Pre- & Post	☐ Site/ location map including:
Development	o Topography
	 Existing mapped watercourses
	 Underlying mapped aquifers – incl. recharge areas or capture zones
	 Catchment areas / drainage patterns and flow direction
	o Setbacks
	 Downgradient wells
	☐ Summary of the assumed pre-development (natural), existing site conditions.
	☐ Summary of the expected post-development site conditions. Including:
	 Area distribution of land cover types
	o Total Impervious area
	o Impervious area as % of developed area
Performance Targets	☐ Acknowledgement of performance target values as presented in DPA/OCP [see
	performance targets as developed for French Creek Water Region below]
Local Concerns	☐ Document local area concerns at the site and in the surrounding context i.e. flooding
	surface water quality, erosion, ecological sensitivity, aquifer vulnerability
Hydrologic and Hydraulic	☐ Describe the climate data, IDF curve used
Parameters, Assumptions and	☐ Examine 10 min, 1h, 6h, 12h, 24h storms & 2-yr, 5-yr, 10-yr, 25-yr, 100-yr events
Calculations	□ Reference runoff coefficients used
	☐ Summarize how climate change was considered in the calculations
Rainwater Management	Overview of rainwater management features being proposed on site and how they
Features	address each category of the performance targets/ water balance approach.
. cotares	☐ State the following actual values, and how they are achieved on site, along with a
	comparison to the performance targets values:
	Baseflow release rate
	o Retention volume
	o Infiltration area
	o Flood detention volume
	☐ Document the presence and purpose of retention and detention storage facilities on
	site (E.g. Ponds, bioswales, rain gardens, below-ground infrastructure)
	Describe how they meet the volume requirements outlined in the performance
	targets, relative to total development area.
	Document the presence of an outlet structure from the retention storage. (E.g. a pip
	with orifice or means to restrict outflow).
	Describe the assumed outflow rate and how that meets the baseflow release
	rates described in the performance targets.
	☐ Include features that encourage infiltration.
	 At least 100 sq metres of infiltration area should be provided for every hectare of impervious area, if the performance targets are met.
Possing Engrapment / Water	
Receiving Environment / Water Quality	☐ Describe how water quality will be addressed to minimize risk to receiving environments.
Quality	
Altamatica Tanata /	☐ Include any applicable water quality test results.
Alternative Targets /	If any of the performance targets cannot be met:
Justification of Unmet Targets	☐ Provide clear justification of why, and what values for baseflow release rate, retention
	volume, infiltration area and flood detention volume are achieved in the design.
	☐ Alternative targets should be proposed that meet the intent of the overall rainwater
	management objectives to mimicking the natural water balance of the watershed.
Conclusions and	☐ Summarize recommendations; maintenance and/or monitoring approaches for
Recommendations	proposed rainwater management features. Outline who is responsible for what.

Currently out for review w/3 qualified professionals. Committee members can provide feedback now/by Friday to be considered in the review.

Regional Drought Response Summary

Watering Restrictions Timeline (RDN Service Areas)

- April 1st Stage 1 (normal)
- May 1st Stage 2 (normal)
- June 15 Stage 3 (drought response)
- July 5 Stage 4 (drought response)

What watering restrictions are in effect where you live?



Provincial Drought Rating Timeline (E. Van Island)

- June 8 Level 3 Drought Adverse Impacts Possible
- June 29 Level 4 Drought Adverse Impacts Likely
- July 13 Level 5 Drought Adverse Impacts Almost Certain



Level 4 Drought and higher call for local water restrictions and the highest level of conservation. Based on hydrological drought conditions mostly quantified by streamflows.

Regional Drought Response Summary

Public Communications



Door hangers

Social media

The WaterSaver contest runs all summer long and closes September 25. Watch for additional water saving tips and contest posts throughout the summer for more entries! Also look for Team WaterSmart's booth at your community events for more chances to win.

For more information and to get your WaterSmart Yard sign click here getinvolved.rdn.ca/team-watersmart

#TeamWaterSmart #lamWaterSmart



getinvolved.rdn.ca Team WaterSmart

earn more

Vegetable gardens and fruit trees are exempt from all watering restrictions even stage 4.

△ Drip irrigation of gardens is permitted between 7 a.m.-10 a.m. or 7 p.m.-10 p.m.

Hand watering of gardens is permitted but must be done using a hand-held container or a hose equipped with a shutoff device.

Not all water providers in the region will be moving to Stage 4 at this time. Please refer to the interactive map of water service areas, including their current watering restrictions at www.rdn.bc.calwatering-restriction-map

#TeamWaterSmart

tage 4 Watering Restrictions now in effect





Radio ads / interviews

Regional Drought Response Summary

Provincial Communications

What government is doing



Local water restrictions

In B.C., drought response is a shared responsibility with the Province, the federal government, water providers, regional districts, municipalities and First Nations. During these severe drought conditions, the Province is supporting local governments to conserve

Depending on their water sources, the situation can be very different in individual communities even in communities that are relatively close.

Check with your local municipal authority or First Nations for water restrictions in your community



Temporary Protection Orders

The Province issues Temporary Protection Orders (TPOs) under the Water Sustainability Act. TPOs are only issued if absolutely necessary and water levels put the survival of a fish population or the environment at risk.

Before issuing a TPO:

- Impacted water licensees receive a letter asking for voluntary water conservation
- The Province meets with local First Nations to discuss drought options
- A public information meeting may be held





Supporting farmers and ranchers

The Province is working with the agricultural community and the federal government to support B.C. producers. This includes proactively applying to the federal government for AgriRecovery funding.

- · Contact AgriService BC for help applying to support programs or receive specialized
- View the <u>summary of available supports</u> and resources (PDF, 479 KB)
- Additional farming resources during drought conditions

B.C. has declared a provincial state of emergency. Our wildfire response | Evacuation information | Find wildfire



Drought information, resources and response for B.C.

A Drought conditions put communities at higher risk of wildfire. Plan, prepare and stay informed about wildfires in B.C.

English | 繁體中文 | 简体中文 | Français | ਪੰਜਾਬੀ

B.C. is taking action to reduce the impacts of severe drought conditions. Everyone is being urged to do their part to conserve water. Every drop counts.

Last updated: September 8, 2023

BRITISH COLUMBIA





Supporting communities

The Province is working directly with communities to respond to these challenges. In preparation for dry conditions, the Province developed a Drought and Water Scarcity Response Plan (PDF, 1.12 MB). Government is currently using this plan to develop resources and work with communities to respond to their local conditions.



Reducing water consumption

Government is working to save water for essential areas by:

- Reducing water use in provincial government properties
- Helping large industry increase water conservation
- Encouraging voluntary conservation
- Ensuring water licensees remain in compliance of the Water Sustainability Act



Water reimbursement program

A reimbursement program for First Nations and local governments for the transportation of alternate drinking water is available. If required, First Nations and local governments should contact their provincial regional emergency coordination centre.


Current Temporary Protection Orders




Regional Drought Response Summary


Groundwater Conditions

Aquifer 664 (Little Qualicum) - Much Below Normal



Aquifer 217 (Qualicum ——)
Beach) - Much Above Normal






Aquifer 709 (Gabriola) - Below Normal





Aquifer 161 (Cassidy) - Normal





Regional Drought Response Summary











Regional Drought Response Summary

Key takeaways:


- Inter-regional support and coordination is needed.
- Conservation education and communication first; then tools for enforcement.
- Connect importance of reducing consumption to ecological health.
- New normal?




Community Watershed Monitoring Network

- Program began in 2011
- Partners: 14 community watershed stewardship groups, Ministry of Environment, Mosaic Forest Management, and RDN DWWP







- Trained volunteers collect water chemistry data during two 5-week periods across the region
- Data publicly accessible
- Results reported to public annually



Surface Water Quality Data Results 2022

- Data analysis completed by Ecoscape Environmental Consulting:
 - Box plot visual comparison of 2022 data to all previous years
 - Compilation of sites with values outside of water quality guidelines
 - Trend analysis of sites with 6 years+ data
 - Geodatabase of site basins and 500 m upstream area of influence
 - Memorandum of data analysis completed (www.rdn.bc.ca/cwmn)





2022 Data Trend Analysis Results

- Completed on sites with 6 years+ data
- Recommendations are and will continue to be supported through agency and steward partnerships and collaborations

WR(s)	Site(s)	Parameter(s)	Trend	Interpretation/Recommendation
1, 2, 5	Rosewall Creek, Annie Creek, Upper Cameron River, Nanoose Creek, Chase River	Dissolved Oxygen	Increasing	Improvement: No Action Required.
1	Big Qualicum River	Temperature	Decreasing	Improvement: No Action Required.
2	Little Qualicum River	Turbidity	Increasing	Values still in reasonable range but continued monitoring warranted.
3	Grandon Creek	Dissolved Oxygen	Increasing	Values still low relative to instantaneous minimum but improving. Targeted nutrient sampling recommended.
3	Beach Creek	Turbidity	Increasing	Land Use / Riparian Assessment recommended to determine cause. Potential for stormwater mgmt. improvements and riparian planting.
4	Centre Creek	Dissolved Oxygen/ Temperature	Increasing/ Decreasing (Improving)	Slow rate of change, exceedances still occurring; continued monitoring recommended.
4	Upper Englishman River	Sp. Conductivity	Increasing (Degrading)	Values still relatively low, but fast rate of change. Physical/Riparian assessment recommended.
4	Upper Englishman River	Turbidity	Increasing	Slope of trend low; continued monitoring recommended.
4	Swayne Creek	Temperature	Decreasing	Improvement; Continued monitoring recommended.
4	Shelly Creek	Temperature, Turbidity/ Dissolved Oxygen	Decreasing/ Increasing	Improvement; Continued monitoring recommended.
4	Shelly Creek (at Hamilton Rd.)	Sp. Conductivity	Increasing (Degrading)	Land Use / Physical Assessment to identify sources.
5	Walley Creek	Sp. Conductivity	Increasing (particularly summer period)	Values in reasonable range but continued monitoring warranted. Likely due to low flows making water less dilute.
5	Millstone River	Dissolved Oxygen/ Turbidity	Decreasing/ Increasing (Degrading)	Riparian assessment and lake assessment (Brannen Lake) recommended.
5	Chase River confluence w/ Cat Stream	Sp. Conductivity	Increasing	Likely influenced by road run-off. Review stormwater mgmt.

40+ attendees from stewardship organizations, local and senior government, private consultants, and members of the public

Event included

- Information booths and interactive displays - IWFF, QBS, BCCF, and DWWP
- Handouts with 2022 data results by Water Region
- Catered lunch
- Native plant giveaway
- Presentations
- Interactive discussion



...from boots and monitoring equipment in the creek, to policy actions and water stewardship outcomes!

Presentations


- Data to Action and event moderator (Julie Pisani, RDN DWWP)
- 2022 water quality data summary (Lauren Fegan, RDN DWWP)
- Technical guest presenters:
 - 1. Provincial Hydrology Program (Sarah Hardy, ENV)
 - 2. Community Flow Monitoring Network (Aliandra Badger, BCCF)
 - 3. Community Stream Mapping (Arin Yeomans-Routledge, Weaver Tech)






Graphic Artist Info-graphics

- Live graphic artist recording of the event with a facilitated discussion
- Two info-graphics were produced:
 - 1. Recording of workshop presentations and discussions
 - 2. Data to Action info-graphic






OF NANAIMO

Positive outcomes

- Increased understanding of our watersheds - Water Region summaries, presentations, infographics, and technical memo distributed in-person and digitally
- Making connections and relationships to enhance and expand watershed stewardship



www.rdn.bc.ca/cwmn www.getinvolved.rdn.ca/watershed-stewardship-network COMMUNITY WATERSHED MONITORING NETWORK



ENGAGEMENT

Stream keepers First Nations

RDN

Province

consultants volunteers

ACTION

STEWARDSHIP, OUTREACH, POLICE



Stream/ riparian enhancement & restoration

Education &

Outreach



Green infrastructure

Development

review



Licensing/ permitting



Best management practices






WATER

Surface water

quality

CHEMISTRY






PHYSICAL ASSESSMENTS STREAMFLOW/ HYDROMETRIC

Lake levels stream Rain

Groundwater

gauge



NDING

GRANTS

Surveys

Mapping





Residential Irrigation Check-Ups 2023

- 15 irrigation checks completed in July 2023 for high-water-users within Lantzville, Nanoose Bay, Parksville and Nanaimo
- Irrigation checks were offered to those on a waitlist from 2022
- Each resident received a comprehensive report outlining findings including:
 - Leaks and inefficiencies
 - Recommendations for improvements
 - General WaterSmart landscaping tips





Team WaterSmart Summer and upcoming

Events 2023

Summer Events:

- July 16 Qualicum Beach Days
- August 12 Lantzville Minetown Day
- August 13 Coombs Fair

Upcoming Events:

- River's Day events-
 - Sept 22 Nanaimo River Watershed Tour
 - Sept 23- Nanaimo River Walking Tour
- Oct 3- Elder College Active Aging Week- Nanoose Place
- Oct 14- Gabriola Farmers Market
- Oct 18 Island Roots Market- Nanaimo
- Oct 29 Cedar Farmer's Market






Youth Ambassadors Pilot Project

Summary:

- Pilot program launch Sept 2023 with full program launch Sept 2024
- With support of champion teachers, the pilot program will be introduced to Eco-clubs at NDSS and Wellington High school later in September
- Pilot Program includes RDN departments:
 - Water Services- DWWP
 - Energy and Sustainability -Climate Resilience
 - Parks Operations -Invasive Species

This program will be developed with input from youth to ensure there is buy-in and that the program fits their needs.





Youth Ambassador Pilot Project

Goals:

- 1. Facilitate youth engagement and participation in climate action and environmental stewardship in their local communities.
- 2. Build capacity and inspire youth to take on leadership roles within their schools, communities, and beyond.
- 3.Encourage collaboration and partnerships between youth, community organizations, businesses, schools, and government agencies to amplify the impact of environmental initiatives and create a network of support.
- 4. Increase environmental awareness among youth participants by providing education and training opportunities



Youth Ambassador Pilot Project

Youth-led projects

in this category, youth are leading an event or collaborative opportunity and can access the RDN's youth ambassador program to support through different channels (i.e., funding, advertising, etc.)

RDN Offered Opportunities


RDN will offer various opportunities to students to work alongside RDN staff in different departments. During the pilot program, these opportunities will be sent to the champion teachers who will place students from their classrooms and Eco Clubs

Education and Training

RDN will offer training and education opportunities for youth to learn more about climate change, water protection and science, invasive species and other topics related to environmental protection in our region.



Youth Ambassador Pilot Project



Next steps:

Sept 2023- meet with youth at Eco-clubs at NDSS and Wellington to introduce program and gather input

Sept 2023- June 2024- support projects and offer opportunities to youth based on input, gather feedback at end of school year

Summer 2024- revise program as needed based upon feedback from pilot program

Sept 2024- Full program launch - program opens up to more or all schools in SD 68 & 69 and expands to include all students, not just eco-club participants.

WellSmart Workshops 2023

WellSmart workshops feature speakers from the Ministry of Forests and Island Health and give residents an opportunity to learn about proper well maintenance and protect the quality and supply of their drinking water

Two in-person workshops this fall:

October 26, 6-8 p.m. at the Aggi Hall on Gabriola Island

November 1, 6-8 p.m. at the Cavalotti Hall, East Wellington Nanaimo

Register for free at rdn.bc.ca/wellsmart





Upcoming School Watershed / Treatment Plant Field Trips

- Six Watershed Field trips for Grades 4&5 are planned for Fall 2023:
 - 3- SD 68 Nanaimo River, 3- SD 69- Englishman River
 - Nanaimo River- visit the City of Nanaimo Water Treatment plant then head up to the source of our drinking water at Jump Lake
 - Englishman River- visit the City of Parksville Water Treatment Plant then, visit the Englishman River Hatchery and learn about watershed health at the Englishman River Regional Park

Both trips include place-based learning activities and special guests. Pre and Post-trip activities are provided to the teachers and the content is connected to Grade 4&5 curriculum Life & Earth science






Upcoming Community Watershed Monitoring Stewardship Recognition Event

A thank-you event to celebrate CWMN volunteers & introduce potential new members to the program!

- Thursday, November 23rd, 12:00pm to 3:00pm, at Nanoose Place
 - Catered lunch, door prizes, games and activities, and more!
 - Event open to the public who are interested in learning more about volunteering
- Opportunity for CWMN groups to showcase their group to potential new recruits with a short presentation and/or info table
- Invitation to CWMN members coming soon
- Promotion through partner networks, RDN social media, & Get Involved

Cedar-Yellowpoint-Cassidy Water Budget Phase 3 - Scoping

- Identifying study area
- Engaging partners
- Determining project objectives
 - quantify water availability in groundwater and surface water sources
 - estimate demand in current and future scenarios
 - assess relative stress
 - identify critical areas for management
- Procurement- winter; project start- spring








Updated Committee ToR

Board interest to make this committee an "Advisory Committee - Select".

That means there would be Board membership (1-3 Directors appointed; one would Chair).

Membership would otherwise stay the same / similar.

Would create a more direct linkage with the Board, improve communications with Directors about program activities.



Thoughts? Comments?



Thank you!

next meeting: December 6, 2023



