# Construction Waste Best Practices Guide

April 2023







# **TABLE OF CONTENTS**

Overview	1
The Business Case	2
Deconstruction and Salvage	3
Reuse	5
Recycling	6
Material Selection	8
Resources	13
References	15



Synergy Foundation prepared this document for the Regional District of Nanaimo (RDN). Feedback is included from the construction and demolition industry.





## Copyright

All rights are reserved. Material may not be used or reproduced without the prior written consent of the Regional District of Nanaimo.

#### **Disclaimer**

The information in this website guide is provided in good faith for the interest and convenience of the general public. The Regional District of Nanaimo makes no representations as to, and does not warrant, the accuracy or completeness of any information in this website guide; you should confirm all information before making any decisions based on it. The Regional District of Nanaimo disclaims all responsibility for accuracy and completeness, or errors and omissions of the information contained in this website guide. In no event will the Regional District of Nanaimo be liable or responsible for damages of any kind arising from the use of or reliance on information from this website guide.

Where links to other sites resources are provided, the Regional District of Nanaimo accepts no responsibility for the contents of those sites. Reference in this website guide or on any linked website to any specific commercial product, process or service by trade name, trademark, service mark, manufacturer or otherwise does not constitute or imply endorsement, recommendation or favouring by the Regional District of Nanaimo.

# 1. OVERVIEW

The Regional District of Nanaimo's (RDN) 2020 Solid Waste Management Plan establishes a target to divert 90% of the region's waste away from landfill by 2030. To achieve this goal, the RDN has updated its Zero Waste Strategy to include the introduction of two critical solid waste bylaws. The Mandatory Waste Source Separation bylaw will require all commercial, institutional and multifamily buildings to sort their waste into three streams: garbage, recycling and organics. The Waste Hauler Licensing bylaw encourages the private waste industry to take part in diversion by making it more profitable to divert materials than to landfill them<sup>1</sup>.



This Zero Waste Hierarchy promotes the highest and best uses of materials to support a circular economy.

The RDN's construction sector is one of the region's most significant employers, accounting for **9.5% of the labour force**<sup>2</sup>. This robust sector continues to flourish, and with this growth comes pressure on local landfills to absorb the waste generated from construction and demolition activities.

A recent landfill composition study showed that 58% of materials being landfilled can be readily reused, recycled or composted and many of these materials are from the construction and demolition, commercial and multi-family sectors. In fact, 7% of all commercial waste is from building materials with another 32% from paper, plastics, glass and metals combined<sup>1</sup>.

Reducing building material waste by 50% would equate to 295 garbage trucks of waste and 1,185 tonnes of green house gas (GHG) emissions saved.

The construction and demolition industry has the potential to make a significant impact on the RDN's waste diversion targets through deconstruction and salvaging practices, material reuse, recycling and procurement.

This guide has been created as a resource to identify upstream and downstream opportunities to reduce waste and improve environmental performance.

#### **Construction at a glance:**



Goal of 90% waste diversion by 2030



Employs 9.5% of RDN labour force



**58% of materials** can be diverted from landfill



Accounts for 7% of commercial waste



50% building waste reduction = 1,185 tCO2 avoided

- 1 Regional District of Nanaimo, Solid Waste Management Plan Summary, Planning for the Future of Our Waste
- 2 Statistics Canada, Nanaimo Regional District, Labour Counts

# 2. THE BUSINESS CASE

The construction industry is under pressure from customers, local government and the workforce to build and operate with a lower environmental impact to enhance sustainability. While proper waste management is one component of a sustainable job site, it represents a huge opportunity for the environment and your business.



## Why should you care about implementing more sustainable practices within your company?

- Reduce your environmental impact reducing the waste sent to landfill through deconstruction, structural moving, reuse and recycling will reduce your environmental impact, benefit your community, create local jobs and result in lowered GHG emissions.
- **Position your business as a leader** make a statement with green practices that go beyond regulations and create a positive brand image and work environment.
- Attract and retain top talent workers are seeking value-aligned employers; in a competitive industry this gives you an edge.
- Reduce operational costs and recover valuable materials only bring materials that are not recyclable to the landfill to receive a reduced tipping rate for waste haulers and avoid surcharges. Receive tax credits from donating recovered materials to charitable organizations.
- Get ahead of the curve before it becomes required compliance many bylaws have come into effect across B.C. to promote deconstruction and waste diversion onsite. Municipalities have also started moving towards more sustainable purchasing practices, requiring a degree of compliance to secure a contract.



# 3. DECONSTRUCTION AND SALVAGE

If there is an existing structure onsite that needs to be removed, consider deconstruction over demolition. When full deconstruction is not feasible, a salvager can recover a portion of valuable materials before demolition, significantly reducing waste generated and extending the life of these materials.

#### WHY DECONSTRUCT?



Reduce 4 million tons of construction, renovation and demolition waste that is generated annually in Canada. Of that, 37% is old growth lumber<sup>4</sup>.



Salvage valuable materials including old growth lumber, windows, cabinetry, copper piping and appliances.



Divert **95% of material** by volume from landfill. In a typical deconstruction, 70% of materials can be recycled and 25% can be reused<sup>5</sup>.



Receive **federal and provincial tax credits** for materials donated, making deconstruction cost comparative and often more cost effective than demolition.



Retain and attract top talent in a highly competitive industry while supporting local job creation. For every 1 job created through demolition, 6 are created through deconstruction<sup>4</sup>.



Homes built before 1950 are the best candidates for deconstruction as they contain a more significant quantity of high-quality building materials and old growth lumber.

11% of homes in the RDN were built before 1960<sup>6</sup>.

- 5 Delta Institute, Deconstruction & Building Material Reuse
- Regional District of Nanaimo, Regional Housing Needs Report

#### CASE STUDY: TECTONICA MANAGEMENT DECONSTRUCTION PROJECT

Based in Nanaimo, Tectonica Management is one of Vancouver Island's leading construction and project management companies. Tectonica specializes in the development of commercial, educational, government, institutional and residential projects of all sizes.

In 2021, Hirst Avenue Townhouses, in partnership with Tectonica Management, opted to deconstruct rather than demolish the existing structures at the DUO Townhomes construction site achieving a 94% diversion rate by weight.

Deconstruction location: Parksville, B.C. Building type: Three Single Family Homes Area deconstructed: 6,000 square feet Age of deconstructed buildings: 1970s Duration of deconstruction: Three

mo	nt	hs
1110	116	113



Material Diversion	Weight (kg)	Percentage (%)
Reused onsite	616,132	82%
Donated for reuse	10,864	1%
Recycled	80,317	11%
Landfilled	43,300	6%

## **Project Highlights**

- Deconstructed dimensional lumber reused in the new build for concrete forms and back framing
- Concrete foundation reused onsite as road base
- Materials donated for reuse included light fixtures, lumber, bricks and offcuts of wood
- Metals, oil, paint, asphalt roofing shingles and drywall were among the recycled items
- Construction was able to start onsite while deconstruction was still taking place
- Trees felled onsite were processed into lumber

In this collaborative deconstruction project, partners including Unbuilders, the Nanaimo Recycling Exchange and John Howard Society were engaged to:



Effectively deconstruct the original buildings



Successfully reuse materials onsite and divert materials to other reuse organizations



Create low-barrier full-time employment opportunities<sup>7</sup>



# 4. REUSE

Reusing materials both onsite and offsite can significantly reduce waste, tipping fee expenses and operational costs, all while keeping valuable materials in circulation.

Sites with a sufficient footprint can reuse materials onsite when feasible, which will minimize emissions associated with transportation to another processing site. When the construction site has a restrictive footprint, reuse materials offsite instead of sending them to landfill.

#### **Reuse Opportunities:**

Material	Examples	Opportunity	Where
Appliances in working order	Stoves, dryers	Donate to charitable reuse centres for tax credit	Offsite
Asphalt, aggregates and concrete	Cinder blocks, concrete, pavement, bricks	Crush for fill or road base	Offsite/Onsite
Finishings	Doors, cabinets, hardwood flooring, railings, gates	Refurbish to use in new build	Offsite/Onsite
Landscaping debris	Trees, stumps	Chip for mulch for landscaping or biofuel	Offsite/Onsite
Large wood beams	Framing, decks	Use in finishings of new build or furniture construction	Offsite/Onsite
Lighting and electrical equipment	Products in good working order or rewired	Donate to charitable reuse centres for tax credit	Offsite
Plumbing fixtures and fittings	Bathtub, kitchen sinks, faucets	Donate to charitable reuse centres for tax credit, reuse in new builds or sell for reuse	Offsite
Windows	Window in good condition	Donate to charitable reuse centres for tax credit	Offsite/Onsite



Adaptive Reuse is the process of reusing an existing building for a purpose other than what it was originally built or designed for. This can include structural moving from one location to another.

A **1,600 sq. ft.** home represents about **60 trees worth of lumber** and each discarded home adds 60-80 tons of building waste to landfills<sup>8</sup>!

# 5. RECYCLING

Setting up a recycling station to divert waste from your local landfill is a great step in your sustainability journey! Waste diversion can reduce disposal costs by up to 30%, yet most construction sites still use a single-bin system, sending over 90% of waste generated to the landfill.

By setting up a recycling station with clear signage at each site and a dedicated green lead team member, your organization can cut costs and recycle more than 50% of waste.

In a study conducted by researchers at the University of British Columbia, placing a recycling station 1.5 metres away from a point of entry or exit can drastically boost recycling and composting rates by 141%<sup>10</sup>.



#### CASE STUDY: IMPACTS OF RECYCLING

The construction of a 2,000 sq. ft. home will **generate approximately 17,500 kg of waste**. With no diversion program in place, all of that waste, equal in weight to eight full-sized F-150's, will go to the landfill. The climate impact of that waste is **eight tonnes of greenhouse gas emissions**.

With a comprehensive recycling system in place, you can divert up to 82% of that construction waste from landfill. This would reduce the amount of non-divertible waste to 3,181 kg and reduce GHG emissions by 6.4 tonnes, equal to taking two cars off the road for an entire year!



Download the app What Goes Where? to search for where to dispose of items.



A list of recycling depots can be found in the Resources section of this guide.



#### HOW TO SET UP A RECYCLING STATION

There are several considerations to keep in mind when setting up your recycling station that will impact the success of your program. These include the materials you will recycle, how you will haul materials from the site, where and how the station will be set up and how you will engage your crew and other sub-contractors working on the site to participate in the recycling program!

### There are four key steps to set up a successful recycling station:



- Identify materials generated onsite and estimate their quantity. Use a waste calculator to help.
- Based on your findings, determine what materials you will collect and how much space it will require.
- Determine where you will set up your recycling station. Consider ease of access for waste haulers and areas that do not conflict with the construction process.
- Nominate the person on your team who will be the "Green Lead" supporting this initiative.



- Decide if you will hire a waste hauler or self haul.
- If you hire a hauling service, refer to the RDN's Waste Hauler Licensing bylaw.
- Selecting a self haul option will require a vehicle and staff time to transport the material. This option is best for small sites and one-off items.



- Now you are ready to set up your diversion station! Remember to take into consideration bin location, size and coverage to store materials.
- Create clear signage for each bin detailing accepted and not accepted materials.
- Communicate the new system to your crew and provide training on best practices.



- Check in on your bin contamination regularly.
- Communicate to the crew where they can improve to reduce contamination.
- Track changes in waste management expenses.




Add these bullet points in job descriptions to empower Green Leaders!

Use the waste calculator created by Light House to help in your planning stage



## **RECYCLING THE ESSENTIALS**

Plastic			
<b>✓</b>	Hard plastic		
<b>✓</b>	Soft plastic		
<b>✓</b>	Styrofoam		
×	Dirty or contaminated		
X	Таре		
×	PVC or ABS pipe		





## **RECYCLING OTHER ITEMS**

Material	Items and Considerations
Appliances (not suitable for reuse)	Dishwasher, laundry dryer, stove, washing machine
Asphalt	Asphalt roofing and pavement
Concrete/Stone	Concrete with rebar can be recycled at select locations, see resources below
Drywall	Testing and appointments may be required, see resources below
Insulation	Blown in, batt, rigid
Metal	Window frames, screens, doorknobs and handles
Shingles	Metal/asphalt/untreated cedar shingles can be recycled





# 6. MATERIAL SELECTION

Bringing sustainability to the forefront during the design and material selection can reduce waste before it is generated, cutting it off at the source.

This is a multi-stakeholder conversation to be had with the client, general contractor, architects, engineers and interior designers involved in the project. From simple actions like paint selection to bigger undertakings like designing for disassembly, there are conscious environmental decisions that you can make regardless of where you are in your sustainability journey.

#### **DESIGN FOR DISASSEMBLY**

Considering the structure's end-of-life during the design phase has become more common for both residential and commercial construction projects through a process called "Design for Disassembly" (DfD). DfD evaluates all building components including structural elements, finishing products and mechanical, electrical and plumping systems. DfD also acknowledges ease of renovation and repairability of materials throughout the structure's life, which provides significant cost benefits to the owners and operators of these buildings.

## The goals of DfD strategies are to:

- Streamline the deconstruction process
- Reduce time and cost associated with deconstruction
- Allow for maximum recovery of materials<sup>11</sup>

## The DfD strategies consider:



**Material Selection** 



**Fasteners and Connection Points** 



Assembly Design



Mass timber construction has been noted as a potentially advantageous material in DfD as it can "match or exceed the structural performance of concrete and steel while reducing carbon emissions by as much as 45%"<sup>12</sup>.

### A DESIGN FOR DISASSEMBLY CHECKLIST

This sample checklist was developed by Light House Sustainability Society for BC Housing Society and cited in Appendix B in the Design for Disassembly for Residential Construction report<sup>13</sup>.

# Appendix B – Sample DfD Checklist

## **Project Name:**

Instructions COMPLETE THE Design Service Life for Building FIRST. Mark the check box where the building has the criteria described, otherwise leave check box blank.

Category	Criteria	Threshold to Meet	Threshold Achieved
Design Service Life for Building	Temporary	Up to 10 years	
Life for Building	Medium Life	25 - 49 years	
	Long Life	50 - 99 years	
	Permanent	100 years +	
Durability, Flexibility &	Do all elements of the <b>structure</b> selected have a service life equal or greater than:	50 - 99 years	
Adaptability	Do all elements of the <b>building envelope</b> selected have a service life equal or greater than:	50 - 99 years	
	Are the <b>interior finishes</b> durable, maintainable and easily removable without damaging other building elements?	Yes/No	
	Can the <b>mechanical</b> , <b>electrical and plumbing systems</b> be accessed and replaced without damaging other building elements?	Yes/No	
	Are all <b>building elements with a shorter service life</b> easily replaceable?		
	Is the building interior easily reconfigurable for different uses?	Yes/No	
Material Fastenings	Have the number of fastenings been minimized?	Yes/No	
rastenings	Are fastenings mechanical?		
	Are fastenings accessible?	Yes/No	
	Can standard tools be used to unfasten?	Yes/No	
Closed Loop	> 50% of the building materials have recycled content?	Yes/No	
	> 10% of the building materials are salvaged?	Yes/No	
	>75% of building elements are reusable or recyclable?	Yes/No	

Design for Disassembly for Residential Construction 15

#### CASE STUDY: DESIGN FOR DISASSEMBLY

Nexii Building Solutions is a Vancouver-based sustainable building solutions company. Nexii is the proprietor of Nexitte fire-resistant building panels that are more thermally efficient and less carbon intensive than concrete. Nexii's building system uses panels that are manufactured to design specs, assist in near-zero onsite construction waste and are designed for disassembly.

In 2021, Nexii completed a deconstruction case study to assess the waste and embodied carbon impacts.

**Deconstruction location:** Squamish, B.C.


**Building size:** 700 square feet **Disassembly duration: Six days** 


Reassembly location: Salt Spring Island, B.C.

<b>Material Diversion</b>	Weight (kg)	Percentage (%)
Reused	34,084	99.83%
Recycled	36	0.11%
Landfilled	21	0.06%



## **Community benefits included:**





Minimized site disturbance, including soil compaction, erosion and vegetation disturbance<sup>14</sup>

Materials sent to landfill consist of sealant that was scraped from the modular panels and other miscellaneous items that could not be recycled.



#### CRADLE TO CRADLE CERTIFIED® PRODUCTS PROGRAM



Cradle to Cradle Certified® Products Program is a globally recognized certification for products that are **safe**, **circular** and **responsibly made**.

Cradle to Cradle Certified® assesses materials and products across five categories of sustainability performance including material health, product circularity, clean air and climate protection, water and soil stewardship and social fairness.

Cradle to Cradle Certified® is also recognized in the USGBC WELL Building Standard and LEED Certifications. There are hundreds of certified products available for the construction industry from building exteriors to insulation, plumping, paint and more. You can view all certified products through their product registry online at c2ccertified.org/products/registry.

## Check out these Cradle to Cradle Certified® products for some inspiration!



Available at major retailers across Canada, **Graphenstone** is a range of lime-based paints and fillers. They leverage the breathability, antibacterial, antifungal and insect repellent properties of lime and designed for enhanced flexibility, hardness and thermal conductivity through the use of graphene.

**Accoya®** wood is a high-performance acetylated wood building material designed for outdoor use and challenging applications. Their product line includes doors, decking, siding and more.





A global leader in sustainability, Interface® has a wide range of carpet tile products and resilient flooring designed for commercial use. Products are designed to be disassembled at their end of life and can be returned via their ReEntry™ program to be recycled into new products.

# 7. RESOURCES

# DIRECTORY OF SERVICES, FACILITIES & DEPOTS

Organization	Location	Circular Services
ABC Recycling	750-C Jackson Rd, Nanaimo	<b>Recycling</b> - structural steel, equipment parts, non-ferrous metals, large appliances
Brod Demolition	Nanaimo	Reuse – deconstruction and salvage company
Cascades Recycling Station	800 Maughan Rd, Nanaimo	<b>Recycling</b> – cardboard, paper, plastics. Offer small bin (32, 64, 96 gal) pickup service
Convertus Group	981 Maughan Rd, Nanaimo	Recycling – organic waste, lawn clippings, scrap wood
DBL Disposal Services	33 Tenth St, Nanaimo 911 Church Rd, Parksville 2250 McGarrigle Rd, Nanaimo (transfer Stn)	Recycling + Hauling – gypsum, wood waste, plastics, metal
Deconstructors	104 MacRae Pl, Nanaimo	Reuse – deconstruction and salvage company
Demxx Deconstruction Inc.	1688 Alberni Hwy, Chemainus	Reuse – used building materials
GRT	769 Dalholt Rd, Nanaimo	<b>Recycling</b> – contaminated/excess soils, mud, dredge recycled to make construction aggregates
HL Demolition & Waste Management	4481 Markham St, Victoria	Reuse – structural moving, green demolition
Island Pallet Solutions Ltd.	190 Front St, Nanaimo	Reuse – shipping pallets
Milner Recycling	4299 Biggs Rd, Nanaimo 1985 Island Diesel Way, Nanaimo	Recycling + Disposal Bins – gypsum, metal, concrete, asphalt roofing, wood, organics, plastics
Regional District of Nanaimo	1105 Cedar Rd, Nanaimo 860 Church Rd, Parksville (transfer station)	Recycling - metal, wood waste, corrugated cardboard
Regional District of Nanaimo – Gypsum	860 Church Rd, Parksville	Disposal Guidelines - gypsum
Nickel Brothers	1990 Balsam Rd, Nanaimo	Reuse – structural moving
Parksville Bottle Depot	611A Alberni Hwy, Parksville	<b>Recycling</b> – electronics, appliances, cardboard, scrap metal
Regional Recycling	2375 Hayes Rd & 839 Old Victoria Rd, Nanaimo	Recycling – scrap metal and electronics
ReStore	#1-4128 Mostar Rd, Nanaimo	<b>Donation + Reuse</b> – new and used building materials, cabinets, furnishings, lighting, hardware
Trash2Go	#5- 4286 Departure Bay Rd, Nanaimo	Recycling + Waste Hauling – residential furniture, commercial cabinetry, flooring, roofing, electronics, appliances
Unbuilders	8729 Aisne St, Vancouver	Reuse – deconstruction and salvage company
Vancouver Island Hazmat	2218 South Wellington Rd, Nanaimo	<b>Recycling</b> – removal, remediation and disposal of hazardous materials

## **EDUCATIONAL RESOURCES**

Below are resources to learn more about the circular economy including courses, industry groups and reports.

Educational Organization	Overview	Details
BC Institute of Technology (BCIT)	Deconstruction management – Skills to manage deconstruction in a way that realizes highest social, environmental and eco benefit	Duration: Four weeks Fees apply
Build Reuse	Informational videos and resources about deconstruction	Free resources, available online
Built Green	Built Green® Program Fundamentals to help participants built sustainably built, third-party certified homes	Fees apply
Circular Economy Leadership Canada	Circular Built Environment event series and additional resources	Free resources available online
Coast Waste Management Association	Construction & Demolition Waste Working Group: Group meets every two months on specific topics related to construction and demolition waste diversion, from policy to new innovations	Free to participate. Other events, networking opportunities and educational resources available.
edX	Designing homes with reduced energy use and environmental impacts	Duration: 13 weeks Fees apply
Lighthouse	Construction waste calculator helps estimate waste generated for the construction project	Free resource
The Reuse People	Deconstruction Worker Certification	Duration: 14 days Fees apply

# **REFERENCES**

- Regional District of Nanaimo. (2018). Solid Waste Management Plan Summary, Planning for the Future of Our Waste
- 2. Statistics Canada. (2016). Nanaimo Regional District, Labour Counts
- 3. Delphi Group. (2021). Circular Economy & The Build Environment Sector In Canada
- 4. Unbuilders. (2021). How it Works
- 5. Delta Institute. (2018). Deconstruction & Building Material Reuse: A Tool for Local Governments & Economic Development Practitioners
- 6. Regional District of Nanaimo. (2020). Regional Housing Needs Report
- 7. Tectonica. (2021). Deconstruction vs Demolition
- 8. Nickel Bros. (2021). Why Recycled Homes?
- 9. Sea to Sky Removal. (2021). Recycling Toolkit
- 10. Allesandra DiGiacomo. (2017). Convenience improves composting and recycling rates in highdensity residential buildings, Journal of Environmental Planning and Management.
- 11. Hoda Abzuied. (2020). A review of advances in design for disassembly with active disassembly applications, Engineering Science and Technology, an International Journal
- 12. Government of BC. (2022). BC Mass Timber Action Plan
- 13. BC Housing. (2021). **Design for Disassembly for Residential Construction**, prepared by Light House Sustainability Society
- 14. Zosia Brown. (2022). Design for Deconstruction: Nexii Circular Economy Case Study